

AD-A265 021



15

1

CULTURAL RESOURCES SURVEY AND TESTING  
ALONG DITCH 19  
DUNKLIN AND STODDARD COUNTIES, MISSOURI

by

Kathryn A. King

and

Robert H. Lafferty III



DTIC  
ELECTE  
MAY 27 1993  
S A D

FINAL REPORT

15 July 1987

This document has been approved  
for public release and sale; its  
distribution is unlimited.

Report Prepared for:  
Department of the Army, Memphis District, Corps of Engineers  
B-202 Clifford Davis Federal Building  
Memphis, Tennessee 38103-1894

In accordance with Contract No. 53-7103-7-545


Report Prepared by:  
Mid-Continental Research Associates  
RR 2, Box 270  
Lowell, Arkansas 72745  
(501) 756-5247

MCRA Report No. 87-2

93-11739



# DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.


REPORT DOCUMENTATION PAGE			Form Approved GSA GEN. REG. NO. 27	
<small>Public reporting burden for this document is estimated to be 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Service, Directorate for Information Operations and Reports, U.S. Government Printing Office, Washington, DC 20540-4302, and to the Office of Management and Budget, Paperwork Project, Washington, DC 20503.</small>				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 15 JULY 1987	3. REPORT TYPE AND DATES COVERED FINAL		
4. TITLE AND SUBTITLE Cultural Resources Survey and Testing Along Ditch 19 Dunklin and Stoddard Counties , MO		5. FUNDING NUMBERS C 53-7103-7-545		
6. AUTHOR(S) Kathryn A. King Robert H. Lafferty III				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Mid-Continental Research Associates RR 2 Box 270 Lowell, AR 72745		8. PERFORMING ORGANIZATION REPORT NUMBER  MCRA No. 87-2		
9. SPONSORING MONITORING AGENCY NAME(S) AND ADDRESS(ES) Dept. of the Army Memphis District Corps of Engineers B-202 Clifford Davis Federal Bldg. Memphis, TN 38103		10. SPONSORING MONITORING AGENCY REPORT NUMBER  16		
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION AVAILABILITY STATEMENT  unlimited		12b. DISTRIBUTION CODE		
13. ABSTRACT (Maximum 200 words) From Jan. 12-19, 1987, MCRA conducted a cultural resources survey along Ditch 19 and Lateral No. 1 in Dunklin Co., MO. The survey resulted in the identification of twelve potential prehistoric archaeological sites and one prehistoric isolated find. Initial site testing was done by MCRA from Feb. 4-10, 1987. Several of the potential sites were found to be part of the same site, resulting in a total of seven prehistoric archaeological sites. Intensive testing consisted of the collection of controlled surface collections, the excavation of 1m x 1m test units, and mapping the sites. These investigations determined three sites to be eligible for nomination to the National Register of Historic Places.				
14. SUBJECT TERMS		15. NUMBER OF PAGES 65		16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT	

(1)

CULTURAL RESOURCES SURVEY AND TESTING  
ALONG DITCH 19  
DUNKLIN AND STODDARD COUNTIES, MISSOURI

by

Kathryn A. King  
and  
Robert H. Lafferty III



FINAL REPORT

15 July 1987

This document has been approved  
for public release and sale; its  
distribution is unlimited.

Report Prepared for:  
Department of the Army, Memphis District, Corps of Engineers  
B-202 Clifford Davis Federal Building  
Memphis, Tennessee 38103-1894

In accordance with Contract No. 53-7103-7-545

Report Prepared by:  
Mid-Continental Research Associates  
RR 2, Box 270  
Lowell, Arkansas 72745  
(501) 756-5247

MCRA Report No. 87-2



# ABSTRACT

From January 12 to January 19, 1987, Mid-Continental Research Associates (MCRA) conducted a cultural resources survey along Ditch 19 and Lateral No. 1 in Dunklin County, Missouri. The survey resulted in the identification of twelve potential prehistoric archeological sites and one prehistoric isolated find. Initial site testing was done by MCRA from February 4 to February 10, 1987. Several of the potential sites were found to be part of the same site, resulting in a total of seven prehistoric archeological sites and one prehistoric isolated find. Intensive testing consisted of the collection of controlled surface collections (CSCs), the excavation of 1m x 1m test units or .30m x .30m control columns (CCs), and mapping of the sites. These investigations determined three sites to be eligible for nomination to the National Register of Historic Places (NRHP). These were 23DU284, 23DU289, and 23DU286. Sites 23DU285, 23DU287, 23DU288, and 23DU290 were determined to be ineligible for nomination to the NRHP. Recommendations were made for mitigation by avoidance on 23DU284 and mitigation by data recovery of the impact zone on 23DU289 and 23DU286.

Accession No.	
1715	23DU284 ✓
0001	23DU289
1000	23DU286
Date	
By	
Date	
Approved by	
Date	
Dist	23DU284
A-1	23DU289

# TABLE OF CONTENTS

	<u>Page No.</u>
Abstract	i
Table of Contents	ii
List of Tables	iv
List of Figures	iv
Acknowledgements	vi
 <u>Chapter No.</u>	
1. INTRODUCTION	1
Project Location	3
Project Background	5
2. Natural and Cultural Environment	
Environment	5
The Malden Plain	6
Soils	8
Soils and Biotic Communities	10
Macrobiotic Communities	11
Levee	11
Levee Swamp Ecotone	13
Swamp	13
Soils and Archeological Sites	14
Previous Archeological Research	15
Previous Archeological Work in Ditch 9 and Main Ditch	20
Status of Regional Knowledge	20
The Paleo-Indian Period	20
The Dalton Period	21
The Early to Middle Archaic Periods	21
The Late Archaic Period	22
The Early Woodland	22
The Middle-Late Woodland Periods	23
The Mississippi Period	23
The Historic Period	23
Summary	24
3. Survey Methods	25
Survey Results	25
Initial Site Testing Methods	27
Controlled Surface Collections	27
1m x 1m Excavation Units	27
Site Mapping	28
Background and Literature Search	28
Informant Interviews	28

# TABLE OF CONTENTS

Artifact Processing	28
Artifact Analysis	29
Lithics	29
Ceramics	29
Bone	29
Historic Materials	29
Artifact Records and Curation	29
4. Prehistoric Site Investigations	31
23DU284	31
Description	31
Controlled Surface Collections	34
1m x 1m Test Unit	34
Proposed Site Function and Cultural Affiliation	35
Site Significance	35
Project Impacts	35
Recommendations	35
23DU285	37
Description	37
Controlled Surface Collections	37
Control Columns	38
Bank of Ditch 19	41
Proposed Site Function and Cultural Affiliation	41
Site Significance	41
Project Impacts	42
Recommendations	42
23DU286	42
Description	42
Controlled Surface Collections	43
1m x 1m Test Unit	43
Proposed Site Function and Cultural Affiliation	44
Site Significance	44
Project Impacts	46
Recommendations	46
23DU287	46
Description	46
Controlled Surface Collections	47
Control Columns	48
Profile of East Side of Ditch 19	48
Proposed Site Function and Cultural Affiliation	51
Site Significance	51
Project Impacts	51
Recommendations	51
23DU288	51
Description	51
Controlled Surface Collections	53
1m x 1m Test Unit	53
Proposed Site Function and Cultural Affiliation	53
Site Significance	53
Project Impacts	55
Recommendations	55
23DU289	55
Description	55

## TABLE OF CONTENTS

Controlled Surface Collections	55
Field Lateral Profile	59
1m x 1m Test Unit	59
Proposed Site Function and Cultural Affiliation	61
Site Significance	61
Project Impacts	61
Recommendations	61
23DU290	62
Description	62
Controlled Surface Collections	62
Control Columns	66
Proposed Site Function and Cultural Affiliation	66
Site Significance	67
Project Impacts	67
Recommendations	
5. Summary and Conclusions	
General Recommendations	68
References Cited	69
Appendix A	
Artifact Tables by Site	
Appendix B	
Scope of Work	

## LIST OF TABLES

### Table Number

1. Arboreal species composition of three biotic communities in Mississippi County Missouri	12
2. Previous archeological investigations in Northeast Arkansas and Southeast Missouri	16

## LIST OF FIGURES

### Figure Number

1. Project area location	2
2. Physiographic environment of the project area	4
3. Project area and geologic surfaces	7
4. Project area and General Land Office maps (1840, 1860, and 1861)	9
5. Project area surface visibility	26
6. Soil map for site 23DU284	32
7. 23DU284 site map	33
8. 23DU284, Test Unit 1	36
9. Soil map for site 23DU285	38
10. Profiles of control columns from 23DU285	39
11. 23DU285 site map	40

# LIST OF FIGURES

## Figure Number

12.	23DU286 site map	44
13.	23DU286, Test Unit 1	45
14.	23DU287 site map	47
15.	Profiles of control columns from site 23DU287	49
16.	Profile of east side of Ditch 19 at site 23DU287	50
17.	23DU288 site map	52
18.	23DU288, Test Unit 1	54
19.	23DU289 site map	56
20.	23DU289 east ditch profile, Old Bayou	58
21.	23DU289, Test Unit 1	60
22.	23DU290 site map	63
23.	23DU290, controlled surface collection and control columns	64
24.	Profiles for control columns from 23DU290	65

## ACKNOWLEDGEMENTS

Making a project run smoothly requires the cooperation of a large number of people. Working in middle of the winter can be a very unpleasant experience, though we were lucky enough to have 50 and 60 degrees throughout the present project. Many people had a hand in making this project run as pleasantly and smoothly as possible.

Mr. Jim D. McNeil, the Contracting Officer's Technical Representative, provided valuable assistance in coordinating the needs of the Corps of Engineers and provided valuable technical background information about the project area.

The archeological field work was under the direction of Kathryn King, yet valuable input was provided by a very experienced and capable crew composed of Dr. Robert H. Lafferty, III, James P. Harcourt, Rosemary C. Swanson, J. Shawn Chapman and Alice A. Duncan.

The people of Campbell and Malden, Missouri were very friendly and helped us in any way they could. The Fosters who own Brown's Motel provided us with a warm, clean place to sleep and helped out immensely with landowner information. The people at the Dutchess Cafe in Campbell provided us with nourishment and encouragement every morning.

The landowners were very courteous throughout the project, providing us with permission to access their property and also providing us with valuable information about recent land use practices and local history.

The archeological laboratory analysis was conducted by Kathryn King, Jody O. Holmes, Alice A. Duncan, Dr. Theodore Ekechukwu and Don S. Warden under the direction of Kathleen M. Hess.

Phillip Martnady, a graduate student of Physical Anthropology at The University of Arkansas was very gracious in analyzing the human bone found during the project.

Mr. Donald S. Weichman, Mr. Christopher B. Pulliam, and Mr. Thomas D. Holland conducted the background and literature search. Mr. Eric van Haartesveldt of the Missouri Archeological Society provided us with state site numbers.

The cooperation and input from all of the above mentioned people made it possible for us to complete the project and gain the most information possible from the archeological remains. Once again, the joint effort of good people has aided in pushing back the clowns of time.

## CHAPTER 1

### INTRODUCTION

Mid-Continental Research Associates (MCRA) has conducted a cultural resources survey, and evaluation of Ditches 19 and Extension, Dunklin and Stoddard Counties, Missouri for the Memphis District, Corps of Engineers (COE). The detailed specifications were detailed in the Scope of Work of the contract which outlines the goals of the project as follows:

- a. Research Design
- b. Cultural Resources Review
- c. Intensive Survey
- d. Initial Site Testing
- e. Laboratory processing, analysis and preservation
- f. Report preparation
- g. Duration

The purpose of this work is to provide the COE with a cultural resources inventory and evaluations in areas to be impacted by the deepening and widening of Ditch 19 and Lateral 1, in Dunklin and Stoddard Counties, Missouri. The survey also included a 25 acre plot that is planned to be sold by the Corps of Engineers and the construction zone around a bridge over Ditch 19. This work will place the COE in compliance with the National Historic Preservation Act (Public Law [PL] 89-665), the National Environment Policy Act of 1969 (PL 91-190), Executive Order 11593 (13 May 1971; 36 CFR Part 800); Preservation of Historic and Archeological Data (P.L. 93-291) and the Advisory Council on Historic Preservation's "Procedures for the Protection of Historic and Cultural Properties" (36 CFR Part 800). This report describes how MCRA attained these goals.




Figure 1. Project Area Location (Missouri Watershed Map)



## PROJECT LOCATION

The portions of Ditch 19 surveyed are located in Dunklin and Stoddard Counties near Malden, Missouri (Figure 1). The project area began at the junction of Ditch 19 and Lateral No. 1 approximately 400m south of J Highway. The project area extended 9.6km (6 miles) north along both sides of Ditch 19 to ca. 13m (200ft) north of the Dunklin-Stoddard County line. A second segment of the project area extended north along both sides of Lateral No. 1 for 4.2km (2.6 miles). A third segment was surveyed upstream and downstream (60m [200ft] both directions on both sides) of a bridge crossing Ditch 19 located 1.7km (1.1 miles) north of the Dunklin/Stoddard county line. A 60m (200ft) wide transect on both sides of the ditches was surveyed prior to improvements to the ditches. In addition, 25 acres of land owned by the U.S. Army Corps of Engineers was surveyed prior to being sold back into private ownership. This plot of land was located on the west side of Ditch 19 in the south half of the northeast quarter of section 13 in Township 22N, Range 9E (Figure 2). These areas were to be surveyed for the presence of archeological sites that would consequently be tested for significance according to criteria specified by the National Register of Historic Places (NRHP).

## PROJECT BACKGROUND

The contract for this work was awarded on 15 December 1986 and the field work was begun on 12 January 1987. The survey was completed on 19 January 1987 and the testing was carried out from 4 February to 10 February 1987 during a period of unseasonably warm weather. The background and literature search was conducted on February 3, 1987 by Thomas D. Holland and Christopher E. Pulliam. Artifact analysis was conducted by Kathryn A. King, Jody G. Holmes, and Kathleen M. Hess. The Management Summary was submitted 18 February 1987 and the draft report submitted on 30 April 1987.

This report documents the results of the project. The following chapter frames the context of the project by outlining the environmental and cultural background. In Chapter 3 we detail the methods of survey, NRHP testing and artifact analysis. The fourth chapter describes each site, details the investigations carried out at each site and evaluates and makes recommendations. The fifth and last chapter summarizes the results of the projects, summarizes the proposed impacts to the cultural resources, and makes general recommendations for mitigating the impacts.




Figure 2. Physiographic environment of the project area.

## CHAPTER 2

### NATURAL AND CULTURAL ENVIRONMENT

#### ENVIRONMENT

The modern environment of the project area bears little resemblance to its natural state. The swamps have been drained and the natural levees have been precision-land leveled to a three percent grade. Today the perfectly flat fields covered with wheat, soybeans or milo bear little resemblance to the Southern Floodplain Forest which once covered this project area.

The project area is in what is perhaps one of the most highly modified rural landscapes in North America. The major modifications to the landscape include: (1) timbering, which has totally changed the biota, (2) drainage of the swamps, which has eliminated large areas of water and made agriculture possible in many parts of the watershed, and (3) land-leveling, which is changing the topography making agriculture more efficient and productive. These changes make it difficult to perceive, much less measure, certain facets of the environment and often obscure the locations of cultural resources. Therefore, the methods of measuring certain past environmental variation must be indirect, because natural topography, flora, and fauna are no longer present in the landscape (Beadles 1976).

## The Malden Plain

The Malden Plain is 3-5 miles wide and about 100 miles long. It is bounded by Crowley's Ridge on the north and west, Little River Lowlands on the east and the St. Francis River on the southwest. It is the highest and driest land between Crowley's Ridge and the Chickasaw Bluffs in Tennessee along the Mississippi River.

The Malden Plain is a relict braided surface which was deposited in terminal Pleistocene times by the meltwater from the continental glaciers. Saucier (1974) divides the Braided Stream Surface into two main terraces. The older terrace (T1) is primarily located west of Crowley's Ridge, but a small patch exists east of the ridge in the St. Francis Basin (Figure 1). This terrace, called the Malden Plain, is sandier and has greater relief than does the later Terrace 2 located to the east on the Little River Lowlands. Saucier divides the Braided Surface Terrace into two sublevels. The general project area is within the higher western subterrace (Figure 1); however, it is specifically within the more recent backwater swamp clays between the better drained soils of the Malden Plain and Crowley's Ridge. These clays overlay the braided surface sands. Recent geomorphic work carried out by MCRA for the Memphis District COE suggest that the braided channels have infilled with clay during the Holocene. The sandy edges, adjacent to the infilled channels and swamps, were highly favorable places for human occupation (cf. Lewis 1974; Lafferty et al 1984, 1985, 1987).

Ditch 19 and two laterals (1 and 2) are the major ditch drainages of the back swamp found behind the levee on top of the terrace forming the Malden Plain. At Kennett, 25 miles south of the project area, Ditch 19 drains into the ditches which drain the former Little River (a past course of the Mississippi River) bottomland. These drain in a very linear manner south and east to the center of the Eastern Lowlands at Big Lake. The back side of the levee is a potential transshipment point for lithics, from canoes to land, where the chert could have potentially been reduced and carried across the Malden Plain to the Little River.




Figure 3. Project Area and Geologic Surfaces (after Saucier 1970 and USGS Evadale Quad).

## SOILS

Soils are the best indicators of past environments in the Lower Mississippi Valley. Two characteristics of riverine bottomland: (1) the manner of deposition effectively sorts different-sized particles by elevation, and (2) relative elevation and the water table determine the kinds of biota which can inhabit a particular econiche. These relationships (briefly discussed below) are well established by archeological, geological, and ecological research in the Lower Mississippi Valley (Lewis 1974; Beadles 1976; Harris 1980; Delcourt et al. 1980; King 1981).

Figure 3 presents a diagrammatic cross section of a riverine deposit. The river moves in the channel to the left. When it floods, the load capacity of the river is increased. When the river spills over its bank, its velocity is immediately reduced, which lowers its load capacity causing the largest particles it is carrying to be deposited. The repeated flooding will gradually build up a natural levee composed of the largest particles available, sands and silts under the current gradient. This process can be fairly rapid. For example, there are documented instances of as much as 2m of sand being deposited in one flood (Trubowitz 1984). As the levee builds up, a backswamp forms away from the river and smaller particles, clays, are deposited under more slowly flowing slackwater conditions. Under a meandering regime the river channel will be cut off, eventually forming an oxbow lake. This will fill with a clay plug in time. Many of these features are still directly observable on soil maps (Ferguson and Grey 1971) and in a few instances on topographic maps; however under the current land-leveling practices these are disappearing rapidly.

The General Land Office Maps (Figure 4) often contain important data, even though their plant community categories are quite coarse grained (1 mile grid control) and do not correspond to modern plant communities. The GLO maps for the project area also show a certain amount of unevenness of surveyor's knowledge and have the additional problem of change through time being mapped over a 21 year period (1840-1861). These maps show the following features (Figure 3): Crowley's Ridge (extreme left), the swamp which Ditch 19 drains, timber on the Malden Plain, a large prairie and several smaller ones and the Little River Lowlands (on the extreme right). Inaccuracies due to the survey on the section lines are apparent in section 26 south of the bend in the ditch from the southwest to due south where the edge of the swamp probably extended further to the west. From this and the known common sense proclivity of the early ditch diggers to move as little dirt as possible, it is clear that Ditch 19 was placed in the deepest part of the swamp near the backside of the plain and at the toe of the slope from Crowley's Ridge.




Figure 4. Project area and General Land Office Maps (1840, 1860 and 1861).

## SOILS AND BIOTIC COMMUNITIES

The relationship of biota to riverine features in the Lower Mississippi Valley is well known (Lewis 1974; Lafferty 1977; Butler 1978; Morse 1981). Because of the radical changes in the environment in the past century, these are reconstructions based on named witness trees in the GLD survey notes. These studies have consistently identified plant communities associated with particular soil types (cf. Lewis 1974:35).

There are two plant communities associated with the levees, the Sweetgum-Elm Cane Ridge Forest and the Cottonwood-Bycamore Natural Levee Forest. These plant communities were the driest environments in the natural landscape and had a high potential for human settlement. They are, in fact, successional stages, with the Cottonwood-Bycamore forest being found along active river channels, while the Cane Ridge Forest is found on the levees of abandoned courses. Levee soils in the immediate project area include Canalou loamy fine sand, Farrenburg fine sandy loam and Malden fine sand. These are distributed in small linear patches which seldom intersect the project area. Where they do intersect the project area there are always sites.

There are four aquatic biotic communities: river, lake, marsh and swamp. These low lying areas are unsuitable for human occupation. Several of these are involved in successional sequences; however, since about the Middle woodland period all were present at any given time prior to drainage. The project area is located in an area which was a swamp with a conspicuous filled in channel of a smaller magnitude. This was mapped as a swamp in the General Land Office Survey (Figure 3). The principal soils of these bottoms and basins are: Cairo silty clay, Gideon loam, Sixeston loam, and Roellen silty clay. In modern unland leveled topographic terms these are all concave basin surfaces which contained water in predrainage days.

Between these two extremes are the river edge communities and the seasonal swamps. In drier times the latter contained areas suitable for occupation. The former is a line-like interface with a steep slope and little substantial flat area. In the project area these are represented by Lilbourn fine sandy loam.

The correlation between soils and plant communities is not a 1:1 ratio. These deposits are building up and what was at one time a swamp may in a few decades become a dry levee. This process brings about biotic successional changes. However, there is a high correlation between soils and last successional stage plant communities. Because the surface is aggrading, the widest possible extent of habitable dry land, as it was prior to levee construction and drainage, is modeled. This correlation combines the two successional stages of levee biotic communities which are indistinguishable with the synchronic perspective embodied in our data. The edge communities are lumped together, as are the aquatic environments. These communities, all modeled from the last stages of deposition, cannot be distinguished in further detail.



with our present level of data, and it is probable that greater precision may be spurious.

Research studies using soils and plant communities to model prehistoric occupation in Northeast Arkansas (Dekin et al. 1978; Morse 1981; Lafferty et al. 1984; 1985; 1987), in the adjacent portions of the Missouri Bootheel (Lewis 1974; Price and Price 1980), and in the lower Ohio Valley (Muller 1978, Lafferty 1977, Butler 1978) have all suggested that sites are preferentially located on levee soils and are not found in aquatic deposits.

#### MACROBIOTIC COMMUNITIES

"Macrobiotic" communities - levee, ecotone, and swamp - are composed of different species of plants and animals. Table 1 presents an arboreal species composition reconstructed in Mississippi County, Missouri (Lewis 1974:19-28).

##### Levee

The Levee Macrobiotic Community, which does not occur in the project area, includes two plant communities: (1) the Cottonwood-Sycamore community found along the active river channel and (2) the Sweetgum-Elm Cane Ridge forest on abandoned courses. The arboreal species found in the Sweetgum-Elm community include all of the species found along the natural levee, however, their mix is considerably different. These two communities are in the highest topographic position in the county and these areas also support a dense understory of plants including cane (*Arundinaria gigantea*), spice bush (*Lindera Benzoin*), pawpaw (*Asimina triloba*), trumpet creeper (*Campsis radicans*), red bud (*Cercis canadensis*), greenbrier (*Smilax* sp.), poison ivy (*Rhus radicans*) and a number of less frequent herbaceous plants. The most common of these was cane, which often formed nearly impenetrable canebrakes. These provided cover for many of the larger species of land animals and were an important source of weaving and construction material.

The major mammals included in this biotic community included white-tailed deer (*Odocoileus virginianus*), cougar (*Felis concolor*), black bear (*Ursus americanus*), elk (*Cervus canadensis*), skunk (*Mephitis mephitis*), opossum (*Didelphys marsupialis*), raccoon (*Procyon lotor*), eastern cottontail rabbit (*Sylvilagus floridanus*), gray fox (*Urocyon cinereoargenteus*), and gray squirrel (*Sciurus carolinensis*). Important avian species included the wild turkey (*Meleagris gallopavo*), the prairie chicken (*Tympanuchus cupido*), ruffed grouse (*Bonasa umbellus*), passenger pigeon (*Ectopistes migratorius*) and Carolina parakeet (*Conuropsis carolinensis*).

Table 1. Arboreal species composition of three biotic communities in Mississippi County, Missouri (percent per community)

Species	Levee	Edge	Swamp
American Elm ( <i>Ulmus</i> sp.)	23	19	
Ash ( <i>Fraxinus</i> sp.)	11	14	2
Bald Cypress ( <i>Taxodium distichum</i> )		7	50
Black Gum ( <i>Nyssa sylvatica</i> )	T	1	
Blackhaw ( <i>Viburnum</i> sp.)	T		
Black Walnut ( <i>Juglans nigra</i> )	2		
Box Elder ( <i>Acer negundo</i> )	2		
Cherry ( <i>Prunus</i> sp.)	T		
Cottonwood ( <i>Populus</i> sp.)	1	3	
Dogwood ( <i>Cornus</i> sp.)	1		
Hackberry ( <i>Celtis occidentalis</i> )	12	9	
Hickory, ( <i>Carya</i> sp.)	5	4	
Shellbark ( <i>Carya laciniosa</i> )	T		
Hornbeam ( <i>Ostrya virginiana</i> )	2		
Kentucky Coffee Tree ( <i>Gymnocladus dioica</i> )	T		
Locust, ?	T		
Black ( <i>Robinia pseudacacia</i> )	T		
Honey ( <i>Gleditsia triacanthos</i> )	T	1	14
Maple, ( <i>Acer</i> sp.)	3	8	
Sugar ( <i>Acer saccharum</i> )	1		
Oak, Black ( <i>Quercus velutina</i> )	5	2	
Burr ( <i>Quercus macrocarpa</i> )	1	2	2
Overcup ( <i>Quercus lyrata</i> )	1		
Post ( <i>Quercus stellata</i> )	T		
Red ( <i>Quercus rubra</i> )	1	1	
Spanish ( <i>Quercus falcata</i> )	1		
Swamp ( <i>Quercus bicolor</i> )	T	1	
White ( <i>Quercus alba</i> )	1	1	
Pecan ( <i>Carya illinoensis</i> )	1	1	
Persimmon ( <i>Diospyros virginiana</i> )	T	2	2
Plum ( <i>Prunus</i> sp.)	T		
Red Haw ( <i>Crataegus</i> sp.)	T	1	11
Red Mulberry ( <i>Morus rubra</i> )	T		
Sassafras ( <i>Sassafras albidum</i> )	T		
Sweetgum ( <i>Liquidambar styraciflua</i> )	20	18	
Sycamore ( <i>Platanus occidentalis</i> )	1		
Willow ( <i>Salix</i> sp.)	1	2	18

Abbreviations: T=Trace (i.e. <1%); W=known preferred wood; F=known Food Resource; D=Known drink resource. Data based on Lewis 1974:18-28.

Prior to artificial levee construction the natural levees were the best farmland in this environment, due to their location at the highest elevations from which the spring floods rapidly receded and drained. This environment provided for a large number of useful species of plants and animals, making it an attractive place for settlement at virtually all times (except during floods) since the levees were laid down.

Though not directly within the project area we note that the large prairies east of the project area were probably of considerable importance, there is some discussion in the archeological literature that these were cultivated during the Mississippian with the Mill Creek hoe. Prairies were also important places for hunting as noted by the early French Explorers (Marquette 1954:361) who inferred their presence near by from the buffalo they heard bellowing as they descended from the mouth of the Ohio River in 1673.

### Levee/Swamp Ecotone

The macrobiotic community Lewis (1974:24-25) has called the Sweetgum-Elm-Cypress Seasonal Swamp may have been in parts of the project area. This ecotone had few species present at any one time and a noticeably clear understory. The arboreal species composition (Table 1) included water-tolerant species (Cypress, Willow and Red Haw), and at times, the ecotone had aquatic animal species. Flooded regularly every year for several weeks to several months, the clay soils retained the moisture longer than on the levees. These locations were clearly much less desirable for year round occupation than were the levees, but were easy to traverse in dry periods.

Different fauna occupied the area seasonally, drawn from the adjacent swamps and levees. In addition the levee/swamp ecotone was a preferred habitat of the giant swamp rabbit (*Sylvilagus aquaticus*) and crawfish. It is probable that many aquatic species, such as fish, were stranded and scavenged by the omnivores of the forest during the changing of this environment from a wetland to a dry open swampscape. These soils are characteristically poorly drained due to the presence of clays in the upper horizons. In this environment normally aquatic trees, especially cypress, would have been exploitable with land-based technology.

### Swamp

Included in this stratum are all of the different environments which were under water prior to drainage. Soils deposited in slackwater conditions are all low lying, and comprise the whole project area. The following different ecozones were included under this rubric before the drainage: river channels, lakes, marsh and cypress deep swamp. These are different successional stages in this environment, but all are aquatic. The only one of the three which has arboreal species is the Cypress Deep Swamp (Table 1).

Several important herbaceous species were found in these aquatic environments. These included cattails (*Typha latifolia*), various grape vines (*Vitis* sp.), button bush (*Cephalanthus occidentalis*), and hibiscus (*Hibiscus* sp.). The latter was an important source of salt (Morse and Morse 1980).

The fauna of the aquatic environment were quite different from the terrestrial species, which seldom penetrated beyond the edge of the swamp. Beaver, mink and otter were important swamp mammals. Of special interest were fish and waterfowl which were in large quantities in this great riverine flyway. In order to exploit these resources a means of water transportation was necessary, such as dugout canoes. Canoes have been dated to at least 3000 BC and it is likely that they existed a great deal earlier.

#### SOILS AND ARCHEOLOGICAL SITES

The distribution of archeological sites in the project area is directly explainable with reference to soils and is not surprising given the previous research into this topic in the general region. All of the archeological sites were associated with the better drained soils, either of the natural levees or Lilbourn soils which extended unmapped across the project area. 23DU289, for example, was in an area mapped as backwater clays, but was on sandy levee soils. All sites were associated with sandy soils of the Levee Phase. At 23DU290, there was a 1/2 meter elevation disconformity and one could see the soil transition on the ground. No cultural material was observed in the area west of this line on the soil map and the field obviously had not been land leveled.

23DU284 and 23DU285 had both been landleveled. This determination was based on field observations, excavations and statements by the land owners. Both sites had the higher sandy soils leveled toward the poorly drained soils along Ditch 19. The ridge had not been landleveled in the field between these two sites and also contained archeological deposits. On site 23DU285 the mapped soil type along the ditch was Cairo silty clay, yet the current composition of the plowzone was sandy clay next to the ditch. All in all the evidence is overwhelming that these two sites are well outside of the impact area if construction takes place on the east side of the ditch.

23DU289 and 23DU286 are both cut by the ditches. These are both on sandy soils adjacent to the old bayou.

## PREVIOUS ARCHEOLOGICAL RESEARCH

Archeological research has been carried out in Northeast Arkansas and Southeast Missouri for nearly a century (Table 2). As with much of the Mississippi Valley the earliest work was done by the Smithsonian Mound Exploration Project (Thomas 1894) which recorded the first sites in the region. Most of these sites were the large mound groups. Since that time a great deal of work has been done in the Central Mississippi Valley area (cf. Willey and Phillips 1958 for definitions of technical terms) which has resulted in several extensive syntheses of the region's prehistory (Morse and Morse 1983; Chapman 1975, 1980). In this section we summarize the archeological research which has taken place, what is known of the prehistory of the region and limits in these data as they apply to the project area. Finally we discuss what is known about the distribution of archeological sites in the region.

The earliest professional archeological work in the region was the work carried out by the mound exploration project of the Smithsonian Institution (Table 2). Thomas (1894) and his associates excavated at three sites near the project area: Taylor's Shanty, Tyrone Station and the Jackson Mounds. These were all Mississippi period sites located outside the project area. This work consisted principally of excavation in large mound sites, and identified the American Indians as the authors of the great earthworks of the eastern United States.

Most of the early work was concerned with the collection of specimens for museums (e.g., Potter 1880; Moore 1910; Fowke 1910). Some of these data were used to define the great ceramic traditions in the eastern United States (Holmes 1903), including Mississippian. Many of these original conceptualizations are still the basis on which our current chronologies are structured (e.g. Ford and Willey 1941; Griffin 1952; Chapman 1952, 1980).

There was a hiatus in the archeological work in the region until the 1940's when Adams and Walker began doing the first modern archeological work for the University of Missouri (Adams and Walker 1942; Walker and Adams 1946). Beginning in 1939 the Lower Mississippi Valley Survey (LMVS) conducted a number of test excavations at many of the large sites in the region (Phillips, Ford, and Griffin 1951; S. Williams 1954). This work has continued to the present in different parts of the valley (e.g., Phillips 1970; S. Williams 1984). The LMVS has produced definitions of many of the ceramic types in the Lower Mississippi Valley area and produced the first phase definitions for many of the archeological manifestations known in the latter part of the archeological record, particularly the Barnes, Baytown, and Mississippian traditions of the north (S. Williams 1954).

-----  
 Table 2. Previous Archeological Investigations in Northeast  
 Arkansas and Southeast Missouri.  
 -----

<u>Investigator</u>	<u>Location and Contribution</u>
Potter 1880	Archeological investigations in Southeast Missouri
Evers 1880	Study of pottery of southeast Missouri
Thomas 1894	Mound exploration in many of the large mound sites in SE Missouri, and northeast Arkansas
Fowke 1910	Mound excavation in the Morehouse Lowlands.
Moore 1910, 1911 1916	Excavation of large sites along the Mississippi, St. Francis, White and Black Rivers.
Adams and Walker 1942	Survey of New Madrid County
Walker and Adams 1946	Excavation of houses and palisade at the Mathews site
Phillips, Ford, and Griffin 1951; Phillips 1970	Mapped and sampled selected sites in SE Missouri, and NE Arkansas Lower Mississippi Valley Survey (LMVS), proposed ceramic chronology.
S. Williams 1954	Survey and excavation at several major sites in SE Missouri, original definition of several Woodland and Mississippian phases
Chapman and Anderson 1955	Excavation at the Campbell site, a large Late Mississippian Village in SE Missouri
Moselage 1962	Excavation at the Lawhorn site, a large Middle Mississippian Village in NE Arkansas
J. Williams 1964	Synthesis of fortified Indian villages in S. E. Missouri
Marshall 1965	Survey along I55 route, located and tested many sites east of project area
Morse 1968	Initial testing of Zebree and Buckeye Landing Sites

-----

---

Table 2 (Continued). Previous Archeological Investigations

---

<u>Reference</u>	<u>Location and Contribution</u>
J. Williams 1968	Salvage of sites in connection with land leveling, Little River Lowlands
Redfield 1971	Dalton survey in Arkansas and Missouri; Morehouse Lowlands
Schiffer & House 1975	Cache River survey
Price et al 1975	Little Black River survey
Morse and Morse 1976	Preliminary report on Zebree excavations
Chapman et al. 1977	Investigations at Lilbourn, Sikeston Ridge
Harris 1977	Survey along Ditch 19, Dunklin County, Missouri
Klinger and Mathis 1978	St. Francis II cultural resource survey in Craighead and Poinsett County, Arkansas
LeeDecker 1978	Cultural resources survey, Wappapello to Crowleys Ridge
Padgett 1978	Initial cultural resource survey of the Arkansas Power and Light Company transmission line from Keo to Dell, Arkansas
I. R. I. 1978	Cultural resources survey and testing, Castor River enlargement project.
Dekin et al 1978	Cultural resources overview and predictive model, St. Francis Basin
LeeDecker 1979	Cultural resources survey, Ditch 29, Dunklin Co, Missouri.
Morse 1979	Cultural resource survey inside Big Lake National Wildlife Refuge
J. Price 1979	Survey of Missouri and Arkansas Power Corporation power line in Dunklin County, Missouri
LeeDecker 1980a	Cultural resource survey, Ditch 81 control structure repairs

---

-----  
 Table 2 (Continued). Previous Archeological Investigations  
 -----

<u>Reference</u>	<u>Location and Contribution</u>
LeeDecker 1980b	Cultural resources survey, Upper Buffalo Creek Ditch, Dunklin County, Missouri and Mississippi County, Arkansas
Morse and Morse 1980	Final report to COE on Zebree project
J. Price 1980	Archeological investigations at 23DU244, limited activity Barnes site, Dunklin County Missouri
J. Price 1980	Cultural survey, near St. Francis River, Dunklin County, Missouri
Price and Price 1980	A predictive model of archeological site frequency, transmission line, Dunklin County, Missouri
Klinger et al. 1981	A cultural resources survey and phase II testing at 23S0502 along the Castor River in Stoddard County, Missouri and phase II testing of 23DU207, 23DU234 and 23DU243 along Ditch 19 in Dunklin County, Missouri
Lafferty 1981	Cultural resource survey of route changes in AP&L Keo-Dell transmission line
LeeDecker 1981	A survey level report of the Ditch 19 channel enlargement project Item 1, Parcel 2 and Item 2 Dunklin County, Missouri
C. Price 1982	Cultural resource survey, runway extension, Kennett Airport, Dunklin County Missouri
J. Price and Perttula	Cultural resource survey of areas disturbed by sewer system, Arbyrd, Missouri
Klinger 1982	Mitigation of Mangrum site
Santeford 1982	Testing of 3CG713
Bennett and Higginbotham 1983	Mitigation at 23DU227, Late Archaic thru Mississippian site

-----



---

Table 2 (Continued). Previous Archeological Investigations

---

Reference	Location and Contribution
Keller 1983	Cultural resources survey and literature review of Belle Fountain Ditch and tributaries
Klinger 1983	Ditch 19 extension: a cultural resources literature search of the Ditch 14, Lateral A, Lateral 1 and extended reach of Ditch 19 in Dunklin and Stoddard Counties, Missouri.
J. Price 1983	Phase II testing of Roo sites, Kennett Airport, Dunklin County, Missouri
J. & C Price 1984	Testing Shell Lake Site, Lake Wappapello
Chapman 1975, 1980	Synthesis of Archeology of Missouri
Morse and Morse 1983	Synthesis of Central Mississippi Valley pre-history
Lafferty et al. 1984, 1985	Cultural resource survey, testing and predictive model, Tyronza Watershed, Mississippi County, Arkansas

---

Beginning in the 1960's there has been an increase in the tempo and scope of archeological work carried out in the region. This has included a large number of survey and testing projects carried out with respect to proposed Federally funded projects (Marshall 1965; Williams 1968; Hopgood 1969; Krakker 1977; Gilmore 1979; IRI 1978, Dekin et al. 1978, Lafferty 1981; Morse and Morse 1976, 1980; Morse 1979; Klinger and Mathis 1978; Klinger 1982; Padgett 1978; C. Price 1976, 1979, 1980; J. Price 1976a, 1976b, 1978; Greer 1978; LeeDecker 1979; Price, Morrow and Price 1978; Price and Price 1980; Santeford 1982; Sjoberg 1976; McNeil 1980, 1982, 1984; Klinger et al 1981). These projects are generally referred to as Cultural Resources Management studies and have greatly expanded the number of known sites from all periods of time. These projects have also produced a large body of data on the variation present on a range of different sites, and have greatly increased our knowledge of this area.

Along with these small scale archeological projects there was a continuation of the large scale excavation projects carried

out in the region. Major excavations at the Campbell site (Chapman and Anderson 1955), Lawhorn (Moselage 1962), Snodgrass site (Price 1973; Price and Griffin 1979), Lilbourn (Chapman et al 1977; Cottier 1977a, 1977b; Cottier and Southard 1977), and Zepree (Morse and Morse 1976, 1980) have greatly expanded our understanding of the Mississippian cultures. This understanding has resulted in the definition of the temporal/ spatial borders between different Woodland and Mississippian manifestations, and resulted in definitions of assemblages. Several major syntheses have resulted (Chapman 1975, 1980; Morse 1982a, 1982b; Morse and Morse 1983) which provide up-to-date summaries and interpretations of the work that has been carried out in the region.

#### PREVIOUS ARCHEOLOGICAL WORK IN DITCH 9 AND MAIN DITCH

In 1978 Iroquois Research Institute conducted a reconnaissance survey of the Belle Fountain Ditch and Tributaries (LeeDecker 1978). A random stratified sample of areas to be impacted were surveyed. These areas included abandoned channels, point bars, and braided stream terraces. Three historic sites were located within the current project area: M91, a small scatter of historic material, including architectural elements. No structure was located; M92 and M93--Probably modern refuse piles, small scatters of historic material.

#### STATUS OF REGIONAL KNOWLEDGE

The above and other work in adjacent regions have resulted in the definition of the broad pattern of cultural history and prehistory in the region; however, knowledge of the region is still sketchy with few Archaic and Woodland sites having been excavated. This status has seriously constrained our understanding of settlement systems. Therefore, while this region may be fairly well known with respect to the Mississippi period, much more work needs to be done before the basic contents and definitions of many archeological units in space and time are adequate (cf. Morse 1982a). Presently we have a few key diagnostic types associated with some cultural units; however, the range of artifact assemblage variation across chronological and spatial boundaries are not yet defined, nor are the ranges of site types known for any of the defined units. The adequate definition and resolution of these fundamental questions and problems are necessary before we can begin to reconstruct and use the data for understanding more abstract cultural processes as is possible in better known archeological areas such as the American Southwest.

The Paleo-Indian period (10,000-8,500 B.C.) is known in the region from scattered projectile point finds over most of the area. These include nine Clovis and Clovis-like points from the Bootheel (Chapman 1975:93). No intact sites have yet been iden-

tified from this period, and the basal deposits of the major bluff shelters thus far excavated in the nearby Ozark Mountains have contained Dalton period assemblages. Lanceolate points are known from bluff shelters and high terraces (Sabo et al. 1982:54) which may represent different kinds of activities or extractive sites, as they have been shown to have been in other parts of the country. For the present any Paleo-Indian site in the region is probably significant.

The Dalton period (8,500-7,500 B.C.) is fairly well known in the Ozarks with modern controlled excavations from Rogers, Albertson, Tom's Brook, and Breckenridge shelters (McMillan 1971, Kay 1980; Dickson 1982; Logan 1952; Bartlett 1963, 1964; Wood 1963; Thomas 1963). Adjacent areas of the Lower Mississippi Valley have produced some of the better known Dalton components and sites in the central continent. These include the Sloan site (Morse 1973) and the Brand site (Goodyear 1974). These and other more limited or specialized excavations and analyses have resulted in the identification of a number of important Dalton tools (i.e. Dalton points with a number of resharpening stages, a distinctive adze, spokeshaves and several varieties of unifacial scrapers, stone abraders, bone awls and needles, mortars, grinding stones and pestles. At least three different site types have been excavated: the bluff shelters, which were seasonal habitation sites, a butchering station (the Brand site) and a cemetery (Sloan site). Presently we do not have the other part(s) of the seasonal pattern which should be present in the region, nor have any other specialized activity sites been excavated. Dalton sites are known in a number of locations, especially on the edge of the Relict Braided Surface, on Crowley's Ridge, and the edge of the Ozark Escarpment. Given the present resource base there are a number of important questions which have been posed concerning the early widespread adaptation to this environment (Price and Krakker 1975; Morse 1982a, 1976).

The Early to Middle Archaic periods (7,500 - 3,000 B.C.) are best known from bluff shelter excavations in the Ozarks (Rogers, Jakie's, Calf Creek, Albertson, Breckenridge and Tom's Brook shelters). During this long period a large number of different projectile point types were produced (i.e. Rice Lobed, Big Sandy, White River Archaic, Hidden Valley Stemmed, Hardin Barbed, Searcy, Rice Lanceolate, Jakie Stemmed, and Johnson). No controlled excavations have been done at any Early or Middle Archaic site in southeast Missouri or northeast Arkansas (Chapman 1975:152). There are no radiocarbon dates for any of the Archaic period from southeast Missouri (Dekin et al 1978:78-79; Chapman 1980:234-238). The Middle Archaic archeological components are rare to absent in the Central Mississippi Valley (Morse and Morse 1983). Therefore, much of what we know of the archeological manifestations of this period is based on work in other regions, which has been extrapolated to the Mississippi Valley based on surface finds of similar artifacts. At present, phases have not been defined.

The Late Archaic Period (3,000 B.C. - 1500 B.C.) appears to be a continuing adaptation to the wetter conditions following the dry Hypsithermal. This corresponds to the sub-Boreal climatic episode (Sabo et al. 1982). The lithic technologies appear to run without interruption through these periods with ceramics added about the beginning of the present era. Major excavations of these components have taken place at Poverty Point, and Jaketown in Louisiana and Mississippi (Ford, Phillips and Haag 1955, Webb 1968). A fairly large number of Late Archaic sites are known in eastern Arkansas and Missouri (Chapman 1975:177-179,224; Morse and Morse 1983:114-135). Major point types include Big Creek, Delhi, Pandale, Gary and Uvalde points. Other tools include triangular bifaces, manos, grinding basins, grooved axes, atlatl parts and a variety of tools carried over from the earlier periods such as scrapers, perforators, drills, knives and spoke-shaves. Excavations at the Phillips Spring site has documented the presence of tropical cultigens (squash and gourd) by ~2,200 B.C. (Kay et al. 1980). The assemblages recovered in the bluff shelters from this time period indicate that there was a change in the use from general occupation to specialized hunting/butchering stations (Sabo et al. 1982:63). There are some indications of increasing sedentaryness in this period, however, the range of site types have not been defined. Late Archaic artifacts are well known from the region, with artifacts usually present on any large multicomponent site. Our understanding of this period is limited to excavations from a few sites (Morse and Morse 1983; Lafferty 1981). At present we do not know the spatial limits of any phases (which have not been defined), nor do we have any control over variation in site types and assemblages.

The Early Woodland Period (500 B.C.(?) - 150 B.C.). During this period there appears to have been a continuation of the lithic traditions from the previous period with an addition of pottery. As with the previous period this is a very poorly known archeological period with no radiocarbon dates for the early or beginning portions of the sequence. The beginning of the period is not firmly established and the termination is based on the appearance of Middle Woodland ceramics dated at the Burkett site (Williams 1974:21). The original definition of the Tchula period was made by Phillips, Ford and Griffin (1951:431-436). In the intervening time a fair amount of work has been done on Woodland sites. Chapman concludes that we are not yet able to separate the Early Woodland assemblages from the components preceding and following. At present there is considerable question if there is an Early Woodland period in S. E. Missouri (Chapman 1980:16-18). Recent work in northeast Arkansas, however, has identified ceramics which appear, stylistically, to be from this time period (Morse and Morse 1983; Lafferty et al 1985) and J. Price (personal communication) has identified a similar series of artifacts in the Bootheel region. Artifacts include biconical "Poverty Point objects," cordmarked pottery with noded rims similar to Crab Orchard pottery in Southern Illinois and the Alexander series pottery in the Lower Tennessee Valley, and Hickory Ridge points.

The Middle - Late Woodland periods (150 B.C.- A.D. 850) was a period of change. There is evidence of participation in the "Hopewell Interaction Sphere" (dentate and zone-stamped pottery, exotic shell; Ford 1963) and horticulture is increasing (corn, hoe chips and farmsteads). There is some mound construction notably the Helena mounds at the south end of Crowley's Ridge (Ford 1963) indicating greater social complexity. Typical artifacts include Snyder, Steuben, Dickson and Waubesa projectile points, and an increasing number of pottery types (cf. Rolingson 1984; Phillips 1970; Morse and Morse 1983). In the late Woodland there is an apparent population explosion as evidenced by a great number of sites with plain grog-tempered pottery in the east and Barnes sand-tempered pottery in the west of the Central Valley (Morse and Morse 1983; Chapman 1980). Decorations on Barnes ceramics may be temporally sensitive (Feathers and Dunnell 1986:4). There is some evidence of architecture (cf. Morse and Morse 1983; Spears 1978) in this period as well as mound center construction (Rolingson 1984). A number of large open sites have not been excavated. There appears, therefore, to be a rather large bias in what we know about this important period toward the spectacular mound centers. There is still a great deal which is not understood about the cultural sequence and changes which came about during this important period. The Late Woodland in this area has been suggested as the underlying precursor to the Mississippian, which came crashing into the area with the introduction (Invention ?; cf. Price and Price 1981) of shell-tempered pottery and the introduction of the bow and arrow around A. D. 850.

The Mississippi period (A.D. 850-1673) is known from the earliest investigations in the region (Thomas 1894; Holmes 1903; Moore 1916), and has been the most intensively investigated portion of the prehistoric record in northeast Arkansas and southeast Missouri (Chapman 1980; Morse and Morse 1983; Morse 1982; Morse 1981; House 1982). There has been enough work done that the spatial limits of phases have been defined (cf. Chapman 1980; Morse and Morse 1983; Morse 1981). During this period the native societies reached their height of development with fortified towns, organized warfare, more highly developed social organization, corn, bean and squash agriculture and extensive trade networks. The bow and arrow is common and there is a highly developed ceramic technology (cf. Lafferty 1977; Morse and Morse 1980; Smith 1978). This was abruptly terminated by the DeSoto entrada in the mid-16th century (Hudson 1984, 1985; Morse and Morse 1983) which probably passed through the project area.

The Historic Period (1673-present). After the DeSoto expedition the area was not visited until the French opened the Mississippi Valley in the last quarter of the 17th century. The Indian societies were a mere skeleton of their former glory and the population a fraction of that described by the DeSoto Chronicles.

During the French occupation most of the settlements were restricted to the major river courses with trappers and hunters living isolated lives in the headwaters of the many smaller creeks and rivers. The St. Francis River was one of the earliest explored tributaries of the Mississippi River in the Lower Mississippi Valley and appears on some of the earliest French maps.

The Euro-American occupation proceeded overland down Crowley's Ridge spreading out from the rivers. Ports were established at Piggott on the high ground of Crowley's Ridge in the St. Francis Gap in 1835. It was located on the Helena-Wittsburg road which ran down Crowley's Ridge (Dekin et al. 1978:358). All of the settlements in the 1830's between Piggott and Helena in the St. Francis Basin were either along the rivers or on Crowley's Ridge. Bloomfield (on Crowley's Ridge) was founded in 1824 while Malden (on the plain) was founded in 1877. Towns continued to be founded in these environments into the early 1900's. Settlements away from the rivers along overland roads began in the 1850's and greatly accelerated with the construction of the railroads, levees and drainage ditches in the late 19th century.

#### SUMMARY

The project area, therefore, has the potential for deposits dating from terminal Pleistocene times to the present. The placement of Ditch 19 mostly in the edge of the back swamp, which it drains, between the Malden Plain and Crowley's Ridge precluded the possibility of settlement in the predrainage landscape except in the few instances where those locations with dry land were intersected by the ditch. We show in the following chapter that some of the sites along this ecotone are large and important. The high density of local Crowley's Ridge lithics on these indicates that it was a source area for this resource.

## CHAPTER 3

### SURVEY METHODS

Initial site survey began on January 12, 1987 and was completed on January 19, 1987. The survey was conducted by two people walking in a zig-zag pattern over the 60m (200ft) wide right-of-way. Where visibility was good, the area was visually inspected for the presence of cultural materials. Where visibility was poor (<10%), shovel tests measuring 30cm x 30cm x 50cm were excavated at 30m intervals. Due to the moist and gummy nature of the soil in the one area that required shovel testing, screening of the soil was not feasible; the dirt from these shovel tests was troweled through and inspected for the presence of cultural materials. The project area consisted almost entirely of cultivated fields that had been harvested and visibility was excellent (50-100%) over most of the project area (Figure 5). One field of grass measured approximately 180m (196.7yds.) and had 0% visibility (Area A, Figure 5). Six shovel tests were excavated at 30m intervals in this field. None of these produced any cultural material. Another field of grass (Area B, Figure 5) measured ~400m (.25 mile) in length and had 0% visibility. The landowner had expressed the wish that we not dig in this area, so no shovel tests were excavated. There was, however, a shallow drainage ditch measuring ca. 25cm in depth running parallel to Ditch 19 at a distance of 4.2m east of Ditch 19. The presence of artifacts was noted in this ditch and the area was designated as a site (23DU285).

The 25 acre field was surveyed by two people walking in zig-zag patterns 20m apart across the length of the field from east to west and visually inspecting the ground surface for the presence of cultural material. Surface visibility was 100% and well rained on since last cultivation.

### SURVEY RESULTS

The survey resulted in the identification of twelve potential prehistoric archeological sites and one prehistoric isolated find. During testing of these sites, some were found to be parts of the same site. In total, seven prehistoric archeological sites (23DU284, 23DU285, 23DU286, 23DU287, 23DU288, 23DU289 and 23DU290 and one prehistoric isolated find (potential site 19.14) were identified during the project.

Potential site 19.14 was a sand-tempered cord-marked ceramic sherd located approximately 40m west of Lateral No. 1 on a poorly





drained Sikeston Loam soil. The sherd was classed as Late Woodland Barnes Cordmarked. During the testing phase, six people returned to this location and conducted an intense visual inspection of the surface. No other artifacts were found in this land-leveled field. The soil map suggests that this was once an old bayou frequently filled with water and not suitable for human habitation.

The remaining seven sites were revisited during the initial site testing phase of the project and evaluated for potential eligibility for nomination to the NRHP.

#### INITIAL SITE TESTING METHODS

Due to freezing weather, we were not able to begin initial site testing until February 4, 1987. Testing was completed February 10, 1987. Field personnel included Dr. Robert M. Lafferty, III, Principal Investigator; Kathryn A. King, Project Archeologist; and crewmembers Alice A. Duncan, James P. Marcourt, Rosemary C. Swanson, and J. Shawn Chapman. Site investigations used a combination of techniques including controlled surface collections (CSC), 1m x 1m excavation units, control columns (CC), site mapping, a background and literature search, and informant interviews. An average of one day was spent at each site.

#### Controlled Surface Collections

Controlled surface collections covering over 25% of the surface artifact scatter were conducted at all sites except for 23DU285. At 23DU285 a transect was collected in the plowed ditch mentioned above (due to 0% visibility). Controlled surface collections were laid out in north-south or east-west lines over what was visually determined to be the densest concentration of artifacts at each site. CSC units measured 6m x 6m, except at 23DU287 where the spoil pile was collected in 10m sections.

Before collection, all units were assigned Field Serial Numbers (FSN) and north and east coordinates using the units' southwest corners as the datum. All artifacts were collected within each unit. Artifacts were collected into paper bags onto which provenience information had been recorded. These bags were then boxed by site.

#### 1m x 1m Excavation Units

1m x 1m units were excavated at sites 23DU284, 23DU286, 23DU288 and 23DU289. These units were excavated in areas which were visually determined to have the greatest concentration of artifacts. Units were excavated in 10cm arbitrary levels within natural strata. Each unit was excavated at least two levels into sterile soil. The units were assigned north and east coordinates using the southwest corner of the unit as a datum. Each level of

dirt was screened through 1/4 inch mesh shaker screens, artifacts collected into cloth bags, and assigned an individual FSN.

### Site Mapping

All sites were mapped by using a transit or a Brunton compass and a 50m tape. All natural and cultural features were mapped. All site investigation techniques conducted were also mapped. A permanent datum was placed on the edge of the field and also mapped.

### Background and Literature Search

A background and literature search was conducted by Thomas D. Holland and Christopher B. Pulliam of the University of Missouri at Columbia on 3 February 1987. A review of the State Historic Preservation Office files was conducted in search of information on cultural resources in the project area. No previously recorded sites were found in the immediate project area.

### Informant Interviews

Landowners were consulted for information about previous site disturbances and land-leveling practices. These provided crucial data for understanding the surface distributions.

## ARTIFACT PROCESSING

Upon completion of fieldwork the artifacts and special samples were returned to the MCRA laboratory. There, each bag was logged in against the Field Specimen Logs and any discrepancies were resolved before washing began. Artifacts were then gently washed in sequential FSN order. After washing, artifacts were placed on screens with cards bearing appropriate provenience information. These screens were then placed on racks where the artifacts were allowed to slowly dry. Artifacts were then sorted using the DELOS inventory system (Limp and Parker 1984). Diagnostic artifacts were pulled for further analysis. Site numbers were obtained from the Missouri Archeological Society and written, along with FSN and Analytical Serial Number (ASN) in indelible ink onto each artifact as required by the division of American Archeology, University of Missouri.

## ARTIFACT ANALYSIS

### Lithics

Bifaces and projectile points were sorted according to material type and stage of manufacture. Projectile points were then identified by type. Lithic debris was sorted by material type and broadly by stage of manufacture at which it was produced. Decortication flakes were separated from other flakes. flakes that were produced by soft hammer reduction were also separated from other flakes. Flakes that had been retouched, utilized, or modified were also separated.

One of the most important distinctions made was between red chert and yellow chert. The lithic material consisted almost entirely of Crowley's Ridge gravels. Most of these are naturally yellow and become red when heated. Ca. 60% of the tools recovered were yellow indicating no heat treatment. Heat treatment of lithics may be a temporally significant and related to specific technological traditions as has been identified elsewhere (Futato 1983; Lafferty and House 1986).

### Ceramics

Ceramics were analyzed according to temper, portion of vessel, and decorative technique. When type names were applied, they fit definitions used by other workers in the area.

### Bone

Bone was separated according to whether or not it was human. Animal bone was identified according to species when possible. Human bone was identified by Phillip Hartnady, a graduate student of Physical Anthropology at the University of Arkansas.

### Historic Materials

There were no historic sites found during this project, but historic garbage tends to be thrown into fields and therefore was present on the surface of the sites. Historic artifacts were documented and identified using the DELOS dictionary (Lockwood 1986).

## ARTIFACT RECORDS AND CURATION

Artifacts were processed using standards set forth by the Division of American Archeology, University of Missouri: where they will be curated forever for the people the United States of North America. This institution will also curate all pertinent records. Information about artifact categories within each

provenience was stored on computer files.

## CHAPTER 4

### PREHISTORIC SITE INVESTIGATIONS

This chapter presents the data recovered during the initial site testing phase of the project. A physical description including natural surface features, subsurface deposits, artifact distribution, and past land use practices is given for each site. Recommendations for future management of the sites are also given.

#### 23DU284


##### Description

23DU284 is a scatter of prehistoric lithics and ceramics dating to the Late Archaic, Late Woodland, and Mississippian. The site is located on Farrenburg Fine Sandy Loam, a levee soil adjacent to the eastern bank of an old bayou (Figure 6). Located in the floodplain of the Mississippi River on the Malden Plain, it is about 3/4 mile east of Crowley's Ridge. The site measures 270m N-S by 45m E-W. Its western edge lies 32m east of Ditch 19.

The 1m x 1m test unit discovered a previous plowzone that is beginning to develop soil structure underneath the present plowzone. The landowner, Mr. Harold Taylor, said that the site has been land-leveled from east to west. The main part of the site was once situated a few meters east of the present location and was pushed over to the edge of the bayou.

The proposed project calls for the deepening and widening of Ditch 19. There is a moderately well-traveled dirt road lined with houses and immediately adjacent to the eastern edge of Ditch 19 between it and the site. It is not likely that this road will be destroyed, and therefore the site should not be disturbed. Widening the ditch on the east would disturb the site.

Extensive investigations were carried out at the site by six people over a period of one very windy day. These investigations included the surface collection of 1870 square meters of 6m x 6m units, the excavation of .59 cubic meters of dirt from a 1m x 1m test unit, and mapping of the site.



# LEGEND

Ba	Baldwin silty clay loam	Fg	Farrenburg fine sandy loam
Bk	Bosket fine sandy loam	Ma	Malden fine sand, 0-4% slopes
Ca	Cairo silty clay	Ro	Roellen silty clay
Cn	Canalou loamy fine sand	So	Sikeston loam
Dn	Dundee silt loam		

Figure 6. Soil map for site 23DU284.




Figure 7. 23DU284, site map.

Controlled Surface Collections: The soil was moist but not saturated. The westernmost 15m of the site was covered in high corn stalks. The rest of the site had been harvested and plowed leaving surface visibility at 95-100%. Only two 6m x 6m units were collected in the cornstalk area. Visibility here was approximately 90%. It took three people approximately six hours to completely collect 52 6m x 6m units. Roughly 17 units were collected per person which averaged 3 units per person per hour.

The site grid was oriented along Magnetic North. The collection grid was set running north-south down the center of the site. An arbitrary point was established and designated 200N 100E. All units were numbered according to the distance of their southwest corners from this point. A map of the grid area in relation to other features of the site is shown in Figure 7.

The northern and southern thirds of the site have units containing Mississippian shell-tempered sherds. None were found in the units in the central third of the site. One Late Archaic dart point, a Big Creek, was found in unit 272N 100E, near the center of the site. Big Creek points have been found elsewhere in association with Poverty Point Objects (Perino 1978:10). Barnes Plain and Cordmarked sherds dating to the Late Woodland were found all over the surface of the site. This appears to be the main occupation of the site.

1m x 1m Test Unit: One 1m x 1m test unit was excavated at the site. Its southwest corner was situated at 272N 95E (Figure 8). The test unit was positioned in a spot which was visually determined to have a dense concentration of artifacts. Its purpose was to determine the depth and nature of subsurface deposits at 23DU284.

The test unit was excavated in arbitrary 10cm levels within natural levels down to 55cm below surface (BS). A 30cm x 30cm column was further excavated down to 95cm BS in order to insure that the bottom of the archeological deposits had been found. The plowzone was a 10YR3/3 homogeneous brown sand. Below this level, from 16-36cm BS, was a 10YR5/3 fine platy silt mottled with siltation bands. This layer contained both prehistoric and historic artifacts. The presence of historic artifacts and the soil's platy nature showed that this level was the plowzone before land-leveling and is now developing soil structure. Below the plowzone was an orange clayey silt with fine concretions of iron or manganese. A few flakes and fire-cracked rock were noted in root molds or rodent burrows within this level. From 77-95cm BS was a light brownish gray silt with very little clay. No artifacts were noted in the level. Artifacts are listed by level in Appendix B.

In summary, no undisturbed midden was noted. This does not, however, mean that it is unlikely that subsurface features remain intact. The artifact density was moderate at this site and the area's prehistoric proximity to the water's edge means that this



may have been a major activity area.

### Proposed Site Function and Cultural Affiliation

The natural levee along the bayou was occupied heavily during the Late Woodland and to a lesser degree during the Mississippian. Either the site was at least visited during the Late Archaic or someone later found a Late Archaic dart point elsewhere and dropped it here. During the Late Woodland, this was probably a dry season base camp where a number of diverse activities were carried out.

### Site Significance

The site appears to be limited to the plowzone. It is, however, probable that intact features do exist. Little is known of the changes through time of Barnes ceramics and tools in Barnes assemblages in the Malden Plain (Dunnell and Feathers 1986:2). This site is likely to contain information important to the identification of different archeological phases of Barnes culture and clarification, in Southeast Missouri, of this long-lived culture. Site 23DU284 is eligible for nomination to the NRHP.

### Project Impacts


The western 28m of the site is in the direct impact zone of the proposed widening and deepening of Ditch 19. Since the location of possible subsurface features is unknown, excavation of the east side of Ditch 19 may damage the site.

### Recommendations

The site is located entirely east of Ditch 19 as is a moderately well used county road lined with houses. We recommend that the proposed improvements on Ditch 19 be restricted to the west side of the ditch at this location, where there is no evidence of cultural occupation. This will mitigate all impact to the site.

# SOUTH PROFILE

94N94E



0 30  
CENTIMETERS

KEY	
Silty Sand	
Clayey Sand	
Clay	




Figure 8. 23DU284, Test Unit 1.

### Description

This site consisted of a light scatter of prehistoric lithics and ceramics found in a small drainage ditch running through a field of dense grass. The ditch was 4.2m east of and parallel to Ditch 19. Artifacts were found in the ditch along the entire length of the field, but ceased abruptly with the beginning of adjacent fields to the north and south. The ditch extended north and south 402m. The east-west extent of the site is undetermined. The artifacts within the project right-of-way were located on Cairo Silty Loam, a deep, poorly drained, very slowly permeable over rapidly permeable soils formed in clayey alluvium over sand in abandoned braided channels (Figure 9). This is the location of the old bayou that the local inhabitants of the area remember fishing in. The flat, even nature of the field indicates that the bayou was filled in, probably with soils from the area east of the present Ditch 19. The landowner, Mr. Joe Williams, confirmed that this area has been land-leveled. The edge of the bayou would have been 90m east of the present ditch and, therefore, well outside the project area. Just east of the ditch and outside of the project area were Giceon Loam and Farrenburg Fine Sandy Loam. These are levee soils and are probably the original location of the site before land-leveling. The site is approximately 3/4 mile east of Crowley's Ridge.

Four control columns produced no evidence of subsurface deposits in the project right-of-way (Figure 10). This supports the idea that the site was not originally in this area.

The proposed project calls for the deepening and widening of Ditch 19. Since the site is actually located on the Giceon and Farrenburg soils, then the improvements on Ditch 19 would not harm the site, especially if done from the west side.

Investigations were carried out at the site over the period of half a day by six persons. The investigations included the surface collection of 603 square meters of surface area, excavation of four control columns, visual inspection of the east bank of Ditch 19, and mapping of the site.

Controlled Surface Collections: The soil was saturated. This did not impede walking because of the dense grass growing on the site. The small drainage ditch was collected in 6m long sections along its length (402m) (Figure 11). The ditch, along with its backdirt pile, was 1.5m wide. Visibility of the ditch and its backdirt pile was 100%. It took four persons approximately two hours to collect 67 1.5m x 6m units averaging 8 units per person per hour.




Figure 9. Soil map for site 23DU285.

The grid was set up along Magnetic North, but collection units were set up along the drainage ditch. An arbitrary point was designated 300N 50E. Collection units were called CSCs and numbered from 15-81 consecutively. The southwest corner of CSC 50 was 300N 50E. The collection units were mapped in relation to other features and the permanent datum at the site.

Four Late Woodland sand-tempered Barnes sherds were found on the site. Three were near the center of the site and one was found in the southern end of the site. No diagnostic lithics were found. Barnes appears to be the main occupation of the site.

Control Columns: The soil was saturated at the site. The soil was clayey enough and wet enough that it would not go through the screens. The soil from the control columns was cut through carefully with a trowel and visually inspected for the presence of cultural material.

Four control columns were excavated at the site. These measured 30cm x 30cm and were excavated to varying depths. The columns are discussed in order from the ditch east toward the higher ground.




Figure 10. Profiles of control columns from 23DU285.




Figure 11. 23DU285 site map.

CC4 was located at 297N 50E in the center of the small drainage ditch. From 0-25cm BS was a 10YR3/2 very dark grayish brown sandy plowzone. Plowscars were noted at ca. 18cm BS. From 25-50cm BS was a 10YR2/1 black sandy clay containing manganese concretions (Figure 10). This was a very sticky clay with macroscopically visible sand particles. It was much too sticky to have any significant quantity of silt and was therefore not a loam. No B horizon was noted in this CC, indicating that the soil had not been in this location long enough for one to form. No artifacts were found in CC4.

CC1 was located at 300N 80E. This CC was excavated to 30cm BS and consisted of a sterile brown clay throughout. Once again, no B horizon was noted, indicating that these soils are very recent to this location.

CC2 was located at 300N 110E and had a 10YR3/3 dark brown sand from 1-22cm BS. From 22-32cm BS was a 10YR6/1 light gray sand with orange mottles. The stratigraphy of the soils in this CC indicate that these soils have been here for quite some time in order to form a structure. No artifacts were found in the CC2.

CC3 was located at 300N 140E. From 0-20cm BS was a dark brown sand. From 20-30cm BS was a 10YR6/3 gray sand. This CC also exhibited a profile indicating sufficient age for the development of soil structure. A tested cobble was found at approximately 18cm BS. This CC is located 94.2m east of Ditch 19 and is 34m east of the project's right-of-way.

Bank of Ditch 19: The east bank of Ditch 19 was scraped and visually inspected for signs of cultural occupation. No evidence of archeological deposits was found in the uniform gray clays.

In summary, no subsurface archeological deposits were found within the project right-of-way.

#### Proposed Site Function and Cultural Affiliation

The only diagnostic artifacts found at this location were Late Woodland Barnes Plain and Cordmarked sand-tempered shers. The artifacts within the right-of-way came from the levee soils east of the impact zone when the area was land-leveled. The original part of the site was probably a Late Woodland base camp.

#### Site Significance

The artifacts within the impact zone do not represent a site originally located in the area. The site is actually located 90m east of Ditch 19 (30m east of the project right-of-way). The artifacts within the project right-of-way represent no subsurface deposits, are very sparsely scattered, and therefore are not significant. If work is planned in the future that would impact the area of the original site location, this should be tested for

significance. The artifacts in the project right-of-way do not indicate a site in this location and are therefore not eligible for nomination to the NRHP.

### Project Impacts

The project calls for deepening and widening Ditch 19 in this location. Since the actual site is located outside of the impact zone, it will not be damaged by the proposed improvements of Ditch 19.

### Recommendations

No further archeological work is recommended at 23DU285.

23DU286

### Description

This site consists of a very light scatter of prehistoric lithics and ceramics located on either side of Lateral Ditch No. 1 (Figure 12). Diagnostic artifacts date to the Late Woodland and Early Mississippian. The site is located on Sikeston Loam and Canalou Loamy Fine Sand. Sikeston Loam is a deep poorly drained soil with a moderately slow permeability. This soil is formed in alluvium in depressional channels and basins. Canalou Loamy Fine Sand is a deep, moderately well-drained soil formed on ridges and drains of natural levees in sandy and loamy alluvium. The site measures 102m E-W and 48m N-S. It is bisected by Lateral No. 1 and is located approximately one mile east of Crowley's Ridge.

The 1m x 1m test unit was dug adjacent to Lateral No. 1 and happened to be located right on top of a prehistoric pit, thus documenting that intact subsurface features do indeed exist on the site.

The proposed project calls for deepening and widening Lateral No. 1 at this location. This action will definitely impact the site.

Investigations were carried out at the site over a period of half a day. Investigations included surface collection of 5184 square meters of 6m x 6m CSC units, excavation of a 1m x 1m test unit, collection of flotation samples from Feature 1, and mapping of the site.



Controlled Surface Collection: The soil was moist, but not saturated. The field had been harvested, plowed, and rained on making surface visibility excellent (95-100%). It took two people four hours to collect 21 6m x 6m units averaging three units per person per hour.

The site grid was oriented along magnetic north and east. An arbitrary point was designated 100N 100E and all units were assigned coordinates according to their southwest corners' distances from 100N 100E. A permanent datum was established and mapped in relation to the collection units and the 1m x 1m test unit.

Late Woodland Barnes sand-tempered Plain and Cordmarked sherds were spread fairly evenly throughout the site. There was one shell and sand-tempered sherd located in unit 100N 70E, the same unit in which the 1m x 1m test unit was located. No diagnostic lithics were found at the site.

1m x 1m Test Unit: The 1m x 1m test unit was situated in an area where the artifact density was visually determined to be greatest. This was 104N 77E. Its purpose was to determine the depth and nature of the subsurface deposits at 23DU286.

The spoil dirt was first removed from the surface of the unit and discarded. Then excavation was begun in arbitrary 10cm levels, each of which was screened in a 1/4" mesh shaker screen. In the level from 30-40cm BS, a Mississippian shell-tempered sherd was recovered. From 40-50cm BS, a shell-tempered and a Late Woodland Barnes sherd were recovered. At 50cm BS, it was discovered that the test unit was located in a prehistoric feature. Four flotation samples were taken from the feature (Feature 1). Float Sample No. 1 was a 25cm x 25cm column taken out of the northern edge of the feature (Figure 13). This sample contained prehistoric flakes, glass, mortar, and wood charcoal. This float sample was taken from the outer portion of the feature at the edge of Lateral No. 1. The historic artifacts found in it were part of the historic garbage spread throughout the fields in this area. These artifacts had washed from above and adhered to the sides of the ditch. The bank was then cut back and additional float samples were taken from the center of the feature. It is a common practice for farmers to plow garbage into their fields. Float No. 2 was a 25cm x 25cm x 10cm sample taken from the center of Feature 1. This sample contained prehistoric flakes and wood charcoal. Float No. 3 was the same size as Float No. 2 and taken from beneath the latter. This sample contained prehistoric flakes, wood charcoal, and fire-cracked rock. Float No. 4 was taken from beneath Float No. 3 and was also 25cm x 25cm x 10cm. This sample contained wood charcoal and prehistoric flakes.




Figure 12. 23DU286, site map.


#### Proposed Site Function and Cultural Affiliation

The main occupation of the 23DU290 appears to have been Late Woodland Barnes with a later, less intense occupation during the Mississippian. The presence of pits indicates that this was a base camp or village occupation.

#### Site Significance

The presence of Barnes ceramics means that this site may provide valuable information on this culture in the Malden Plain. The presence of subsurface features means that the site may contain valuable subsistence information about the culture that dug the pits. This site meets NRHP criteria for significance and is considered eligible for nomination to the NRHP.

# WEST PROFILE



KEY			
Midden		Sand	
Sandy Silt & Feature 1		Sherd	

0 30  
CENTIMETERS

Figure 13. 23DU286, Test Unit 1.

## Project Impacts

Deepening and widening Lateral No. 1 will adversely impact the 23DU290. The feature found during this project was at the edge of the ditch and others may also be located this close to the ditch. Roughly 78% of the site is located inside the direct impact zone of the present project.

## Recommendations

We recommend mitigation by data recovery from the impact area for this 23DU290.

### 23DU287

## Description

23DU287 was located in the 25 acre field to be sold by the Corps of Engineers into private ownership. This site consisted of a light scatter of prehistoric lithics and ceramics located entirely on the spoil pile from recent improvements to Ditch 19 (Figure 14). The spoil pile measured 23m in width from east-west and 120m in length from north-south. Artifacts were found on both sides of Ditch 19. The recent improvements had been done only on the east side of the ditch. It was from here that the spoil pile and consequently the artifacts had come. The site is situated on what is mapped as Sharkey Clay but touching Sixeston Loam, both channel fill soils.

Due to the height of the spoil pile (5-6m), no 1m x 1m test unit was dug into it. Due to the absence of artifacts in the field adjacent to the spoil pile (see Survey Methods), no 1m x 1m test unit was dug in the field. Instead, three control columns were excavated off the spoil pile to determine if there was any evidence of cultural occupation there. None was found.

In 1981, Charles LeeDecker surveyed the area prior to recent improvements to Ditch 19. Surface visibility may have been poor at the time he surveyed and the artifact scatter is sufficiently light that shovel testing may not have found the site. LeeDecker makes no mention of visibility or survey methods in this particular area, so it is impossible to know how the site was missed and subsequently damaged by Ditch 19 improvements. The present project calls for selling 25 acres west of Ditch 19 at this site back into private hands.

Investigations were carried out at the site over a period of half a day. The investigations included the surface collection of 2760 square meters of 23m x 10m units, the excavation of .12 cubic meters of dirt, and mapping of the site.




Figure 14. 23DU287 site map.

Controlled Surface Collections: Since the artifacts on the spoil pile were definitely brought in from somewhere along the other eastern bank of Ditch 19, a careful controlled surface collection would provide no valuable information. Therefore, the 23m wide spoil pile was divided into 10m sections and collected. Diagnostic artifacts included four Barnes sand-tempered sherds, two unidentified dart points, and a scraper on what was once a cart point. This was a Breckenridge point which is considered to be part of the Dalton complex.

The area had been plowed and rained on a number of times. Surface visibility was 100%. The area was collected in about four hours by three people.

The site grid was established parallel to Ditch 19. The 10m collection sections were designated CSCs 1-13. A map of this area in relation to other features of the site is shown in Figure 14.

Control Columns: The control columns were placed 12m west of the edge of the spoil pile and excavated to depths of at least 50cm. They were distanced 30m apart. Soil from the control columns was screened through a 1/4" mesh shaker screen.

CC1 had 25cm of 10YR3/3 brown sand overlying 25cm of 10YR6/3 gray sand mottled with 7.5 YR5/6 strong brown sand (Figure 15). No artifacts were recovered. CC2 had a profile identical to that of CC1. CC3 had a 10YR3/3 brown sandy plowzone to 15cm BS overlying a 10YR3/3 brown sand with manganese concretions from 15-36cm BS. From 36-49cm BS was a 5Y4/1 gray sandy clay mottled with orange. No artifacts were found in any of the control columns.

These three profiles indicate that the soil has developed in situ and the gray B Horizon is characteristic of periodically standing water. This is a well developed soil horizon but is not typical of either the Sikeston Loam or Sharkey Clay Loam which the site is supposed to be situated on. It appears to be an erosional remnant of Steely Soil (relict braided surface soils) which are in unmapped patches in the Sharkey Associations. The soil profiles are similar to hundreds of others on the relict braided surface which one author (Robert H. Lafferty, III) has observed over the past five years. Therefore, there is every reason to expect that any Holocene site should be manifest on the surface, which it is not.

Profile of East Side of Ditch 19: Due to heavy vegetation and slumping of the west bank of Ditch 19, a profile was cut into the recently cut, vegetation-free east bank of the ditch. A sketch was made of the profile of the eastern bank of Ditch 19 (Figure 16). The profile consisted of 10YR5/2 sand to 40cm BS. From 40-90cm BS was a 10YR3.5/2 sand with some clay. From 90-160cm BS was a 10YR5/1 sandy clay with orange mottles that became larger with greater depth. From 160-210cm BS was 10YR3.5/1 gray sandy clay mottled with 10YR5/1 lighter gray and bright orange. From 210-240cm BS was a 7.5YR5/8 bright orange sand. From 240-260cm BS was a 2.5Y7/2 light gray sand with orange bands and cannel coal. Artifacts were found only in the top 40cm which was spoil pile.

In summary, very little of this site could possibly exist west of Ditch 19 at this location. At the very most, 23m may remain under the spoil pile. It is our feeling that the site was almost totally destroyed by initial construction and later improvements to Ditch 19.




Figure 15. Profiles of control columns from site 23DU287.




Figure 16. Profile of east side of Ditch 19 at site 23DU287.



### Proposed Site Function and Cultural Affiliation

Artifacts were recovered dating to the Late Woodland Barnes culture and the Early Archaic or Late Paleo-Indian Dalton Complex. The site is too disturbed to determine its function.

### Site Significance

The site has been almost totally destroyed by construction and improvements of Ditch 19. It is not significant in terms of NRHP criteria and therefore is not eligible for nomination to the NRHP.

### Project Impacts

This area is to be sold by the U.S. Army Corps of Engineers into private ownership. Since the site has already been destroyed, this sale will not affect its integrity.

### Recommendations

We recommend no further archeological work at 23DU287.

## 23DU288

### Description

23DU288 consists of a very light scatter of prehistoric lithics and Late Woodland Barnes sand-tempered ceramics (Figure 17). The artifacts were found on a small sandy patch of soil amid Gideon Loam. The site is located approximately 1/2 mile east of Crowley's Ridge. 23DU288 measures 84m N-S by 30m E-W. It lies 4m east of Ditch 19.

A 1m x 1m test unit revealed that all artifacts are located in the plowzone. No undisturbed midden or subsurface features were discovered. The site may have been land-leveled.

The proposed project calls for deepening and widening of Ditch 19. The site lies entirely within the 60m (200ft) impact zone and would be damaged should improvements to Ditch 19 be conducted on the east side of the ditch.

Investigations were carried out over half a day by two persons. Investigations included a controlled surface collection, excavation of a 1m x 1m test unit, and mapping of the site.




Figure 17. 23DU288, site map.

Controlled Surface Collection: The soil was moist, but the sandy area of the site was drier than the surrounding soil. The field had been harvested and surface visibility was excellent (90-100%). It took two persons about one hour to collect 22 6m x 6m units averaging 11 units per person per hour.

The surface collection grid was laid out along Magnetic North and East. An arbitrary point was assigned the coordinates 58N 6E and set as a datum. Units were assigned coordinates according to their southwest corners' distances from the datum. The collection area was mapped in relation to other characteristics of the site.

The only diagnostic artifacts found on the surface of the site included two Barnes sand-tempered sherds. These were in units that were 36m apart. The artifacts were sparsely scattered over the site with no distinct concentrations.

1m x 1m Test Unit: The 1m x 1m test unit was excavated in the approximate center of the site. This area was visually determined to have the densest concentration of artifacts. Its purpose was to determine the depth and nature of subsurface deposits.

Excavation of this test unit revealed a 10YR4/4 yellowish brown plowzone to 25cm BS (Figure 18). This level contained prehistoric lithics and one sand-tempered sherd. From 25-65 cm BS was a 10YR7/2 light gray fine sand containing iron concretions but no artifacts. This level became siltier toward the bottom.

In summary, artifact density was very low, no intact subsurface deposits were noted, and the site is very small.

#### Proposed Site Function and Cultural Affiliation

The only diagnostic artifacts were Barnes sand-tempered sherds dating to the Late Woodland. There were only three of these. The site was probably lightly used during the Late Woodland and may have been visited by other prehistoric peoples, but there is no evidence that it was ever used heavily.

#### Site Significance

Due to the lack of intact subsurface deposits and the paucity of artifacts, this site is not considered to contain valuable information of any period of history or prehistory. This site is not eligible for nomination to the NRHP.

## WEST PROFILE

58N18E




Figure 18. 23DU288, Test Unit 1.

### Proposed Impacts

The site is located entirely within the direct impact zone and will be damaged if improvements to Ditch 19 occur east of the ditch.

### Recommendations

We recommend no further archeological work at this 23DU288.

### 23DU289

### Description

23DU289 is a dense scatter of prehistoric lithics located in both sides of Ditch 19 (Figure 19). Artifacts dated to the Late Archaic, Late Woodland (Barnes), and Mississippian. Measuring approximately 650m from southwest to northeast by 100m from northwest to southeast, the site is located on Gideon Silt Loam that is adjacent to the old bayou in this location. The site is approximately 100m wide along the western bank of the old bayou. The area east of Ditch 19 has been land-leveled since construction of Ditch 19, and no topographic evidence remains of the old bayou. 23DU289 is approximately 3/4 mile east of Crowley's Ridge.

There were two slight rises (.5m) on the portion of the site west of Ditch 19. A 1m x 1m test unit was excavated in the southernmost rise. This unit revealed an undisturbed midden from 12-58cm BS.

The proposed project calls for the deepening and widening of Ditch 19. Approximately 50m of the center of the site was destroyed by initial construction of the ditch. Improvement of Ditch 19 would further damage the site and may destroy valuable information about the prehistory of this area.

Investigations were carried out at 23DU289 over a period of two days by six persons. These investigations included controlled surface collections, excavation of a 1m x 1m test unit, profiling of a lateral drainage ditch, and mapping of the site.

Controlled Surface Collections: East of Ditch 19, the soil was saturated and walking was difficult because the soil was extremely attracted to shoes. West of Ditch 19, the soil was drier and the walking was easier.




Figure 19. 23DU289, site map.

East of Ditch 19, a grid was set up and designated as the CSC East. An arbitrary point was assigned the coordinates 200N 100E and mapped into a permanent datum. A total of 225 6m x 6m units were set up along magnetic North and East. Units were identified according to the North and East coordinates of their southwest corners. These units were collected in one day by three persons averaging nine units per person per hour.

Diagnostic artifacts from this area dated to the Late Woodland and the Late Archaic. Six Barnes sand-tempered sherds were found and three indeterminate Woodland dart points. One Delhi point dating to the Late Archaic was found. Delhi points are typically associated with the Poverty Point Culture dating from 1300 B.C. to 200 B.C. (Perino 1987:22).

At the southern edge of the site east of Ditch 19 was a lateral ditch running perpendicular to Ditch 19. The lateral had recently been cleaned out and the backdirt pile contained artifacts. The backdirt pile was 4.5m wide and was collected in 6m long units running east-west. Sixty-eight units were numbered from west to east as Backdirt (BD) 1-403, the numbers being the distance in meters of the units' southwest corners from an arbitrary zero point. This point was tied into a permanent datum and mapped accordingly. The units were collected in half a day by three persons averaging six units per hour per person.

At the time the surface collection was conducted, the site was thought to be continuous along the length of the field lateral because of the continuous nature of the artifact content. Subsequent examination of the Dunklin County soil maps show that the old bayou cuts through the center of the collection area (Figure 20). BDs 1-25 are actually part of site 23DU289. BDs 31-187 are located in the old bayou. BDs 193-403 are east of the old bayou and can be considered a separate site from 23DU289. The location of artifacts within the old bayou is due to land-leveling. These artifacts are probably a mixture from 23DU289 and the site east of the bayou.

No diagnostic artifacts were found in the area of the BDs that are definitely part of 23DU289. Diagnostic artifacts found within the old bayou include shell-tempered Mississippian sherds and sand-tempered Late Woodland sherds attributable to the Barnes culture. Diagnostic artifacts from the site east of the bayou include Late Woodland sand-tempered Barnes sherds.

West of Ditch 19, 61 6m x 6m collection units were established running N-S and E-W. These units were set up to dissect both of the small (.5m) rises located on this side of Ditch 19. A point on the southernmost rise was arbitrarily assigned the coordinates 100N 100E, tied into a permanent datum and mapped. Units were identified according to the North and East coordinates of their southwest corners. Sixty-one units were collected by three persons in half a day averaging five units per person per hour.

25m East of Ditch 19

# NORTH PROFILE




Figure 20. 23DU289, east ditch profile of old bayou.



Diagnostic artifacts from these units included Barnes Late Woodland sand-tempered sherds and three shell-tempered sherds. One Barnes sherd and one indeterminate dart point were found on the northernmost rise. Three dart points, one arrowpoint, many Barnes sherds, and three Mississippian shell-tempered sherds were found on the southernmost rise. This appears to be the hot spot of the site.

Field Lateral Profile: The northern bank of the field lateral east of Ditch 19 was scraped back and profiled (Figure 20). This profile exhibited 35-40cm of a homogeneous black sandy clay plowzone overlying 30cm of black sandy clay with many small concretions. Underlying this was an orange sandy clay with the same texture as the above soil, but less concretions. The orange soil continued to the bottom of the lateral (150cm BS). The southern bank was also scraped back and visually examined. This profile exhibited a blocky black clay with homogeneous color and texture down to the bottom of the lateral (150cm BS). No artifacts were found in the southern profile or in the field south of the lateral.

1m x 1m Test Unit: West of Ditch 19, a 1m x 1m test unit with its southwest corner at 94N 94E was excavated to a depth of 70cm BS (Figure 21). The test unit was placed in this location because it was the approximate center of the southernmost rise west of Ditch 19. This rise was visually determined to have the densest concentration of artifacts. The unit was excavated in arbitrary 10cm levels within natural levels. Excavation revealed plowzone from 0-13cm BS. This was a 10YR3/3 dark brown silty sand producing artifacts dating to the Late Woodland and Mississippian Periods (Appendix ). From 13cm BS to 38cm BS was a 10YR2/2 very dark brown silty sandy midden. This level produced artifacts dating to Late Woodland and Mississippian. The level also contained fired clay, carbon, and calcined bone. From 38-58cm BS was a 10YR2/2 very dark brown silty sandy midden mottled with 10YR5/1 gray sand. This level contained prehistoric lithics, carbon, calcined bone, and one Barnes Cordmarked sand-tempered sherd that dates to the Late Woodland. From 58-70cm BS was a 10YR2/2 very dark brown sand mottled with 10YR5/1 gray sand and streaked with 10YR4/4 yellowish brown clayey sand. This level contained one sand-tempered Barnes sherd, a piece of calcined bone, a few flakes and some fire-cracked rock. These artifacts probably came out of the root molds located in this level. A 30cm x 30cm section in the southwest corner of the unit was excavated down to 110cm BS. From 70-90cm BS was a 10YR4/4 yellowish brown clayey sand mottled with 10YR5/1 gray clay and containing no artifacts. From 90-110cm BS was 10YR5/1 gray sterile clay.

# SOUTH PROFILE

272N95E




Figure 21. 23DU289, Test Unit 1.

In summary, there appears to be a good chance for the presence of intact subsurface features. The presence of an undisturbed midden accompanied with a high number of Barnes ceramic sherds on the surface means that this site could be very valuable in clarifying the Barnes Culture in southeast Missouri.

#### Proposed Site Function and Cultural Affiliation

One Late Archaic projectile point, a Delhi, was found at the site. This point type is closely associated with the Poverty Point Culture. It is possible that the site was used briefly during the Late Archaic. The presence of many Barnes sherds indicates that the site was used heavily during the Late Woodland. It was probably a dry season base camp. The presence of a few Mississippian shell-tempered sherds and an arrowpoint indicates that the site was used during this period. The old bayou was at one time the nearest large water source to Crowley's Ridge. This area was probably heavily used by peoples occupying the ridge.

#### Site Significance

23DU289 contains intact midden and the presence of subsurface features is highly probable. This site contains valuable information about the Barnes Culture about which little is known in the Malden Plain. The site is bisected by Ditch 19, whose construction destroyed a section in the center of the site. It is, however, large and much information remains. The two slight rises west of Ditch 19 are unusual in that they are remnants of natural topography in this almost entirely land-leveled area of the world. 23DU289 is definitely significant in terms of NRHP criteria and is eligible for nomination to the NRHP.

#### Project Impacts

Widening of Ditch 19 would damage the site and destroy potentially significant information about the prehistory of this area.

#### Recommendations

Since the 23DU289 is located both east and west of Ditch 19, the area cannot be avoided by working only on one side of the ditch. We recommend mitigation by data recovery in the impact zone.

## Description

The site is a dense scatter of Late Archaic, Late Woodland and Mississippian artifacts. In the project area, the artifacts were all found in the area of the old bayou. The landowner told us that there had been a mound approximately 250m east of the old bayou (Figure 22). Five years ago, he bulldozed the mound over into the bayou. The original location of the mound was outside of the project's right-of-way, but the artifacts are now within the impact zone. A collection was made in order to document the mound's contents, and five control columns were excavated in order to confirm that the old bayou was indeed in this location.

The control columns documented that this was the location of the old bayou and that the mound had indeed been pushed over into the area making the whole field nice and level.

The project calls for deepening and widening Ditch 19 in this location. Since the mound has already been destroyed, not much information will be lost due to project impacts.

Controlled Surface Collections: The soil was saturated making walking difficult. The area had been harvested, plowed and rained upon making surface visibility excellent (100%). It took three people four hours to collect 24 6m x 6m units, averaging two units per person per hour. Artifact density was very dense.

The site grid was laid out parallel to Ditch 19 which runs 30 degrees east of Magnetic North at this location. An arbitrary point was assigned the coordinates 400N 100E and units were established north and south of this point. Each unit was assigned coordinates according to the southwest corner's distance north and east of 400N 100E. A permanent datum was established and mapped in relation to the investigative units and natural features of the site.

Shell-tempered and sand-tempered sherds were densely scattered throughout the collection unit. Sand-tempered sherds were usually plain or cordmarked indicating occupation by the Barnes culture. Shell-tempered sherds were mainly plain or red-filmed Varney sherds typical of Emergent Mississippian in this area (Lafferty et al. 1986:301). One Stone-Square Stemmed dart point dating to the Late Archaic was found. Much human and animal bone was found. The landowner noted the presence of burials in the mound when he bulldozed it and "skulls rolled out."




Figure 22. 23DU290, site map.




Figure 23. 23DU290, controlled surface collection and control columns.




Figure 24. Profiles for control columns from 23DU290.

Control Columns: Control columns were excavated and documented in order to establish if the old bayou had been in this location and filled in with the mound. The first one (Figure 24) was excavated at 362N 106E and the others were placed east of this one at 20m intervals. CC1 had 10YR3/1 dark brown silty sand from 0-20cm BS. From 20-28cm BS was a yellow soil that was half silt and half sand. From 28-36cm BS was a 10YR2/1 black silty sand. From 36-46cm BS was a 10YR6/1 gray clayey sand.

CC2 was 20m east of CC1. CC2 had 10YR3/4 dark yellowish brown silty sandy mound fill that had been plowed for the last five years from 0-23cm BS. From 23-28cm BS was 10YR3/2 very dark grayish brown silty sandy mound fill that has not been plowed. From 28-45cm BS was a 10YR4/1 dark gray sand that was the bayou soil.

CC3 was 20m east of CC2. CC3 had 7.5YR4/2 dark brown sand from 0-28cm BS. From 28-83cm BS was a 10YR4/3 brown sand that became clayey from 79-83cm BS.

CC4 was 20m east of CC3 and had a 10YR2/2 very dark brown silty sandy mound fill from 0-11cm BS. From 11-19cm BS was a 10YR4/4 dark yellowish brown silty sand that was the plowzone prior to leveling of the mound. From 19-31cm BS, the soil was a little darker (10YR4/3 dark brown) and siltier than the above soil. From 30-61cm BS was 10YR6/6 brownish yellow silty sand with more clay toward the bottom of the level.

CC5 was 20m east of CC4 and had 10YR3/2 very dark grayish brown silty sandy mound fill from 0-7cm BS. From 7-25cm BS was a 7.5YR4/2 dark brown silty sand. From 25-65cm BS was a 10YR5/4 yellowish brown silty sand with more silt toward the bottom. A few artifacts were found CCs 1-4, but none were found in CC5. As one moved east from the location of the old bayou, the pushed over mound fill got shallower as one would expect from the landowner's description of the leveling of the mound.

In summary, physical archeological evidence supported the landowner's contention that the artifacts near the edge of Ditch 19 and in the impact zone were from the pushed over mound in the center of the field and well out of the project's right-of-way.

#### Proposed Site Function and Cultural Affiliation

23DU290 dates to the Late Woodland and Early Mississippian. The presence of human bone indicates that the mound was used for burying the dead and possibly had other ceremonial uses. To the south of the mound and out of the project right-of-way the sherds were smaller indicating that they had lain on the surface longer than the sherds from the mound. This indicated that this was a village area associated with the mound. This area would provide much information about Late Woodland and Early Mississippian in this area, but the village portion of the site is out of this



project's right-of-way.

#### Site Significance

If still standing, the mound would be of major importance in clarifying the knowledge of the prehistory of this area. As it is, the variety of the artifacts gives us an idea of the time period during which the mound was occupied, but little other information can be gathered. The mound has been demolished and therefore is not eligible for nomination to the NRHP. The village area, however, should be tested if plans are ever made to disturb it.

#### Project Impacts

If deepening and widening of Ditch 19 is carried out on its eastern side, some of the artifacts from the mound will be displaced, but since they are already displaced, this does no particular harm. The mound cannot be further destroyed as it is already completely destroyed.

#### Recommendations

We recommend no further archeological work at 23DU290 at this time. However, if future work is planned that would impact the village area southeast of the mound, the area should be tested.

## SUMMARY AND CONCLUSIONS

During the course of initial survey and subsequent testing of the right-of-way of proposed improvements to Ditch 19 and Lateral No. 1, seven prehistoric sites were identified within the project's impact zone. Testing of the sites resulted in the determination that three of the sites (23DU284, 23DU286 and 23DU289) met the National Register of Historic criteria for significance. These sites have been determined to be eligible for nomination to the NHRP. Four of the sites (23DU285, 23DU287, 23DU288 and 23DU290) have been determined not to be eligible for nomination to the NRHP.

Mitigation by avoidance is recommended for 23DU284 which is located only on the east side of Ditch 19. 23DU289 is bisected by Ditch 19 and 23DU286 is bisected by Lateral No. 1. We recommended that impact to these sites be mitigated by data recovery within the impact zone. No further archeological work is recommended for the sites determined not to be eligible for nomination to the NRHP.

## GENERAL RECOMMENDATIONS

Most of the sites (23DU284, 23DU285, 23DU288 and 23DU290) that are located along Ditch 19 are found only on the east side of the ditch. It is our opinion that improvements only to the west side of the ditch would be the least damaging to archeological resources in this area. We recommend that the proposed project be restricted to this side Ditch 19.

## REFERENCES CITED

- Adams, Robert M., and Winslow Walker  
 1942 Archeological Surface Survey of New Madrid County, Missouri. The Missouri Archeologist 8 (2).
- Bartlett, Charles S., Jr.  
 1963 The Tom's Brook Site - 3J01: A Preliminary Report. In Arkansas Archeology 1962, edited by C. R. McGimsey III, pp. 15-65. Arkansas Archeological Society, Fayetteville.  
 1964 Carbon 14 dates from the Tom's Brook site, J01. Newsletter of the Arkansas Archeological Society 5:132-133.
- Beadles, John K.  
 1976 Environmental Inventory of the Tyronza River Watershed, Mississippi and Poinsett Counties, Arkansas. Arkansas State University, submitted to USDA-SCS, Little Rock. Contract No. AG-05-SCS-00402.
- Butler, Brian M.  
 1978 Mississippian Settlement in the Black Bottom, Pope and Maasac Counties, Illinois. Ph.D. Dissertation, Department of Anthropology, Southern Illinois University, Carbondale.
- Chapman, Carl H.  
 1952 Cultural Sequence in the Lower Missouri Valley. In Archeology of the Eastern United States, edited by J. B. Griffin, pp.139-151. Chicago.  
 1975 The Archeology of Missouri, I. University of Missouri Press, Columbia.  
 1980 The Archeology of Missouri, II. University of Missouri Press, Columbia.
- Chapman, Carl H., and Lee O. Anderson  
 1955 The Campbell Site, a late Mississippi townsite and cemetery in southeast Missouri. The Missouri Archeologist 17(2-3).
- Chapman, Carl, J. Cottier, David Denman, David Evans, Dennis Harvey, Michael Raagan, Bradford Rope, Michael Southland, and Gregory Waselkov  
 1977 Investigation and Comparison of Two Fortified Mississippi Tradition Archeological Sites in Southeastern Missouri: A Preliminary Compilation.

Missouri Archeologist No. 38.

Cottier, John W.

- 1977a The 1972 Investigations at the Lilbourn Site,  
The Missouri Archeologist 38:123-154.

- 1977b Continued Investigations at the Lilbourn Site,  
1973, The Missouri Archeologist 38:155-185.

Cottier, John W., and M. D. Southard

- 1977 An Introduction to the Archeology of Towosahgy  
State Archeological Site. The Missouri Arche-  
ologist 38:230-271.

Dekin, Albert, and Cecil Brooks, Douglas Edsall, James  
Mueller, Robert Pannat, Peter Skirbunt, Sally Tompkins, with  
Charles Lee Dacker, James O'Donnell, Vanessa Patrick,  
Genevieve Poirier and Phyllis Morse, Martin Pociask and  
Bernard Poirier.

- 1978 Predicting Cultural Resources in the St. Francis  
Basin, a Research Design. Report submitted to  
the U. S. Army Corps of Engineers by Iriquois Re-  
search Institute.

Delcourt, Paul A., H. R. Delcourt, R. C. Brister and L. E.  
Lackey

- 1980 Quaternary Vegetation History of the Mississippi  
Embayment. Quaternary Research 13:111-132.

Dickson, Don R.

- 1982 The Albertson site No. 1 (3BE174). Ms. on file,  
Arkansas Archeological Survey, Fayetteville.

Dunnell, Robert C. and James K. Feathers

- 1986 Later Woodland Manifestations of the Malden Plain,  
Southeast Missouri. Paper presented at the 1986  
Southeastern Archaeological Conference, Nashville,  
TN.

Federal Register

- 1976 36CFR60 National Register of Historic Places: No-  
minations by State and Federal Agencies. Rules  
and Regulations, 9 January 1976.
- 1977a 36CFR63 Determinations of Eligibility for Inclu-  
sion in the National Register of Historic Places.  
Interim Regulations, 21 September 1977.
- 1977b Publication Guidelines for Level of Documentation  
to Accompany Requests for Determinations of Eligi-  
bility for Inclusion in the National Register. 21  
September 1977.

- Ferguson, Dick V., and James L. Gray  
 1971 Soil Survey of Mississippi County, Arkansas. U. S. Department of Agriculture, Soil Conservation Service, Washington.
- Ford, James A.  
 1963 Hopewell Culture Burial Mounds Near Helena, Arkansas. Anthropological Papers of the American Museum of Natural History, Vol. 50, Part 1, New York.
- Ford, James A., and Gordon R. Willey  
 1941 An Interpretation of the Prehistory of the Eastern United States. American Anthropologist 43 (3):325-363.
- Ford, James A., Phillip Phillips and William S. Haag  
 1955 The Jaketown Site in West-Central Mississippi. Anthropological Papers of the American Museum of Natural History, Vol. 45, Part 1.
- Fowke, Gerard  
 1910 Antiquities of Central and Southeast Missouri. Bureau of American Ethnology, Bulletin No. 37. Washington.
- Gilmore, Michael  
 1979 An Archeological Survey of Mingo National Wildlife Refuge:1978. Submitted to the Fish and Wildlife Service, Dept. of Interior, Washington. Report on file, Divisions of Parks and Recreation, Department of Natural Resources, Jefferson City, Missouri. Report No. AR-VB-128.
- Greer, John W. (Assembler)  
 1978 Cultural Resources Study of the P62 Products Line across Southeast Missouri. Archeological Services Survey Report No. 2, Columbia, Missouri. Report on file, Division of Parks and Recreation, Department of Natural Resources, Jefferson City, Missouri. Report No. AR-VB-73.
- Goodyear, Albert C.  
 1974 The Brand Site: A Techno-functional Study of a Dalton Site in Northeast Arkansas. Arkansas Archeological Survey Research Series 7, Fayetteville.
- Greer, John W. (Assembler)  
 1978 Cultural Resources Study of the P62 Products Line across southeast Missouri. Archeological Services Survey Report No. 2, Columbia, Missouri. Report on file, Divisions of Parks and Recreation,

Department of Natural Resources, Jefferson  
City, Missouri. Report No. AR-VB-73.

Griffin, James B.

- 1952 Prehistoric Cultures of the Central Mississippi Valley. In Archeology of Eastern United States, edited by J. B. Griffin, pp. 226-238. Chicago.

Harris, Suzanne E.

- 1980 Reconstruction of the 19th century Environment. In Zabree Archeological Project, edited by Dan F. and Phyllis A. Morse. pp. 13:1-14. Ma. on file, U. S. Army Corps of Engineers, Memphis.

Holmes, William H.

- 1903 Aboriginal Pottery of the Eastern United States. Twentieth Annual Report, Bureau of American Ethnology. Washington, D. C.

Hopgood, James F.

- 1969 An Archeological Reconnaissance of Portage Open Bay in southeast Missouri. Missouri Archeological Society Memoir No. 7. Columbia.

House, John H.

- 1982 Powell Canal: Baytown Period Occupation on Bayou Macon in Southeast Arkansas. Arkansas Archeological Survey Research Series 19. Fayetteville.

Hudson, Charles

- 1984 The Route of DeSoto Through Arkansas. Paper presented at the Department of Anthropology Colloquium, University of Arkansas, Fayetteville.

Hudson, Charles, Marvin Smith, David Hally, Richard Polhemus and Chester DePratter

- 1985 Coosa: A Chiefdom in the Sixteenth-Century Southeastern United States. American Antiquity 50(4):723-737.

Iroquois Research Institute

- 1978 A Survey level report of the Castor River Ditch Enlargement Project, Item 1, Stoddard County, Missouri. Submitted to the U. S. Army Corps of Engineers, Memphis District by I. R. I. Report on file, Division of Parks and Recreation, Department of Natural Resources, Jefferson City, Missouri. Report No. AR-VB-213.

Key, Marvin, Francis B. King and C. K. Robinson

- 1980 Cucurbits from Phillips Spring: New Evidence and Interpretations. American Antiquity 45:806-822.

- Keller, John E.  
 1983 Cultural Resources Survey a Literature Review of Belle Fountain Ditch and Tributaries, Dunklin and Pemiscot Counties, Missouri; and Mississippi County, Arkansas. New World Research, Inc. Report of Investigations No. 92.
- King, James E.  
 1981 A Holocene Vegetation Record from the Mississippi Valley, Southeastern Missouri. Quaternary Research 8:307-323.
- Klinger, Timothy C.  
 1982 Mangrum Arkansas Archeological Survey Research Series, No. 20. Fayetteville.
- Klinger, Timothy and Mark Mathis  
 1978 St. Francis II: An Archeological Assessment of Three COE-Sponsored channelization Projects in the St. Francis Basin, Arkansas. Arkansas Archeological Survey Research Report No. 14.
- Klinger, Timothy C., Carol S. Spears, Ross A. Dinwiddie, Michael C. Sierzchula, Cynthia R. Price and James E. Price  
 1981 Cultural Resources Survey and Testing in the Boothill Region of Missouri. Submitted to the U. S. Army Corps of Engineers, Memphis District by Historic Preservation Associates under contract no. DACW66-81-C-0032. HPA report No. 81-3.
- Kraker, James J.  
 1977 Archeological Survey in Mingo National Wildlife Refuge: an Investigation of Changing Adaptations in the Ozark Border. Submitted to the U. S. Fish and Wildlife Service, Mingo National Wildlife Refuge, Puxico, Missouri.
- Lafferty, Robert H., III  
 1977 The Evolution of the Mississippian Settlement Pattern and Exploitative Technology in the Black Bottom of Southern Illinois. Ph.D. dissertation, Department of Anthropology, Southern Illinois University, Carbondale.
- 1981 Lithic Reduction Analysis of Three Poverty Point Period Activity Areas at Site 3IN218, Independence County, Arkansas. Paper presented at the 39th Southeastern Archeological Conference, Nov 1981, Asheville, N. C.
- Lafferty, Robert H., III, L. G. Santeford, Phyllis. A. S. Morse, and L. M. Chapman  
 1984 A Cultural Resources Survey and Evaluation in the Tyronza River Watershed Phase I Area, Mis-

Mississippi County, AR. Reports of Investigations No. 84-2, MCRA, Lowell, AR. Submitted to USDA, Soil Conservation Service, Little Rock, Contract No. 54-7103-3-290. 376pp.

Lafferty, Robert H., III, Carol S. Spears, Phyllis A. S. Morse and Hope N. Gillespie

- 1985 Cultural Resources Survey, Testing and Predictive Model Development in the Tyrone Phase II Watershed Area, Mississippi and Poinsett Counties Arkansas. Submitted to the Soil Conservation Service by Mid-Continental Research Associates, Report No. 85-1. Contract No. 53-7103-4-36817.

Lafferty, Robert H. Lafferty, III, Margaret J. Guccione, Linda J. Scott, D. Kate Aasen, Michael C. Sierzchula, Beverly J. Watkins and Paul F. Baumann.

- 1987 A Cultural Resources Survey, Testing and Geomorphic Examination of Ditches 10, 12, and 29, Mississippi County, Arkansas. Submitted to the U.S. Army Corps of Engineers, Memphis District in accordance with Contract No. DACW66-86-C-0034 by Mid-Continental Research Associates, Report No. 86-5.

LeeDecker, Charles H.

- 1978 A Survey Level Report of the Wappapello to Crowley's Ridge Channel Improvement and Scour Repair Project. Submitted to U. S. Army Corps of Engineers, Memphis District by I.R.I. Contract No. DACW66-78-C-0054.  
Report on file, Divisions of Parks and Recreation, Department of Natural Resources, Jefferson City, Missouri. Report No. AR-VB-106.

- 1979 A Survey Level Report of the Ditch 29 enlargement project. Submitted to U. S. Army Corps of Engineers, Memphis District by I.R.I.  
Report on file, Divisions of Parks and Recreation, Department of Natural Resources, Jefferson City, Missouri. Report No. AR-VB-129.

Lewis, R. Barry

- 1974 Mississippian Exploitative Strategies: A Southeast Missouri Example. Missouri Archeological Society, Research Series No. 11.

Logan W. D.

- 1952 Graham Cave: An Archaic Site in Montgomery County Missouri Memoir, Missouri Archeological Society, No. 2.

Marquette, Jacques

- 1954 Jesuit Relations. edited by Edna Denton.



Vanguard Press, New York.

Marshall, Richard A.

- 1965 An Archeological Investigation of Interstate Route 55 through New Madrid and Pemiscott Counties Missouri, 1964. University of Missouri, Highway Archeological Report, No. 1, Columbia.

McMillian, R. Bruce

- 1971 Biophysical Change and Cultural Adaptation at Rogers Shelter, Missouri. Ph.D. dissertation, University of Colorado, Denver.

McNeil, Jimmy D.

- 1980 Testing site 23S0441, Ditch 24, Stoddard County, Missouri. Report prepared by the U. S. Army Corps of Engineers, Memphis District. Report on file, Divisions of Parks and Recreation, Department of Natural Resources, Jefferson City, Missouri. Report No. AR-VB-55.
- 1982 A Cultural Resources Survey of Dudley Bridge and Lick Creek at Mile 11.65, Stoddard County, Missouri. Report prepared by the U. S. Army Corps of Engineers, Memphis District. Report on file, Divisions of Parks and Recreation, Department of Natural Resources, Jefferson City, Missouri. Report No. AR-VB-293.
- 1984 A Cultural Resources Survey in the Mingo Ditch Scour Repair Project. Prepared by the U. S. Army Corps of Engineers, Memphis District. Report on file, Divisions of Parks and Recreation, Department of Natural Resources, Jefferson City, Missouri. Report No. AR-VB-360.

Moore, Clarence B.

- 1910 Antiquities of the St. Francis, White and Black Rivers, Arkansas. Journal of the Academy of Natural Sciences of Philadelphia, No. 14:255-364.
- 1916 Additional Investigations on the Mississippi River. Journal of the Academy of Natural Sciences of Philadelphia No. 16:492-508.

Morse, Dan F.

- 1973 Dalton Culture in northeast Arkansas. Florida Anthropologist 26:23-38.
- 1976 An Analysis of the Dalton Complex in the Central Mississippi Valley. In IX Congress, Union International des Sciences Prehistoriques et Proto-historiques, Colloque XVII, Habitates Humains

- Anterieurs a L'Holocene en Amerique: 136-166
- 1982a Northeast Arkansas. In A State Plan for the Conservation of Archeological Resources in Arkansas edited by H. A. Davis, pp. NE. Arkansas Archeological Survey Research Series No. 21. Fayetteville.
- 1982b Regional Overview of Northeast Arkansas. In Arkansas Archeology in Review, Edited by Neal L. Trubowitz and Marvin D. Jeter. Arkansas Archeological Survey Research Series No. 15, Fayetteville.
- Morse, Dan F. and Phyllis A. Morse (editors)  
 1976 A Preliminary Report of the Zebree Project: New Approaches in Contract Archeology in Arkansas. Arkansas Archeological Survey Research Report No. 8.
- 1980 Zebree Archeological Project Arkansas Archeological Survey Fayetteville, Submitted to Memphis District, U. S. Corps of Engineers.
- Morse, Dan F. and Phyllis A. Morse  
 1983 Archaeology of the Central Mississippi Valley. Academic Press, New York.
- Morse, Phyllis A.  
 1979 An Archeological Survey of Portions of the Big Lake National Wildlife Refuge, Mississippi County Arkansas. Report submitted to HCRS-IAS-Atlanta under P.O. A-55046(79) for the U.S. Fish and Wildlife Service, by Arkansas Archeological Survey, Fayetteville.
- 1981 Parkin Arkansas Archeological Survey Research Series No. 13. Fayetteville.
- Moselage, John H.  
 1962 The Lawhorn Site. Missouri Archaeologist 24.
- Muller, Jon D.  
 1978 The Kincaid System: Mississippian Settlement in the Environs of a Large Site. In Mississippian Settlement Patterns, edited by Bruce D. Smith, pp. 269-292. Academic Press, New York.
- Padgett, Thomas J.  
 1978 The AP&L Independence Station 500 KV Transmission Line Archeological Survey. Submitted to AP&L by Arkansas Archeological Survey.

Perino, Gregory

- 1978 Guide to the Identification of Certain American Indian Projectile Points. Special Bulletin No. 4, Oklahoma Anthropological Society.

Phillips, Philip

- 1970 Archaeological Survey in the Lower Yazoo Basin Mississippi 1949-1955. Papers of the Peabody Museum, Harvard University 60.

Phillips, Philip, James Ford and James B. Griffin

- 1951 Archaeological Survey in the Lower Mississippi Alluvial Valley. 1940-1947. Papers of the Peabody Museum, Harvard University 25.

Potter, William B.

- 1880 Archeological Remains in Southeast Missouri. Contributions to the Archeology of Missouri, Part 1, pp. 1-20, St. Louis Academy of Science.

Price, Cynthia R.

- 1976 A Cultural Resources Assessment of Six USDA Forest Service Exchange Tracts: The Foerster and White Exchanges, Mark Twain National Forest. Submitted to USDA Forest Service, Rolla, Missouri.

- 1979 A Cultural Resources Survey of Areas to be Disturbed by Proposed Modifications to the Existing Wastewater Treatment Facility, Moorehause, New Madrid County, Missouri: 1979. Center for Archeological Research, Report No. 199. Springfield.

- 1980 Archeological Investigations at Prehistoric Sites 230R42 (Riverton), 230R60 (Turtle Island Spring), and 230R59 (Rush Creek Camp) in the Eleven Point Valley, Oregon County, Missouri: 1979. Submitted to USDA Forest Service, Mark Twain National Forest Rolla.

Price, James E.

- 1973 Settlement Planning and Artifact Distribution on the Snodgrass Site and their Socio-political Implications in the Powers Phase of Southeast Missouri. Ph.D. Dissertation, Department of Anthropology, University of Michigan, Ann Arbor.

- 1976a An Archeological Survey of Houck Park, Puxico, Stoddard County, Missouri. Report on file, Divisions of Parks and Recreation, Department of Natural Resources, Jefferson City, Missouri. Report No. AR-VB-17.

- 1976b An Archeological Survey of Boone Park, Dexter.

Stoddard County, Missouri. Report on file, Division of Parks and Recreation, Department of Natural Resources, Jefferson City, Missouri. Report No. AR-VB-21.

- 1978 An Archeological Survey of the Proposed Sewer System, Puxico, Stoddard County, Missouri. Report on file, Division of Parks and Recreation, Department of Natural Resources, Jefferson City, Missouri. Report No. AR-VB-104.

Price, James E., and James B. Griffin

- 1979 The Snodgrass Site of the Powers Phase of Southeast Missouri. Anthropological Papers, Museum of Anthropology, University of Michigan 66.

Price, James E., and Cynthia R. Price

- 1980 A Predictive Model of Archeological Site Frequency for Informed Management of the Resources within the Proposed Project Corridor of the M & A 500 kv Transmission Line, New Madrid, Pemiscot, and Dunklin Counties, Missouri: 1977. Center for Archeological Research, Southwestern Missouri State University, Springfield.
- 1981 Changing Settlement Systems in the Fourche Creek Watershed in the Ozark Border Region of Southwest Missouri and Northeast Arkansas. Southwest Missouri State University, Center for Archeological Research, Report No. 251.
- 1984 Archeological Testing of the Shell Lake Site Wayne County, Missouri. Submitted to the St. Louis District, Corps of Engineers by the Center for Archeological Research, Springfield.

Price, James E., and James J. Krakker

- 1975 Dalton Occupation of the Ozark Border. Museum Brief No. 20. Museum of Anthropology, University of Missouri, Columbia.

Price, James E., Lynn D. Morrow and Cynthia R. Price

- 1978 A Preliminary Literature Review of the Prehistoric and Historic Cultural Resources for the M & A Power Corporation Power Line Transect in New Madrid, Dunklin and Pemiscot Counties, Missouri, and Mississippi County, Arkansas: 1979. Center For Archeological Research, Southwest Missouri State University, Springfield.

Rolingson, Martha A. (Editor)

- 1984 Emerging Patterns of Plum Bayou Culture. Arkansas Archeological Survey, Research Series No. 18.
- Sabo, George, III, David B Wadell, and J. H. House  
 1982 A Cultural Resources Overview of the Ozark-St. Francis National Forests, Arkansas. Arkansas Archeological Survey, Fayetteville. Submitted to and published by USDA-Forest Service, Ozark-St. Francis Forests, Russellville, Contract No. 53-432P-1-00984
- Santeiord, Lawrence G.  
 1982 A Management Summary for Testing of Sites on the Keo-Independence-Dell Transmission Corridor. Report prepared by Arkansas Archeological Survey for Arkansas Power and Light Company.
- Saucier, Roger T.  
 1974 Quaternary Geology of the Lower Mississippi River Valley. Arkansas Archeological Survey Research Series No. 6, Fayetteville.
- Sjoberg, Alf  
 1976 Cultural Resources Survey of Areas for Proposed Water System Improvements for the City of Tallapoosa, Missouri. American Archeology Division, University of Missouri, Columbia.
- Smith, Bruce D.  
 1978 Prehistoric Patterns of Human Behavior. Academic Press, New York.
- Spears, Carol S.  
 1978 The Derossitt Site (3SF49): Applications of Behavioral Archeology to a Museum Collection. M.A. Thesis, Department of Anthropology, University of Arkansas.
- Thomas, Cyrus  
 1894 Report on the Mound Explorations of the Bureau of Ethnology. Bureau of American Ethnology 12th Annual Report.
- Thomas, Ronald A.  
 1969 Breckenridge: a stratified shelter in northwest Arkansas. M.A. thesis, Department of Anthropology, University of Arkansas.
- Trubowitz, Neal  
 1984 Cedar Grove, Arkansas Archeological Survey, submitted to the New Orleans District Corps of Engineers, Contract DACW29-81-C0059.

- Walker, W. M., and R. M. Adams  
 1946 Excavations in the Mathews Site, New Madrid County Missouri. Transactions of the Academy of Science of St. Louis 31(4):75-120.
- Webb, Clarence H.  
 1968 the extent and content of Poverty Point culture. American Antiquity 33:279-321.
- Weichman, Michael S.  
 1978 Guidelines for Contract Cultural Resource Survey Reports and Professional Qualifications. Department of Natural History, Office of Historic Preservation, Jefferson City, Missouri.
- 1979 Guidelines for Reporting Phase II Testing of Archeological Site Significance and Evaluation of National Register Eligibility. Department of Natural History, Office of Historic Preservation, Jefferson City, Missouri.
- Willey, Gordon R., and Philip Phillips  
 1958 Method and Theory in American Archeology University of Chicago Press, Chicago, IL.
- Williams, J. Raymond  
 1968 Southeast Missouri Land Leveling Salvage Archeology, 1967 Submitted to National Park Service, Midwest Region, Lincoln, Nebraska by the Department of Anthropology, University of Missouri, Columbia.
- 1974 The Baytown Phases in the Cairo Lowland of Southeast Missouri. The Missouri Archaeologist, Vol. 36.
- Williams, Stephen  
 1954 An Archeological Study of the Mississippian Culture in Southeast Missouri. Unpublished Ph.D. Dissertation, Department of Anthropology, Yale University.
- 1984 The 1984 Lower Mississippi Valley Survey's work in the Boef Basin. Paper presented at the 41st Southeastern Archeological Conference, Pensacola, Florida.
- Wood, W. Raymond  
 1963 Breckenridge Shelter -- 3CR2: An Archeological Chronicle in the Beaver Reservoir area. In Arkansas Archeology 1962, edited by C. R. McGimsey III, pp. 67-96. Arkansas Archeological Society, Fayetteville.

APPENDIX A

ARTIFACT TABLES BY SITE

## APPENDIX A

### ARTIFACT CATALOGUE OF MATERIALS RECOVERED IN DITCH 19, DUNKLIN AND STODDARD COUNTIES, MISSOURI

This a complete list of the artifacts recovered in this project. Types used are as define in Kaczor et al. 1983, Lafferty et al. 1981, and Futato 1983.

#### LIST OF ABBREVIATIONS

Abrad - Abrader  
Albalb - Albany slip, interior and exterior  
Albbrs - Albany and bristol slipped  
Albsal - Albany and salt glaze slipped  
Alboth - Albany and other unidentified slip  
Albun - Albany slip and unglazed  
Abort - Aborted during manufacture.  
Alum - Aluminum  
Aluvcob - Cobble or gravel worn by alluvial action.  
Ammo - Historic ammunition.  
Anim - Animal remains.  
Barbwi - Barbed wire  
Bat - Battered  
Batcor - Battery core  
Bcap - Bottle cap  
Bdbase - Pottery fragment with parts of body and base present.  
Bifk - Biface.  
Bneck - Bottleneck  
Bodyfg - Ceramic body sherd less than 1/2" maximum dimension.  
Brbrs - Bristol slip interior and exterior  
Brsoth -Bristol and other unidentified slip  
Bthin - Bifacial thinning flake.  
Cal - Calcified.  
Canc - Cannel coal  
Cg - Chipped and ground lithic  
Chaa- Celt-noe-axe  
Charc - Charcoal.  
Chnk - Chunk  
Chop - Chopper.  
CL - Chipped lithic  
Cm - Centimeter.  
Cobl - Cobble  
Cobbrs - Cobalt blue and Bristol slip  
Cobcob - Cobalt blue interior and exterior  
Conc - Concretion  
Cong - Conglomerate  
Cncrete - Concrete  
Cornt - Corner notched  
Cpoly - Clear, polychrome  
Cri - Conc-impressed



## LIST OF ABBREVIATIONS

Crnk - Cord-marked  
Crsent - Crescent  
Crr - Crowley's Ridge red gravel  
Crt - Chert.  
Crt-brec - Chert breccia.  
Cry - Crowley's Ridge yellow gravel  
Ctx - Cortex on platform  
Cylind - Cylindrical in shape.  
Dbrn - Dark brown  
Deb - Pottery manufacturing debris  
Dec - Decorated  
Decal - Decalcomania  
Decort - Decortication flake.  
Dent - Denticulate.  
Ds - Distal.  
Earth - Earthenware  
Engra - Engraved  
Eucer - European ceramic  
Exhaus - Exhausted core.  
Expnst - Expanding stemmed  
Fc - Fire cracked rock  
Fclay - Fired clay.  
Fers - Ferrous metal  
Fig - Figurine  
Fing - Fingernail punctate  
Fla - Flake.  
Flor - Floral remains.  
Flot - Flotation sample.  
Fossi - Fossil fuel derived  
Fr - Fragment.  
Grad - Granitoid  
Graph - Graphite  
Grav - Gravel  
Grip - Grinding, pounding tool  
Grl - Groundstone lithic  
Grosan - Ground and sand tempering  
Grosh - Grog and shell tempering.  
Gshell - Gun shell.  
Ham - Hammerstone  
Hbolt - Hex head bolt  
Hem - Hematite  
Hlith - Historic lithic  
Hpaint - Hand painted  
HT - Heated  
Inci - Incised  
Ind - Indeterminant  
Indun - Indeterminant glaze and unglazed  
Inen - Incised or Engraved  
Insul - Insulator  
Jbase - Jar base  
Jlid - Jar lid  
Jrim - Jar rim  
Lav - Lavender

## LIST OF ABBREVIATIONS

Lblue - Light blue  
Leath - Leather  
Lgrn - Light green  
Lim - Limonite  
Linm - Linoleum  
Linpu - Linear punctate  
LS - Limestone  
Lunate - byproduct of point notching, semicircular in planview.  
Mang - Manganese  
Marcom - Complete Makers mark  
Marpar - Partial Makers mark  
Metobj - Metal object.  
Md - Mid-section of projectile point.  
Mdir - Multi-directional core, flakes removed in multiple directions from core surface  
Mdlobj - Ceramic modeled object  
Miller - Mill Creek  
Min - Mineralized  
Mjar - Mason jar  
Mlid - Mason jar lid  
Monog - Monochrome glaze  
MPT - Multi-purpose tool.  
Nov - Novaculite  
Nutbol - Nut with bolt  
Octag - Octagonal  
Ohist - Other unidentified historic material  
Ool - Oolitic chert.  
Oqz - Orthoquartzite  
Peb1 - Pebble  
Pewd - Petrified wood  
Pebto - Pebble tool.  
Pel - Pottery pellet.  
Perf - Perforator.  
Pigeon - Clay pigeon  
Pits - Pitted stone  
Plast - Plastic  
Polis - Polish  
Poly - Polychrome glaze  
Porce - Porcelain  
Pot - Prehistoric pottery.  
Pover - Polychrome overglaze  
PPK - Projectile point/knife  
PPO - Poverty Point object  
Press - Pressed glass  
Pt1id - Potlid.  
Punct - Punctated  
Px - Proximal fragment.  
Qzit - Quartzite.  
Qtz - Quartz  
Qxl - Quartz crystal  
Rimfg - Pottery rim fragment ((1.2"))

## LIST OF ABBREVIATIONS

Rtreat - Rim decorative treatment  
Redwar - Redware  
RSB - Round seam on base  
RUM - Retouched, utilized or modified  
Salsal - Salt glaze, interior and exterior  
Sbasal - Round seam on basal edge  
Scolla - Seam, up to collar  
Scr - Scraper.  
Shap - Shaped  
Shat - Shatter.  
Shed - Shell and sand tempered.  
Sheqzt - Shell and quartzite tempered.  
Shelsa - Shell and sand tempered  
Shesag - Shell, sand and grog tempered.  
Shing - Shingle  
Sftlp - Soft hammer lip on flake.  
Simp - Simple stamped  
Sind - Side and end  
Spoks - Spokeshave.  
Sqre - Square  
Sqbase - Square base  
Sshldr - Seam vertical up body and horizontal around shoulder  
SS - Sandstone.  
St I - Early stage of biface production.  
St II - Middle stage of biface production.  
StIII - Late stage of biface production.  
Stonew - Stoneware  
Syn - Synthetic  
Table - Tableware  
Thimbl - Thimble  
Trans - Transfer print  
TPT - Toothpaste tube  
Undec - Undecorated  
Unmod - Unmodified  
Urm - Unmodified raw material  
Wea - Weathered.

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
--- SITE# = 23DU284							
200.00	64.00	CSC		0.00 - 0.00	50.00	1	SYN IND
200.00	70.00	CSC		0.00 - 0.00	9.10	1	CL SHAT CRY
200.00	70.00	CSC		0.00 - 0.00	232.40	1	CL COBL TESTED
200.00	76.00	CSC		0.00 - 0.00	6.20	1	CL FLA DECORT CRR
200.00	76.00	CSC		0.00 - 0.00	2.50	1	CL FLA DECORT CRY
200.00	82.00	CSC		0.00 - 0.00	9.40	1	CL FLA DECORT CRY
200.00	82.00	CSC		0.00 - 0.00	2.60	3	CL FLA CRY
200.00	82.00	CSC		0.00 - 0.00	0.50	1	CL FLA CRR
200.00	82.00	CSC		0.00 - 0.00	2.40	2	CL FLA DECORT CRR
200.00	88.00	CSC		0.00 - 0.00	2.30	3	CL FLA CRY
200.00	94.00	CSC		0.00 - 0.00	1.50	2	CL FLA CRY
200.00	94.00	CSC		0.00 - 0.00	1.30	1	CL FLA DECORT CRY
200.00	94.00	CSC		0.00 - 0.00	0.50	1	CL FLA CRR
200.00	94.00	CSC		0.00 - 0.00	15.40	4	CL FLA DECORT CRY
200.00	94.00	CSC		0.00 - 0.00	1.20		POT BODYFG SAND
200.00	94.00	CSC		0.00 - 0.00	0.10		SHELL
200.00	100.00	CSC		0.00 - 0.00	1.90		POT BODYFG SAND
200.00	100.00	CSC		0.00 - 0.00	3.00	3	CL FLA DECORT CRY
200.00	100.00	CSC		0.00 - 0.00	4.10	2	CL FLA CRY
200.00	106.00	CSC		0.00 - 0.00	4.00	1	POT BODY SAND
200.00	106.00	CSC		0.00 - 0.00	1.80	2	CL FLA CRY
200.00	112.00	CSC		0.00 - 0.00	2.60	1	POT BODY SAND
200.00	112.00	CSC		0.00 - 0.00	0.40	1	CL FLA SFTLP CRR
200.00	112.00	CSC		0.00 - 0.00	0.30	1	CL FLA CRY
200.00	112.00	CSC		0.00 - 0.00	2.50	2	CL FLA CRR
200.00	112.00	CSC		0.00 - 0.00	1.50	1	CL FLA DECORT CRR
200.00	118.00	CSC		0.00 - 0.00	6.70	2	POT BODY SAND
200.00	118.00	CSC		0.00 - 0.00	2.40	4	CL FLA DECORT CRY
200.00	118.00	CSC		0.00 - 0.00	3.20	3	CL FLA CRY
200.00	118.00	CSC		0.00 - 0.00	1.10	4	CL FLA CRR
200.00	118.00	CSC		0.00 - 0.00	2.50	1	CL FLA DECORT CRR
200.00	118.00	CSC		0.00 - 0.00	5.30	1	CL FLA DECORT CRT
206.00	100.00	CSC		0.00 - 0.00	13.80	4	CL FLA DECORT CRY
206.00	100.00	CSC		0.00 - 0.00	0.20	1	CL FLA CRY
206.00	100.00	CSC		0.00 - 0.00	0.10	1	CL FLA DECORT CRR
206.00	100.00	CSC		0.00 - 0.00	9.40	2	CL FLA CRR
206.00	100.00	CSC		0.00 - 0.00	17.40	1	CL BIFK STI CRY
212.00	100.00	CSC		0.00 - 0.00	5.30	2	POT BODY CRMK SAND
212.00	100.00	CSC		0.00 - 0.00	22.10	2	CL FLA DECORT CRR
212.00	100.00	CSC		0.00 - 0.00	2.50	4	CL FLA CRR
212.00	100.00	CSC		0.00 - 0.00	70.20	2	CL SHAT CRY
212.00	100.00	CSC		0.00 - 0.00	11.50	4	CL FLA DECORT CRY
212.00	100.00	CSC		0.00 - 0.00	0.90	1	CL FLA CRT
212.00	100.00	CSC		0.00 - 0.00	23.30	1	CL FLA CRY
212.00	100.00	CSC		0.00 - 0.00	356.00	1	GRL GRIP OQZ
218.00	100.00	CSC		0.00 - 0.00	0.90	1	GLASS MOLD
218.00	100.00	CSC		0.00 - 0.00	7.00	5	CL FLA DECORT CRR
218.00	100.00	CSC		0.00 - 0.00	1.70	4	CL FLA CRR
218.00	100.00	CSC		0.00 - 0.00	6.00	2	POT BODY SAND
218.00	100.00	CSC		0.00 - 0.00	6.20	2	CL FLA DECORT CRR
218.00	100.00	CSC		0.00 - 0.00	2.10	4	CL FLA CRY
218.00	100.00	CSC		0.00 - 0.00	75.30	2	CL SHAT CRY
224.00	100.00	CSC		0.00 - 0.00	13.40	1	CL SCR RSHAPP CRT
224.00	100.00	CSC		0.00 - 0.00	5.10	1	POT BODY SAND

Wt	Est	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...			
SITE# = 230284										
224.00	100.00	CSC		0.00 - 0.00	3.40	1	POT	BODY	CPMK	SAND
224.00	100.00	CSC		0.00 - 0.00	0.30	1	CL	FLA	00Z	
224.00	100.00	CSC		0.00 - 0.00	6.40	8	CL	FLA	CPY	
224.00	100.00	CSC		0.00 - 0.00	5.90	5	CL	FLA	CRP	
224.00	100.00	CSC		0.00 - 0.00	2.20	3	CL	FLA	DECORT	CRP
224.00	100.00	CSC		0.00 - 0.00	4.30	1	CL	FLA	SFTLP	CRP
230.00	100.00	CSC		0.00 - 0.00	7.10	2	POT	BODY	SAND	
230.00	100.00	CSC		0.00 - 0.00	5.30	2	POT	BODY	CPMK	SAND
230.00	100.00	CSC		0.00 - 0.00	5.50	6	CL	FLA	DECORT	CPY
230.00	100.00	CSC		0.00 - 0.00	3.50	6	CL	FLA	CPY	
230.00	100.00	CSC		0.00 - 0.00	3.00	8	CL	FLA	CRP	
230.00	100.00	CSC		0.00 - 0.00	5.70	8	CL	FLA	DECORT	CRP
230.00	100.00	CSC		0.00 - 0.00	2.20	1	CL	COPE	CPY	
236.00	100.00	CSC		0.00 - 0.00	5.20	1	GLASS	BRIM	DBLUE	
236.00	100.00	CSC		0.00 - 0.00	5.20	2	POT	BODY	CPMK	SAND
236.00	100.00	CSC		0.00 - 0.00	4.30		POT	BODYFG	SAND	
236.00	100.00	CSC		0.00 - 0.00	0.40	1	CL	FLA	00Z	
236.00	100.00	CSC		0.00 - 0.00	6.50	5	CL	FLA	DECORT	CRP
236.00	100.00	CSC		0.00 - 0.00	1.20	2	CL	FLA	SFTLP	CRP
236.00	100.00	CSC		0.00 - 0.00	3.70	1	CL	FLA	RUM	CRY
236.00	100.00	CSC		0.00 - 0.00	2.90	5	CL	FLA	CRP	
236.00	100.00	CSC		0.00 - 0.00	3.50	4	CL	FLA	CPY	
236.00	100.00	CSC		0.00 - 0.00	4.20	2	CL	FLA	DECORT	CRY
242.00	100.00	CSC		0.00 - 0.00	3.90	9	CL	FLA	CRP	
242.00	100.00	CSC		0.00 - 0.00	0.20	1	CL	FLA	DECORT	CRP
242.00	100.00	CSC		0.00 - 0.00	0.90	1	CL	FLA	CRY	
242.00	100.00	CSC		0.00 - 0.00	6.10	4	CL	FLA	DECORT	CRY
242.00	100.00	CSC		0.00 - 0.00	25.80	1	CL	FLA	DECORT	00Z
242.00	100.00	CSC		0.00 - 0.00	3.30		POT	BODYFG	SAND	
248.00	100.00	CSC		0.00 - 0.00	12.30	3	CL	FLA	CRY	
248.00	100.00	CSC		0.00 - 0.00	5.70	1	CL	FLA	SFTLP	CRY
248.00	100.00	CSC		0.00 - 0.00	1.90	2	CL	FLA	DECORT	CRY
248.00	100.00	CSC		0.00 - 0.00	6.60	1	CL	FLA	DECORT	00Z
248.00	100.00	CSC		0.00 - 0.00	1.70	1	CL	FLA	CPT	
248.00	100.00	CSC		0.00 - 0.00	4.70	2	CL	FLA	DECORT	CRP
248.00	100.00	CSC		0.00 - 0.00	0.50	4	CL	FLA	CRP	
248.00	100.00	CSC		0.00 - 0.00	11.90	6	POT	BODY	SAND	
254.00	100.00	CSC		0.00 - 0.00	1.10		POT	BODYFG	SAND	
254.00	100.00	CSC		0.00 - 0.00	243.40	1	SPL	HAM	CRY	
254.00	100.00	CSC		0.00 - 0.00	9.10	1	CL	FLA	WHORT	
254.00	100.00	CSC		0.00 - 0.00	5.50	1	CL	FLA	DECORT	CRY
254.00	100.00	CSC		0.00 - 0.00	1.30	1	CL	FLA	CRY	
254.00	100.00	CSC		0.00 - 0.00	3.00	1	CL	FLA	SFTLP	CRP
254.00	100.00	CSC		0.00 - 0.00	6.20	2	CL	FLA	DECORT	CRP
254.00	100.00	CSC		0.00 - 0.00	3.90	1	CL	FLA	DECORT	00Z
260.00	100.00	CSC		0.00 - 0.00	2.40	1	POT	BODY	CPMK	SAND
260.00	100.00	CSC		0.00 - 0.00	11.00	3	POT	BODY	SAND	
260.00	100.00	CSC		0.00 - 0.00	3.40		POT	BODYFG	SAND	
260.00	100.00	CSC		0.00 - 0.00	0.50	1	GLASS	CURVE		
260.00	100.00	CSC		0.00 - 0.00	5.60	1	STONEW	ALBALB		
260.00	100.00	CSC		0.00 - 0.00	6.80	3	CL	FLA	DECORT	CRP
260.00	100.00	CSC		0.00 - 0.00	0.60	3	CL	FLA	CRP	
260.00	100.00	CSC		0.00 - 0.00	7.20	3	CL	FLA	CPY	
260.00	100.00	CSC		0.00 - 0.00	3.30	3	CL	FLA	DECORT	CRY
266.00	100.00	CSC		0.00 - 0.00	9.50	4	CL	FLA	DECORT	CRP
266.00	100.00	CSC		0.00 - 0.00	3.30	3	CL	FLA	DECORT	CRY

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
<b>SITENO = 230U28A</b>							
266.00	100.00	CSC		0.00 - 0.00	0.20	1	CL FLA DECORT 00Z
266.00	100.00	CSC		0.00 - 0.00	15.30	3	CL SHAT 00Z
266.00	100.00	CSC		0.00 - 0.00	0.70	2	CL FLA SFTLP CRR
266.00	100.00	CSC		0.00 - 0.00	4.90	8	CL FLA CPR
266.00	100.00	CSC		0.00 - 0.00	3.40	1	CL FLA CPY
266.00	100.00	CSC		0.00 - 0.00	2.70	2	POT BODY CRMK SAND
266.00	100.00	CSC		0.00 - 0.00	3.20	2	POT BODY SAND
272.00	100.00	CSC		0.00 - 0.00	5.10	2	WHITEW BODY
272.00	100.00	CSC		0.00 - 0.00	4.10	1	SIONEW BODY 4LBALB
272.00	100.00	CSC		0.00 - 0.00	7.40	1	GLASS CURVE
272.00	100.00	CSC		0.00 - 0.00	5.70	1	GLASS CURVE
272.00	100.00	CSC		0.00 - 0.00	2.40	1	GLASS CURVE
272.00	100.00	CSC		0.00 - 0.00	4.10	2	CL FLA 00Z
272.00	100.00	CSC		0.00 - 0.00	55.70	1	METAL FILE FEPS
272.00	100.00	CSC		0.00 - 0.00	9.40	2	POT BODY CRMK SAND
272.00	100.00	CSC		0.00 - 0.00	0.90	4	POT BODY SAND
272.00	100.00	CSC		0.00 - 0.00	0.50	2	CL FLA SFTLP CRY
272.00	100.00	CSC		0.00 - 0.00	15.50	7	CL FLA CRY
272.00	100.00	CSC		0.00 - 0.00	29.30	4	CL FLA DECORT CRY
272.00	100.00	CSC		0.00 - 0.00	3.00	3	CL FLA CPR
272.00	100.00	CSC		0.00 - 0.00	16.90	3	CL FLA DECORT CRR
272.00	100.00	CSC		0.00 - 0.00	10.00	1	CL DART EXPNST CRY
272.00	100.00	CSC		0.00 - 0.00	14.40	1	CL DART RSHARP CRY
272.00	100.00	CSC		0.00 - 0.00	18.60	1	CL CRAWL CRY
278.00	100.00	CSC		0.00 - 0.00	124.80	1	CL COBL TESTED CRY
278.00	100.00	CSC		0.00 - 0.00	26.10	6	CL FLA DECORT CRY
278.00	100.00	CSC		0.00 - 0.00	2.80	4	CL FLA CRY
278.00	100.00	CSC		0.00 - 0.00	2.50	4	CL FLA DECORT CRR
278.00	100.00	CSC		0.00 - 0.00	2.20	1	CL FLA SFTLP CRR
278.00	100.00	CSC		0.00 - 0.00	0.80	3	CL FLA CPR
284.00	100.00	CSC		0.00 - 0.00	18.60	1	CL FLA CRT
284.00	100.00	CSC		0.00 - 0.00	0.30	1	CL FLA DECORT CRY
284.00	100.00	CSC		0.00 - 0.00	5.70	3	CL FLA DECORT CRR
284.00	100.00	CSC		0.00 - 0.00	1.30	3	CL FLA CRY
284.00	100.00	CSC		0.00 - 0.00	1.90	4	CL FLA CPR
284.00	100.00	CSC		0.00 - 0.00	6.20	3	CL FLA SFTLP CRR
284.00	100.00	CSC		0.00 - 0.00	6.30	3	POT BODY SAND
284.00	100.00	CSC		0.00 - 0.00	5.10	1	POT BODY CRMK SAND
290.00	100.00	CSC		0.00 - 0.00	94.50	1	CL CORE CRY
290.00	100.00	CSC		0.00 - 0.00	35.10	1	CL BIFK ST1 CRY
290.00	100.00	CSC		0.00 - 0.00	5.40	3	CL FLA DECORT CRR
290.00	100.00	CSC		0.00 - 0.00	8.70	1	CL FLA DECORT CPY
290.00	100.00	CSC		0.00 - 0.00	7.00	2	CL FLA SFTLP CRY
290.00	100.00	CSC		0.00 - 0.00	1.40	3	CL FLA CRY
290.00	100.00	CSC		0.00 - 0.00	2.60	2	CL FLA DECORT CRT
290.00	100.00	CSC		0.00 - 0.00	0.50	2	CL FLA CRR
290.00	100.00	CSC		0.00 - 0.00	0.10	1	CL FLA SFTLP CRR
290.00	100.00	CSC		0.00 - 0.00	2.60	1	CL FLA DECORT 00Z
290.00	100.00	CSC		0.00 - 0.00	0.60	1	CL FLA 00Z
290.00	100.00	CSC		0.00 - 0.00	7.20	3	POT BODY SAND
290.00	100.00	CSC		0.00 - 0.00	2.70	1	POT BODY CRMK SAND
290.00	100.00	CSC		0.00 - 0.00	294.50	1	GRL HAM IND
296.00	100.00	CSC		0.00 - 0.00	52.80	6	CL FLA DECORT CRY
296.00	100.00	CSC		0.00 - 0.00	5.10	6	CL FLA CRY
296.00	100.00	CSC		0.00 - 0.00	1.40	1	CL FLA DECORT CRR
296.00	100.00	CSC		0.00 - 0.00	12.10	5	CL FLA CPR

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
<b>SITENO = 230128A</b>							
296.00	100.00	CSC		0.00 - 0.00	20.00	1	CL SHAT CPP
296.00	100.00	CSC		0.00 - 0.00	5.10	2	CL FLA OQZ
296.00	100.00	CSC		0.00 - 0.00	38.00	1	CL CORE CRV
296.00	100.00	CSC		0.00 - 0.00	8.70	1	CL BIFK CRP FP
296.00	100.00	CSC		0.00 - 0.00	11.80	3	POT BODY SAND
296.00	100.00	CSC		0.00 - 0.00	3.80	2	POT BODY SHELL
296.00	100.00	CSC		0.00 - 0.00	49.70	2	URM CHNK HEM
302.00	100.00	CSC		0.00 - 0.00	2.90		POT BODYFG SAND
302.00	100.00	CSC		0.00 - 0.00	1.60	2	CL FLA SFTLP CRY
302.00	100.00	CSC		0.00 - 0.00	1.90	5	CL FLA CPV
302.00	100.00	CSC		0.00 - 0.00	5.70	5	CL FLA DECORT CRY
302.00	100.00	CSC		0.00 - 0.00	7.30	5	CL FLA DECORT CRR
302.00	100.00	CSC		0.00 - 0.00	5.80	8	CL FLA CPR
302.00	100.00	CSC		0.00 - 0.00	288.60	2	CL CORE CRY
308.00	100.00	CSC		0.00 - 0.00	3.60	3	CL FLA CPV
308.00	100.00	CSC		0.00 - 0.00	2.30	3	CL FLA CRR
308.00	100.00	CSC		0.00 - 0.00	25.40	5	CL FLA DECORT CRP
308.00	100.00	CSC		0.00 - 0.00	39.10	1	CL BIFK ST2 CRP
308.00	100.00	CSC		0.00 - 0.00	1.80	1	POT BODY SAND
308.00	100.00	CSC		0.00 - 0.00	2.20	1	POT BODY CRMK SAND
308.00	100.00	CSC		0.00 - 0.00	4.00	1	STONEW BODY ALBALB
314.00	100.00	CSC		0.00 -	39.00	4	CL FLA DECORT CRY
314.00	100.00	CSC		0.00 - 0.00	5.60	4	CL FLA CRY
314.00	100.00	CSC		0.00 - 0.00	0.80	1	CL FLA SFTLP CRY
314.00	100.00	CSC		0.00 - 0.00	14.30	4	CL FLA DECORT CRP
314.00	100.00	CSC		0.00 - 0.00	1.60	2	CL FLA CRR
314.00	100.00	CSC		0.00 - 0.00	6.60	1	CL FLA DECORT CRT
314.00	100.00	CSC		0.00 - 0.00	0.20	1	CL FLA OQZ
314.00	100.00	CSC		0.00 - 0.00	6.10	1	CL SHAT OQZ
314.00	100.00	CSC		0.00 - 0.00	76.80	1	CL SHAT CRT
314.00	100.00	CSC		0.00 - 0.00	25.80	1	CL SHAT CRP
314.00	100.00	CSC		0.00 - 0.00	9.30	1	CL PPK IND MD
314.00	100.00	CSC		0.00 - 0.00	7.90	5	POT BODY SAND
314.00	100.00	CSC		0.00 - 0.00	8.60	2	POT BODY CRMK SAND
314.00	100.00	CSC		0.00 - 0.00	2.70	2	POT BODY SHELL
314.00	100.00	CSC		0.00 - 0.00	1.10	1	URM CHNK HEM
320.00	100.00	CSC		0.00 - 0.00	3.30	1	POT BODY SAND
320.00	100.00	CSC		0.00 - 0.00	2.80	2	POT BODYFG SAND
320.00	100.00	CSC		0.00 - 0.00	4.40	2	CL FLA SFTLP CRP
320.00	100.00	CSC		0.00 - 0.00	0.30	2	CL FLA CRR
320.00	100.00	CSC		0.00 - 0.00	4.90	2	CL FLA CRY
320.00	100.00	CSC		0.00 - 0.00	9.20	4	CL FLA DECORT CRY
320.00	100.00	CSC		0.00 - 0.00	6.20	1	CL FLA DECORT CRT
320.00	100.00	CSC		0.00 - 0.00	2.30	5	CL FLA SFTLP CRY
326.00	100.00	CSC		0.00 - 0.00	0.80		POT BODYFG SHELL
326.00	100.00	CSC		0.00 - 0.00	0.50	2	CL FLA CRY
326.00	100.00	CSC		0.00 - 0.00	2.10	2	CL FLA DECORT CRY
326.00	100.00	CSC		0.00 - 0.00	1.10	1	CL FLA DECORT CRR
326.00	100.00	CSC		0.00 - 0.00	6.90	2	CL FLA CRR
332.00	100.00	CSC		0.00 - 0.00	2.40	3	CL FLA CRY
332.00	100.00	CSC		0.00 - 0.00	6.60	6	CL FLA DECORT CRY
332.00	100.00	CSC		0.00 - 0.00	1.50	3	CL FLA CRR
332.00	100.00	CSC		0.00 - 0.00	2.80	2	POT BODY SAND
332.00	100.00	CSC		0.00 - 0.00	5.30	2	CL FLA DECORT CRR
332.00	100.00	CSC		0.00 - 0.00	44.40	1	CL COBL TESTED CRY
338.00	100.00	CSC		0.00 - 0.00	46.20	4	CL FLA DECORT CRY

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...			
SITE# = 230284										
338.00	100.00	CSC		0.00 - 0.00	8.50	2	CL	FLA	DECORT	CRR
339.00	100.00	CSC		0.00 - 0.00	0.80	2	CL	FLA	SFTLP	CRR
338.00	100.00	CSC		0.00 - 0.00	0.20	1	CL	FLA	CRR	
338.00	100.00	CSC		0.00 - 0.00	2.10	1	POT	BODY	SAND	
338.00	100.00	CSC		0.00 - 0.00	11.50		URM	CHNK	FC	
344.00	100.00	CSC		0.00 - 0.00	9.50	3	CL	FLA	DECORT	CRR
344.00	100.00	CSC		0.00 - 0.00	6.50	1	CL	SHAT	CRR	
344.00	100.00	CSC		0.00 - 0.00	0.70	2	CL	FLA	SFTLP	CRR
344.00	100.00	CSC		0.00 - 0.00	5.30	1	CL	FLA	CRR	
344.00	100.00	CSC		0.00 - 0.00	8.40	3	CL	FLA	DECORT	CRY
344.00	100.00	CSC		0.00 - 0.00	4.10	1	CL	FLA	DECORT	CRY
344.00	100.00	CSC		0.00 - 0.00	3.00	2	CL	FLA	CRY	
344.00	100.00	CSC		0.00 - 0.00	7.00	3	POT	BODY	SAND	
344.00	100.00	CSC		0.00 - 0.00	47.10	1	CL	BIFK	ST1	CRY
344.00	100.00	CSC		0.00 - 0.00	984.00	1	METAL	AXHEAD	FERS	
350.00	100.00	CSC		0.00 - 0.00	7.40	2	POT	BODY	SAND	
350.00	100.00	CSC		0.00 - 0.00	7.00	2	POT	BODY	CRMK	SAND
350.00	100.00	CSC		0.00 - 0.00	2.40		POT	BODYFG	SAND	
350.00	100.00	CSC		0.00 - 0.00	0.90	1	CL	FLA	DECORT	CRR
350.00	100.00	CSC		0.00 - 0.00	0.50	1	CL	FLA	CRR	
350.00	100.00	CSC		0.00 - 0.00	70.80	1	CL	COBL	TESTED	CRY
356.00	100.00	CSC		0.00 - 0.00	2.50	1	POT	BODY	SAND	
356.00	100.00	CSC		0.00 - 0.00	5.10	1	CL	FLA	DECORT	CRY
356.00	100.00	CSC		0.00 - 0.00	0.70	1	CL	FLA	CRY	
356.00	100.00	CSC		0.00 - 0.00	98.60	1	CL	CORE	CRY	
374.00	100.00	CSC		0.00 - 0.00	1.00	1	CL	FLA	DECORT	CRY
374.00	100.00	CSC		0.00 - 0.00	6.50	1	CL	FLA	DECORT	CRR
374.00	100.00	CSC		0.00 - 0.00	0.20	1	CL	FLA	CRY	
374.00	100.00	CSC		0.00 - 0.00	9.10	1	GLASS	CURVE		
374.00	100.00	CSC		0.00 - 0.00	1.40	1	URM	CHNK	CRR	FC
380.00	100.00	CSC		0.00 - 0.00	1.70	1	CL	FLA	CRR	
272.00	95.00	1X1M		0.00 - 0.00	2.70	1	GLASS	MJLID	MILK	
272.00	95.00	1X1M		0.00 - 0.00	0.60	1	CL	FLA	DECORT	CRY
272.00	95.00	1X1M		0.00 - 0.00	3.80	1	CL	FLA	DECORT	CRR
272.00	95.00	1X1M		0.00 - 0.00	1.10	1	CL	FLA	SFTLP	CRR
272.00	95.00	1X1M		0.00 - 0.00	19.20	1	CL	BIFK	ST1	CRY
272.00	95.00	1X1M		0.00 - 0.00	3.10	1	POT	BODY	CRMK	SAND
272.00	95.00	1X1M		0.00 - 15.00	26.30	24	CL	FLA	DECORT	CRR
272.00	95.00	1X1M		0.00 - 15.00	1.20	2	CL	FLA	SFTLP	CRR
272.00	95.00	1X1M		0.00 - 15.00	10.00	13	CL	FLA	CRR	
272.00	95.00	1X1M		0.00 - 15.00	0.30	2	CL	FLA	SFTLP	CRT
272.00	95.00	1X1M		0.00 - 15.00	2.50	2	CL	FLA	DECORT	OOZ
272.00	95.00	1X1M		0.00 - 15.00	2.50	1	CL	FLA	SFTLP	OOZ
292.00	95.00	1X1M		0.00 - 15.00	3.30	1	CL	FLA	OOZ	
272.00	95.00	1X1M		0.00 - 15.00	3.50	6	URM	CHNK	HEM	
272.00	95.00	1X1M		0.00 - 15.00	0.80	1	CL	SHAT	CRY	
272.00	95.00	1X1M		0.00 - 15.00	1.10	2	CL	FLA	SFTLP	CRY
272.00	95.00	1X1M		0.00 - 15.00	2.40	4	CL	FLA	SFTLP	CRY
272.00	95.00	1X1M		0.00 - 15.00	21.30	13	CL	FLA	DECORT	CRY
272.00	95.00	1X1M		0.00 - 15.00	10.00	25	CL	FLA	CRY	
272.00	95.00	1X1M		0.00 - 15.00	26.50	8	POT	BODY	CRMK	SAND
272.00	95.00	1X1M		0.00 - 15.00	21.60	9	POT	BODY	SAND	
272.00	95.00	1X1M		0.00 - 15.00	22.50		POT	BODYFG	SAND	
272.00	95.00	1X1M		0.00 - 15.00	2.30		POT	BODYFG	SHELL	
272.00	95.00	1X1M		0.00 - 15.00	0.90	1	CL	BIFK	CRR	FR
292.00	95.00	1X1M		0.00 - 15.00	6.50	1	CL	BIFK	OOZ	



North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
SITE# = 2301224							
272.00	95.00	1X1M		0.00 - 15.00	1.20	1	BRICK FR
272.00	95.00	1X1M		0.00 - 15.00	1.60	1	GLASS CURVE
272.00	95.00	1X1M		0.00 - 15.00	0.10	1	GLASS CURVE
272.00	95.00	1X1M		15.00 - 25.00	3.80		POT BODYFG SAND
272.00	95.00	1X1M		15.00 - 25.00	2.50	1	POT BODY SAND
272.00	95.00	1X1M		15.00 - 25.00	6.30	4	WHITEW BASE
272.00	95.00	1X1M		15.00 - 25.00	1.20	2	GLASS CURVE
272.00	95.00	1X1M		15.00 - 25.00	12.00	8	METAL FEPS
272.00	95.00	1X1M		15.00 - 25.00	2.10	3	GLASS CURVE
272.00	95.00	1X1M		15.00 - 25.00	4.20	7	GLASS CURVE
272.00	95.00	1X1M		15.00 - 25.00	0.50	1	CL FLA DECORT CRY
272.00	95.00	1X1M		15.00 - 25.00	1.60	2	CL FLA DECORT CRR
272.00	95.00	1X1M		15.00 - 25.00	6.10	5	CL FLA DECORT CRY
272.00	95.00	1X1M		15.00 - 25.00	1.80	1	CL FLA DECORT CRR
272.00	95.00	1X1M		15.00 - 25.00			
272.00	95.00	1X1M		15.00 - 25.00	4.70	1	CL SHAT CRT
272.00	95.00	1X1M		15.00 - 25.00	0.10	1	CL FLA CRT
194.00	118.00	CSC		0.00 - 0.00	10.00	3	CL FLA DECORT CRR
194.00	118.00	CSC		0.00 - 0.00	1.80	1	CL FLA CRP
194.00	118.00	CSC		0.00 - 0.00	37.50	3	CL FLA DECORT CRY
194.00	118.00	CSC		0.00 - 0.00	2.50	6	POT BODY CRMK SAND
194.00	118.00	CSC		0.00 - 0.00	2.00	1	POT BODY SHED
194.00	118.00	CSC		0.00 - 0.00	14.40	4	POT BODY SAND
194.00	118.00	CSC		0.00 - 0.00	0.60		POT BODYFG SHELL
188.00	118.00	CSC		0.00 - 0.00	1.90	1	CL BIFK WHCRT FR
188.00	118.00	CSC		0.00 - 0.00	4.10	1	POT BODY CRMK SAND
188.00	118.00	CSC		0.00 - 0.00	9.40	1	POT BODY SAND
188.00	118.00	CSC		0.00 - 0.00	2.00		POT BODYFG SAND
188.00	118.00	CSC		0.00 - 0.00	1.30		POT BODYFG CRMK SAND
188.00	118.00	CSC		0.00 - 0.00	0.60		POT BODYFG SHELL
188.00	118.00	CSC		0.00 - 0.00	8.60	3	CL FLA DECORT CRR
188.00	118.00	CSC		0.00 - 0.00	2.60	2	CL FLA CRR
188.00	118.00	CSC		0.00 - 0.00	8.20	5	CL FLA CRP
188.00	118.00	CSC		0.00 - 0.00	11.70	5	CL FLA DECORT CRY
182.00	118.00	CSC		0.00 - 0.00	10.20	5	CL FLA CRP
182.00	118.00	CSC		0.00 - 0.00	2.30	1	CL FLA DECORT CRY
182.00	118.00	CSC		0.00 - 0.00	2.30	4	CL FLA DECORT CRR
182.00	118.00	CSC		0.00 - 0.00	1.40	4	CL FLA CRR
182.00	118.00	CSC		0.00 - 0.00	0.50	2	CL FLA OQZ
182.00	118.00	CSC		0.00 - 0.00	10.40	3	POT BODY CRMK SAND
182.00	118.00	CSC		0.00 - 0.00	0.50	1	CL FLA CRT
182.00	118.00	CSC		0.00 - 0.00	2.60	1	POT RIM CRMK SAND
182.00	118.00	CSC		0.00 - 0.00	3.10	1	POT BODY SAND
176.00	118.00	CSC		0.00 - 0.00	3.10	1	CL FLA OQZ
176.00	118.00	CSC		0.00 - 0.00	0.30	1	CL FLA SFTLP CRR
176.00	118.00	CSC		0.00 - 0.00	51.40	9	CL FLA DECORT CRY
176.00	118.00	CSC		0.00 - 0.00	11.10	5	CL FLA CRY
176.00	118.00	CSC		0.00 - 0.00	17.10	5	CL FLA DECORT CRR
176.00	118.00	CSC		0.00 - 0.00	7.50	1	CL BIFK CRP FR
176.00	118.00	CSC		0.00 - 0.00	5.50	1	CL PPK EXPNST CRR PX
176.00	118.00	CSC		0.00 - 0.00	2.90	3	POT BODY CRMK SAND
176.00	118.00	CSC		0.00 - 0.00	34.00	7	POT BODY SAND
176.00	118.00	CSC		0.00 - 0.00	0.50		POT BODYFG SHELL
164.00	118.00	CSC		0.00 - 0.00	13.70	1	ORL HAM CRY
164.00	118.00	CSC		0.00 - 0.00	7.70	6	CL FLA CRP
164.00	118.00	CSC		0.00 - 0.00	3.60	3	CL FLA DECORT CRR

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
SITENO = 2301284							
164.00	118.00	CSC		0.00 - 0.00	2.90	2	CL FLA CRY
164.00	118.00	CSC		0.00 - 0.00	88.30	11	CL FLA DECORT CRY
164.00	118.00	CSC		0.00 - 0.00	120.70	1	GR L HAM 00Z
164.00	118.00	CSC		0.00 - 0.00	36.50	2	CL SHAT CRY
164.00	118.00	CSC		0.00 - 0.00	42.50	1	CL BIFK ST3 00Z
164.00	118.00	CSC		0.00 - 0.00	27.20	1	CL BIFK ST2 CRR
164.00	118.00	CSC		0.00 - 0.00	60.30	14	POT BODY SAND
164.00	118.00	CSC		0.00 - 0.00	23.50	6	POT BODY CRMK SAND
164.00	118.00	CSC		0.00 - 0.00	1.60	1	POT RIM INCI SAND
164.00	118.00	CSC		0.00 - 0.00	2.70		POT BODYFG SAND
158.00	118.00	CSC		0.00 - 0.00	75.00	1	CL COBL TESTED 00Z
158.00	118.00	CSC		0.00 - 0.00	7.00	1	URM CHNK HEM
158.00	118.00	CSC		0.00 - 0.00	57.70	4	CL FLA DECORT CRY
158.00	118.00	CSC		0.00 - 0.00	7.60	1	CL FLA DECORT CRY
158.00	118.00	CSC		0.00 - 0.00	16.70	4	CL FLA DECORT CRR
158.00	118.00	CSC		0.00 - 0.00	2.10	2	CL FLA CRY
158.00	118.00	CSC		0.00 - 0.00	2.50	1	CL SHAT CRY
158.00	118.00	CSC		0.00 - 0.00	0.20	1	CL FLA CRR
158.00	118.00	CSC		0.00 - 0.00	0.20	1	CL FLA SFTLP CRR
158.00	118.00	CSC		0.00 - 0.00	0.40	1	CL FLA WHCRT
158.00	118.00	CSC		0.00 - 0.00	4.40	1	POT BODY SAND
158.00	118.00	CSC		0.00 - 0.00	92.20	1	CL CORE CRY
158.00	118.00	CSC		0.00 - 0.00	15.30	1	CL PPK CORNT WHCRT PY
152.00	118.00	CSC		0.00 - 0.00	43.50	1	CL CORE CRY
152.00	118.00	CSC		0.00 - 0.00	8.30	1	CL FLA DECORT 00Z
152.00	118.00	CSC		0.00 - 0.00	3.80	1	CL FLA 00Z
152.00	118.00	CSC		0.00 - 0.00	11.00	3	CL FLA DECORT CRY
152.00	118.00	CSC		0.00 - 0.00	1.00	1	CL FLA SFTLP CRY
152.00	118.00	CSC		0.00 - 0.00	18.30	5	CL FLA DECORT CRR
152.00	118.00	CSC		0.00 - 0.00	2.80	2	CL FLA SFTLP CRR
152.00	118.00	CSC		0.00 - 0.00	4.60	7	CL FLA CRR
152.00	118.00	CSC		0.00 - 0.00	51.00	2	CL SHAT CRY
152.00	118.00	CSC		0.00 - 0.00	17.30	3	CL FLA CRY
152.00	118.00	CSC		0.00 - 0.00	39.50	2	CL SHAT CRR
152.00	118.00	CSC		0.00 - 0.00	91.70	3	CL BIFK ST1 CRY
152.00	118.00	CSC		0.00 - 0.00	17.50	3	POT BODY CRMK SAND
152.00	118.00	CSC		0.00 - 0.00	8.80	4	POT BODY SAND
146.00	118.00	CSC		0.00 - 0.00	3.30	2	POT BODY CRMK SAND
146.00	118.00	CSC		0.00 - 0.00	4.40	1	POT BODY SAND
146.00	118.00	CSC		0.00 - 0.00	2.20	1	CL FLA DECORT CRR
146.00	118.00	CSC		0.00 - 0.00	1.00	1	CL FLA 00Z
146.00	118.00	CSC		0.00 - 0.00	11.80	2	CL FLA DECORT CRY
140.00	118.00	CSC		0.00 - 0.00	2.50	1	CL FLA SFTLP CRR
140.00	118.00	CSC		0.00 - 0.00	9.90	3	POT BODY CRMK SAND
140.00	118.00	CSC		0.00 - 0.00	8.10	6	CL FLA DECORT CRR
140.00	118.00	CSC		0.00 - 0.00	23.40	8	CL FLA DECORT CRY
140.00	118.00	CSC		0.00 - 0.00	1.40	3	CL FLA CRR
140.00	118.00	CSC		0.00 - 0.00	1.20	2	CL FLA CRY
140.00	118.00	CSC		0.00 - 0.00	3.50	1	CL SHAT CRY
140.00	118.00	CSC		0.00 - 0.00	1.10		POT BODYFG SHELL
140.00	118.00	CSC		0.00 - 0.00	30.40	8	POT BODY SAND
134.00	118.00	CSC		0.00 - 0.00	1.10	2	CL FLA DECORT CRR
134.00	118.00	CSC		0.00 - 0.00	3.00	2	CL FLA SFTLP CRR
134.00	118.00	CSC		0.00 - 0.00	5.40	5	CL FLA CRR
134.00	118.00	CSC		0.00 - 0.00	0.80	1	CL FLA SFTLP CRR
134.00	118.00	CSC		0.00 - 0.00	1.50	1	CL FLA SFTLP CRY

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...				
SITE# = 2301284											
134.00	118.00	CSC		0.00 - 0.00	2.30	1	CL	FLA	DECORT	CRY	
134.00	118.00	CSC		0.00 - 0.00	22.70	3	CL	FLA	DECORT	QQZ	
134.00	118.00	CSC		0.00 - 0.00	11.10	2	CL	FLA	CRY		
134.00	118.00	CSC		0.00 - 0.00	133.50	2	CL	CORE	CRY		
134.00	118.00	CSC		0.00 - 0.00	28.10	1	CL	COPE	CRP		
134.00	118.00	CSC		0.00 - 0.00	157.50	1	CL	CORE	QQZ		
134.00	118.00	CSC		0.00 - 0.00	24.50	7	POT	BODY	SAND		
134.00	118.00	CSC		0.00 - 0.00	2.10	1	POT	BODY	DEC	SAND	WEA
134.00	118.00	CSC		0.00 - 0.00	1.30	1	CL	FLA	SPOKS	RUM	CRY
128.00	118.00	CSC		0.00 - 0.00	2.80	2	POT	BODYFG	SHELL		
128.00	118.00	CSC		0.00 - 0.00	16.80	5	POT	BODY	SAND		
128.00	118.00	CSC		0.00 - 0.00	6.40	2	POT	BODY	CRMK	SAND	
128.00	118.00	CSC		0.00 - 0.00	7.40	1	CL	SHAT	QQZ		
128.00	118.00	CSC		0.00 - 0.00	10.40	4	CL	FLA	DECORT	CRP	
128.00	118.00	CSC		0.00 - 0.00	4.30	5	CL	FLA	CRP		
128.00	118.00	CSC		0.00 - 0.00	2.10	3	CL	FLA	SFTLP	CRP	
128.00	118.00	CSC		0.00 - 0.00	1.00	1	CL	FLA	SFTLP	CRY	
128.00	118.00	CSC		0.00 - 0.00	4.20	4	CL	FLA	CRY		
128.00	118.00	CSC		0.00 - 0.00	16.30	3	CL	FLA	DECORT	CRY	
128.00	118.00	CSC		0.00 - 0.00	3.10	1	POT	RIM	CRMK	SAND	
122.00	118.00	CSC		0.00 - 0.00	146.70	1	CL	COBL	TESTED	QQZ	
122.00	118.00	CSC		0.00 - 0.00	14.20	4	CL	FLA	DECORT	CRY	
122.00	118.00	CSC		0.00 - 0.00	15.80	3	CL	FLA	DECORT	CRP	
122.00	118.00	CSC		0.00 - 0.00	2.80	1	CL	FLA	RUM	CRY	
122.00	118.00	CSC		0.00 - 0.00	8.30	2	POT	BODY	CRMK	SAND	
122.00	118.00	CSC		0.00 - 0.00	1.40	1	POT	BODY	SAND		
122.00	118.00	CSC		0.00 - 0.00	33.50	1	CL	CORE	CRY		
116.00	118.00	CSC		0.00 - 0.00	0.30	1	CL	FLA	CRP		
116.00	118.00	CSC		0.00 - 0.00	0.60	2	CL	FLA	DECORT	CRP	
116.00	118.00	CSC		0.00 - 0.00	2.10	2	CL	FLA	DECORT	CRY	
116.00	118.00	CSC		0.00 - 0.00	1.40	1	CL	FLA	QQZ		
116.00	118.00	CSC		0.00 - 0.00	10.00	2	POT	BODY	CRMK	SAND	
116.00	118.00	CSC		0.00 - 0.00	22.00	8	POT	BODY	SAND		
116.00	118.00	CSC		0.00 - 0.00	45.10	1	CL	CORE	CRY		
272.00	95.00	1X1M		25.00 - 35.00	2.50	9	CL	FLA	CRY		
272.00	95.00	CSC		25.00 - 35.00	0.40	2	CL	FLA	SFTLP	CRY	
272.00	95.00	1X1M		25.00 - 35.00	0.50	2	CL	FLA	CRT		
272.00	95.00	1X1M		25.00 - 35.00	4.80	12	CL	FLA	CRP		
272.00	95.00	1X1M		25.00 - 35.00	1.80	2	CL	FLA	SFTLP	CRP	
272.00	95.00	1X1M		25.00 - 35.00	0.30	1	CL	FLA	DECORT	CRP	
272.00	95.00	1X1M		25.00 - 35.00	26.50	9	CL	FLA	DECORT	CRY	
272.00	95.00	1X1M		25.00 - 35.00	3.20	1	STONEW	ALBALB			
272.00	95.00	1X1M		25.00 - 35.00	7.60	7	METAL	FERS			
272.00	95.00	1X1M		25.00 - 35.00	2.00	4	GLASS	CURVE			
272.00	95.00	1X1M		25.00 - 35.00	0.90	1	GLASS	MOLD			
272.00	95.00	1X1M		25.00 - 35.00	3.60	3	GLASS	CURVE			
272.00	95.00	1X1M		25.00 - 35.00	12.80	3	GLASS	FLAT			
272.00	95.00	1X1M		25.00 - 35.00	10.90	2	POT	BODY	SAND		
272.00	95.00	1X1M		25.00 - 35.00	5.50		POT	BODYFG	SAND		
272.00	95.00	1X1M		25.00 - 35.00	1.00		POT	BODYFG	SHELL		
272.00	95.00	1X1M		35.00 - 45.00	1.20		POT	BODYFG	CRMK	SAND	
272.00	95.00	1X1M		35.00 - 45.00	11.10	1	POT	BODY	CRMK	SAND	
272.00	95.00	1X1M		35.00 - 45.00	1.60	2	METAL	FERS			
272.00	95.00	1X1M		35.00 - 45.00	4.60		POT	BODYFG	SAND		
272.00	95.00	1X1M		35.00 - 45.00	0.50	1	GLASS	CURVE			
272.00	95.00	1X1M		35.00 - 45.00	0.30	1	WHITEN	BODY			

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...			
SITENO = 230U284										
272.00	95.00	1X1M		35.00 - 45.00	2.50	3	CL	FLA	CRY	
272.00	95.00	1X1M		35.00 - 45.00	4.60	2	CL	FLA	DECORT	CPY
272.00	95.00	1X1M		35.00 - 45.00	0.70	1	CL	FLA	DECORT	00Z
272.00	95.00	1X1M		35.00 - 45.00	1.00	3	CL	FLA	SFTL <sup>P</sup>	CRP
272.00	95.00	1X1M		35.00 - 45.00	0.90	2	CL	FLA	CRP	
272.00	95.00	1X1M		35.00 - 45.00	2.00	3	CL	FLA	DECORT	CRP
272.00	95.00	1X1M		45.00 - 55.00	0.60	2	CL	FLA	DECORT	CRY
272.00	95.00	1X1M		45.00 - 55.00	0.30	1	CL	FLA	CRY	
272.00	95.00	1X1M		45.00 - 55.00	0.30	1	CL	FLA	DECORT	CRP
272.00	95.00	1X1M		45.00 - 55.00	1.30	1	CL	FLA	00Z	
		GENER		0.00 - 0.00	5.60	2	POT	BODY	SAND	
		GENER		0.00 - 0.00	10.40	1	CL	BIFK	RSHAPP	CRY FR
		GENER		0.00 - 0.00	21.80	1	CL	DAPT	STRAT	CRP

North East Unit Unit# Top-Depth-Btm Wt Ct Acronyms ...

--> SITENO = 230U285

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
300.00	140.00	CC	3	18.00 - 18.00	52.40	1	CL COBL TESTED CRY
		CSC	51	0.00 - 0.00	2.50	1	POT BODY CRMK SAND
		CSC	51	0.00 - 0.00	3.60	2	CL FLA DECORT CRR
		CSC	51	0.00 - 0.00	2.30	1	CL FLA DECORT OQZ
		CSC	52	0.00 - 0.00	2.90	1	CL FLA DECORT CRY
		CSC	53	0.00 - 0.00	0.70	1	CL FLA DECORT CRP
		CSC	55	0.00 - 0.00	6.70	3	CL FLA CRY
		CSC	55	0.00 - 0.00	1.40	1	CL FLA DECORT CRY
		CSC	57	0.00 - 0.00	1.00	1	CL FLA CRR
		CSC	57	0.00 - 0.00	41.30	1	CL COBL TESTED CRY
		CSC	58	0.00 - 0.00	3.30	1	CL FLA DECORT CRY
		CSC	58	0.00 - 0.00	2.50	1	CL FLA CRP
		CSC	58	0.00 - 0.00	1.40	1	POT BODY DEC SAND WEA
		CSC	59	0.00 - 0.00	1.20	1	POT BODY SAND
		CSC	59	0.00 - 0.00	0.20	1	CL FLA CRR
		CSC	62	0.00 - 0.00	2.10	1	CL FLA CRY
		CSC	62	0.00 - 0.00	5.80	1	CL FLA DECORT CRY
		CSC	64	0.00 - 0.00	10.80	1	CL FLA DECORT OQZ
		CSC	64	0.00 - 0.00	1.50	2	CL FLA CRY
		CSC	65	0.00 - 0.00	0.40	1	CL FLA CRP
		CSC	68	0.00 - 0.00	1.80	2	CL FLA CRY
		CSC	72	0.00 - 0.00	0.50	1	CL FLA CRY
		CSC	76	0.00 - 0.00	0.60	1	CL FLA CRR
		CSC	77	0.00 - 0.00	0.60	1	CL FLA CRY
		CSC	77	0.00 - 0.00	0.60	1	CL FLA CRR
		CSC	78	0.00 - 0.00	0.40	1	CL FLA DECORT CRY
		CSC	78	0.00 - 0.00	2.80	1	CL FLA CRP
		CSC	78	0.00 - 0.00	21.40	1	CL COBL TESTED CRP
		CSC	80	0.00 - 0.00	4.70	1	CL FLA DECORT CRY
		CSC	81	0.00 - 0.00	0.20	1	CL FLA SFTLP CRP
		CSC	49	0.00 - 0.00	0.90	1	CL FLA CRY
		CSC	49	0.00 - 0.00	0.40	1	CL FLA CRP
		CSC	48	0.00 - 0.00	0.10	1	CL FLA CRR
		CSC	45	0.00 - 0.00	0.50	2	CL FLA CRY
		CSC	45	0.00 - 0.00	3.60	1	CL FLA DECORT OQZ
		CSC	44	0.00 - 0.00	0.10	1	CL FLA CRY
		CSC	44	0.00 - 0.00	1.20	1	CL FLA CRR
		CSC	38	0.00 - 0.00	0.90	1	CL FLA DECORT CRP
		CSC	36	0.00 - 0.00	2.00	1	CL FLA RUM CRY
		CSC	36	0.00 - 0.00	8.60	1	CL FLA DECORT CRY
		CSC	35	0.00 - 0.00	0.30	1	CL FLA CRP
		CSC	34	0.00 - 0.00	5.00	1	CL FLA DECORT CRP
		CSC	34	0.00 - 0.00	25.90	1	CL BIFK ST1 CRY
		CSC	32	0.00 - 0.00	2.50	1	CL FLA CRR
		CSC	27	0.00 - 0.00	6.40	1	WHITEW BODY MOLD
		CSC	25	0.00 - 0.00	4.00	1	POT BODY CRMK SAND
		CSC	22	0.00 - 0.00	84.50	1	METAL METORJ FEPS
		CSC	17	0.00 - 0.00	0.10	1	SHELL
		CSC	15	0.00 - 0.00	0.10	1	CL FLA CRR

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
--> SITENO = 23DU236							
100.00	52.00	CSC		0.00 - 0.00	2.20	3	CL FLA CRY
100.00	58.00	CSC		0.00 - 0.00	8.40	3	CL FLA DECORT CRY
100.00	58.00	CSC		0.00 - 0.00	4.60	2	CL FLA CRR
100.00	58.00	CSC		0.00 - 0.00	33.60	1	CL FLA RUM CRY
100.00	58.00	CSC		0.00 - 0.00	3.30	1	POT BODY SAND
100.00	64.00	CSC		0.00 - 0.00	11.00	1	POT RIM CRMK SAND
100.00	64.00	CSC		0.00 - 0.00	6.30	1	POT BODY CRMK SAND
100.00	64.00	CSC		0.00 - 0.00	0.40	1	CL FLA CRR
100.00	70.00	CSC		0.00 - 0.00	0.80	1	CL FLA DECORT CRR
100.00	70.00	CSC		0.00 - 0.00	2.40	2	CL FLA CRY
100.00	70.00	CSC		0.00 - 0.00	6.20	1	POT BODY SAND
100.00	70.00	CSC		0.00 - 0.00	5.00	1	POT BODY SHED
100.00	70.00	CSC		0.00 - 0.00	6.90	2	POT BODY CRMK SAND
100.00	88.00	CSC		0.00 - 0.00	8.60	1	WHITEW BASE
100.00	88.00	CSC		0.00 - 0.00	3.50	1	GLASS CURVE
100.00	94.00	CSC		0.00 - 0.00	0.40	1	CL FLA CRY
100.00	94.00	CSC		0.00 - 0.00	1.20	1	GLASS CURVE
100.00	100.00	CSC		0.00 - 0.00	0.20	1	CL FLA CRR
100.00	100.00	CSC		0.00 - 0.00	2.40	1	GLASS CURVE
100.00	100.00	CSC		0.00 - 0.00	1.70	2	CL FLA DECORT CRY
100.00	106.00	CSC		0.00 - 0.00	3.80	1	GLASS CURVE
100.00	106.00	CSC		0.00 - 0.00	2.30	1	GLASS CURVE
100.00	106.00	CSC		0.00 - 0.00	9.30	1	GLASS BASE CLEAR
100.00	106.00	CSC		0.00 - 0.00	1.70	2	CL FLA CRY
100.00	106.00	CSC		0.00 - 0.00	9.90	2	CL FLA DECORT CRY
100.00	112.00	CSC		0.00 - 0.00	0.50	1	CL FLA CRY
100.00	112.00	CSC		0.00 - 0.00	1.30	3	CL FLA CRR
100.00	112.00	CSC		0.00 - 0.00	1.00	1	CL FLA DECORT CRR
100.00	112.00	CSC		0.00 - 0.00	0.90	1	CL FLA DECORT CRY
100.00	112.00	CSC		0.00 - 0.00	3.40	1	CL FLA RUM CRY
100.00	112.00	CSC		0.00 - 0.00	1.50	1	POT BODYFG SAND
100.00	112.00	CSC		0.00 - 0.00	6.70	1	GLASS RIM CURVE
100.00	112.00	CSC		0.00 - 0.00	13.20	1	GLASS FLAT
100.00	112.00	CSC		0.00 - 0.00	1.30	1	GLASS CURVE
100.00	112.00	CSC		0.00 - 0.00	0.20	1	GLASS FLAT
100.00	112.00	CSC		0.00 - 0.00	23.80	1	GLASS BNECK CLEAR
100.00	118.00	CSC		0.00 - 0.00	2.50	1	GLASS LAV
100.00	118.00	CSC		0.00 - 0.00	0.90	1	GLASS CURVE
100.00	118.00	CSC		0.00 - 0.00	0.80	2	CL FLA SFTLP CRY
100.00	118.00	CSC		0.00 - 0.00	1.90	2	CL FLA DECORT CRY
100.00	118.00	CSC		0.00 - 0.00	0.70	2	CL FLA CRY
100.00	118.00	CSC		0.00 - 0.00	0.30	1	CL FLA DECORT CRR
100.00	118.00	CSC		0.00 - 0.00	0.10	1	CL FLA CRR
100.00	118.00	CSC		0.00 - 0.00	1.10	1	CL FLA SFTLP CRY
100.00	118.00	CSC		0.00 - 0.00	0.30	1	CL FLA OOT
100.00	124.00	CSC		0.00 - 0.00	0.10	1	CL FLA OOT
100.00	124.00	CSC		0.00 - 0.00	1.10	1	CL FLA CRR
100.00	124.00	CSC		0.00 - 0.00	1.90	1	POT BODY SAND
100.00	124.00	CSC		0.00 - 0.00	1.20	1	CL FLA CRY
100.00	124.00	CSC		0.00 - 0.00	0.80	1	GLASS CURVE
100.00	130.00	CSC		0.00 - 0.00	1.80	3	CL FLA DECORT CRR
100.00	130.00	CSC		0.00 - 0.00	0.30	1	CL FLA SFTLP CRR
100.00	130.00	CSC		0.00 - 0.00	0.60	1	CL FLA SFTLP CRY
100.00	130.00	CSC		0.00 - 0.00	0.30	1	CL FLA WHCRT

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
<b>SITENO = 2300205</b>							
100.00	130.00	CSC		0.00 - 0.00	1.00	2	CL FLA DECORT CRY
100.00	130.00	CSC		0.00 - 0.00	1.50	1	POT BODY CRMK SAND
100.00	136.00	CSC		0.00 - 0.00	0.40	1	CL FLA SFTLP CRY
100.00	136.00	CSC		0.00 - 0.00	0.40	1	CL FLA DECORT CRY
100.00	136.00	CSC		-0.00 - 0.00	1.90	3	CL FLA DECORT CRY
100.00	136.00	CSC		0.00 - 0.00	1.50	6	CL FLA CRY
100.00	136.00	CSC		0.00 - 0.00	1.70	2	CL FLA CRR
100.00	142.00	CSC		0.00 - 0.00	4.10	4	CL FLA CRY
100.00	142.00	CSC		0.00 - 0.00	0.60	2	CL FLA CRR
100.00	142.00	CSC		0.00 - 0.00	4.20	2	CL FLA DECORT CRY
100.00	148.00	CSC		0.00 - 0.00	4.30	1	POT BODY CRMK SAND
100.00	148.00	CSC		0.00 - 0.00	7.20	1	POT BODY SAND
100.00	148.00	CSC		0.00 - 0.00	2.40	3	CL FLA CRR
100.00	148.00	CSC		0.00 - 0.00	0.80	2	CL FLA CRY
82.00	136.00	CSC		0.00 - 0.00	1.00	2	CL FLA WHCRT
82.00	136.00	CSC		0.00 - 0.00	0.90	2	CL FLA CRY
88.00	136.00	CSC		0.00 - 0.00	0.70	1	CL FLA DECORT CRY
88.00	136.00	CSC		0.00 - 0.00	2.50	4	CL FLA CRY
94.00	136.00	CSC		0.00 - 0.00	0.70	2	CL FLA DECORT CRR
94.00	136.00	CSC		0.00 - 0.00	1.00	1	CL FLA CRY
94.00	136.00	CSC		0.00 - 0.00	0.30	1	CL FLA DECORT CRY
106.00	136.00	CSC		0.00 - 0.00	0.30	1	CL FLA DECORT CRR
106.00	136.00	CSC		0.00 - 0.00	1.50	4	CL FLA CRR
106.00	136.00	CSC		0.00 - 0.00	1.30	1	CL FLA DECORT CRY
106.00	136.00	CSC		0.00 - 0.00	0.30	2	CL FLA CRY
112.00	136.00	CSC		0.00 - 0.00	1.50	1	CL FLA DECORT CRY
118.00	136.00	CSC		0.00 - 0.00	1.50	6	CL FLA CRR
118.00	136.00	CSC		0.00 - 0.00	1.40	6	CL FLA CRY
118.00	136.00	CSC		0.00 - 0.00	0.90	1	CL FLA DECORT CRR
118.00	136.00	CSC		0.00 - 0.00	40.40	4	CL FLA DECORT CRY
118.00	136.00	CSC		0.00 - 0.00	3.20	1	POT BODY SAND
124.00	136.00	CSC		0.00 - 0.00	0.20	1	CL FLA DECORT CRY
124.00	136.00	CSC		0.00 - 0.00	0.50	2	CL FLA CRY
124.00	136.00	CSC		0.00 - 0.00	0.10	1	CL FLA CRR
104.00	77.00	1X1M		30.00 - 40.00	2.50	3	CL FLA DECORT CRY
104.00	77.00	1X1M		30.00 - 40.00	0.70	1	CL FLA SFTLP CRY
104.00	77.00	1X1M		30.00 - 40.00	0.40	2	CL FLA CRY
104.00	77.00	1X1M		30.00 - 40.00	1.30	2	CL FLA CRR
104.00	77.00	1X1M		30.00 - 40.00	0.20	1	POT BODYFG SHELL
104.00	77.00	1X1M		30.00 - 40.00	12.30		FLOR CHAR IND
104.00	77.00	1X1M		40.00 - 50.00	7.90	1	POT BODY CRMK SAND
104.00	77.00	1X1M		40.00 - 50.00	2.30	1	POT BODY SHELL
104.00	77.00	1X1M		40.00 - 50.00	1.10		POT BODYFG SAND
104.00	77.00	1X1M		40.00 - 50.00	6.20	4	CL FLA DECORT CRR
104.00	77.00	1X1M		40.00 - 50.00	36.00	1	CL CORL TESTED CRR
104.00	77.00	1X1M		40.00 - 50.00	3.50	1	CL FLA CRY
104.00	77.00	1X1M		40.00 - 50.00	6.30		FLOR CHAR IND
104.00	77.00	FEATU 1		-	4.80	1	POT BODY CRMK SAND
104.00	77.00	FEATU 1		-	1.30	1	POT BODY SAND
104.00	77.00	FEATU 1		-	0.80	1	CL FLA CRY
104.00	77.00	FEATU 1		-	12.60		FLOR CHAR IND
		GENER		0.00 - 0.00	28.00	4	POT BODY SAND
		GENEP		0.00 - 0.00	0.70	1	CL FLA CRY

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
--- SITE# = 23DU297							
CSC	1	0.00	- 0.00	60.30	1	CL	FLA CRT
CSC	1	0.00	- 0.00	25.00	1	CL	BIFV ST1 CPV
CSC	1	0.00	- 0.00	187.70	1	GRL	HAM CRV
CSC	1	0.00	- 0.00	32.20	11	CL	FLA DECORT CPV
CSC	1	0.00	- 0.00	36.80	5	CL	FLA DECORT CPP
CSC	1	0.00	- 0.00	0.60	2	CL	FLA CPP
CSC	1	0.00	- 0.00	1.50	2	CL	FLA CPV
CSC	1	0.00	- 0.00	5.60	3	CL	FLA SFTLP CPV
CSC	1	0.00	- 0.00	8.50	2	URM	CHNK HEM
CSC	1	0.00	- 0.00	5.70	1	POT	BODY CPMK SAND
CSC	1	0.00	- 0.00	7.40	1	CL	DART CORNT CPP
CSC	1	0.00	- 0.00	3.20	1	CL	BCP SIDENT CPV
CSC	2	0.00	- 0.00	0.90	1	SHELL	MUSSEL
CSC	2	0.00	- 0.00	17.40	1	CL	FLA DOZ
CSC	2	0.00	- 0.00	1.60	1	CL	FLA CPV
CSC	2	0.00	- 0.00	9.00	3	CL	FLA DECORT CPV
CSC	2	0.00	- 0.00	2.60	2	CL	FLA SFTLP CPP
CSC	2	0.00	- 0.00	6.00	4	CL	FLA DECORT CPP
CSC	2	0.00	- 0.00	0.70	1	CL	FLA CPP
CSC	2	0.00	- 0.00	3.90	2	CL	FLA SFTLP CPP
CSC	2	0.00	- 0.00	2.30	1	CL	FLA SPOKS RUM CPP
CSC	2	0.00	- 0.00	48.60	1	CL	COBL TESTED CPV
CSC	2	0.00	- 0.00	107.40	1	CL	COBL TESTED CPP
CSC	2	0.00	- 0.00	24.00	1	CL	BIFV STC CPP
CSC	2	0.00	- 0.00	3.70	1	CL	PPK CPV DS
CSC	2	0.00	- 0.00	8.10	1	CL	DART CORNT DOZ
CSC	2	0.00	- 0.00	7.10	1	URM	CHNK HEM
CSC	3	0.00	- 0.00	1.80	1	GLASS	CURVE
CSC	3	0.00	- 0.00	0.80	1	SHELL	
CSC	3	0.00	- 0.00	90.80	2	CL	COBL TESTED CPV
CSC	3	0.00	- 0.00	9.40	4	CL	FLA CPV
CSC	3	0.00	- 0.00	0.10	1	CL	FLA SFTLP CPV
CSC	3	0.00	- 0.00	0.60	1	CL	FLA SFTLP CPP
CSC	3	0.00	- 0.00	1.00	1	CL	FLA DECORT CPP
CSC	3	0.00	- 0.00	6.70	2	CL	FLA CPP
CSC	3	0.00	- 0.00	16.60	1	CL	FLA CRT
CSC	3	0.00	- 0.00	228.40	1	CL	COBL TESTED DOZ
CSC	4	0.00	- 0.00	1.70	1	CL	FLA DOZ
CSC	4	0.00	- 0.00	0.40	1	CL	FLA SFTLP CRT
CSC	4	0.00	- 0.00	2.20	5	CL	FLA CPP
CSC	4	0.00	- 0.00	1.40	1	CL	FLA DECORT CPP
CSC	4	0.00	- 0.00	0.60	1	CL	FLA SFTLP CPP
CSC	4	0.00	- 0.00	2.30	1	GLASS	CURVE
CSC	4	0.00	- 0.00	0.60	1	WHITEW	PIM
CSC	4	0.00	- 0.00	3.60	1	METAL	BARBWI FEES
CSC	4	0.00	- 0.00	15.70	3	CL	FLA CPV
CSC	4	0.00	- 0.00	0.80	2	CL	FLA SFTLP CPV
CSC	4	0.00	- 0.00	3.50	2	CL	FLA SFTLP CPV
CSC	4	0.00	- 0.00	69.20	3	CL	FLA DECORT CPV
CSC	4	0.00	- 0.00	140.20	1	CL	COBL TESTED CPV
CSC	5	0.00	- 0.00	7.00	1	CL	FLA SFTLP CRT
CSC	5	0.00	- 0.00	2.70	1	POT	BODY SAND
CSC	5	0.00	- 0.00	2.60	1	CL	ARROW CNTRST CPP
CSC	5	0.00	- 0.00	3.70	1	CL	FLA DECORT CRT



## SITENO = 23DU287

CSC	Unit	Top	Depth	Btm	Wt	Ct	Acronyms
CSC	5	0.00	-	0.00	35.80	9	CL FLA DECORT CPV
CSC	5	0.00	-	0.00	3.60	2	CL FLA CPV
CSC	5	0.00	-	0.00	50.00	4	CL FLA DECORT CPV
CSC	5	0.00	-	0.00	0.10	1	CL FLA CPV
CSC	5	0.00	-	0.00	62.60	1	CL COBL TESTED CPV
CSC	6	0.00	-	0.00	27.00	5	GLASS CURVE
CSC	6	0.00	-	0.00	3.10	3	GLASS CURVE
CSC	6	0.00	-	0.00	70.80	1	SHELL MUSSEL
CSC	6	0.00	-	0.00	1.80	1	POT BODY SAND
CSC	6	0.00	-	0.00	0.30	1	CL FLA DECORT CPV
CSC	6	0.00	-	0.00	1.70	3	CL FLA CPV
CSC	6	0.00	-	0.00	36.30	8	CL FLA DECORT CPV
CSC	6	0.00	-	0.00	11.80	3	CL FLA DECORT CPV
CSC	6	0.00	-	0.00	14.70	10	CL FLA CPV
CSC	6	0.00	-	0.00	45.90	1	CL SHAT CPV
CSC	7	0.00	-	0.00	6.70	2	UPM CHNK MEM
CSC	7	0.00	-	0.00	1.20	1	WHITEW BODY
CSC	7	0.00	-	0.00	4.00	1	POT BODY SAND
CSC	7	0.00	-	0.00	6.90	4	CL FLA SFTLP CPV
CSC	7	0.00	-	0.00	73.50	8	CL FLA DECORT CPV
CSC	7	0.00	-	0.00	1.00	2	CL FLA CPV
CSC	7	0.00	-	0.00	30.00	5	CL FLA DECORT CPV
CSC	7	0.00	-	0.00	1.60	4	CL FLA CPV
CSC	7	0.00	-	0.00	1.20	1	CL FLA DOZ
CSC	7	0.00	-	0.00	21.10	1	CL SHAT DOZ
CSC	7	0.00	-	0.00	13.60	4	SHELL MUSSEL
CSC	7	0.00	-	0.00	12.70	1	CL FLA SILT
CSC	8	0.00	-	0.00	2.00	1	SHELL
CSC	8	0.00	-	0.00	1.60	2	CL FLA CPV
CSC	8	0.00	-	0.00	2.00	1	CL FLA DECORT CPV
CSC	8	0.00	-	0.00	0.50	1	CL FLA CPV
CSC	8	0.00	-	0.00	4.50	1	CL FLA DECORT CPV
CSC	8	0.00	-	0.00	2.50	1	CL FLA DECORT CPV
CSC	8	0.00	-	0.00	193.80	1	CL COBL TESTED DOZ
CSC	9	0.00	-	0.00	10.80	2	GLASS CURVE
CSC	9	0.00	-	0.00	3.60	2	CL FLA DECORT CPV
CSC	9	0.00	-	0.00	4.00	1	CL FLA CPV
CSC	9	0.00	-	0.00	5.60	1	CL FLA DECORT CPV
CSC	9	0.00	-	0.00	32.70	1	CL COBL RUM CPV
CSC	9	0.00	-	0.00	29.40	1	CL SHAT RUM CPV
CSC	10	0.00	-	0.00	1.40	1	WHITEW MONOG
CSC	10	0.00	-	0.00	0.10	1	SHELL MUSSEL
CSC	10	0.00	-	0.00	2.00	1	CL FLA CPV
CSC	10	0.00	-	0.00	8.40	2	CL FLA DECORT CPV
CSC	10	0.00	-	0.00	1.20	1	CL FLA CPV
CSC	10	0.00	-	0.00	19.20	2	CL SHAT CPV
CSC	12	0.00	-	0.00	10.60	2	CL FLA CPV
CSC	12	0.00	-	0.00	1.30	1	CL FLA CPV
CSC	12	0.00	-	0.00	5.00	1	CL FLA DECORT CPV
CSC	13	0.00	-	0.00	21.60	5	CL FLA DECORT CPV
CSC	13	0.00	-	0.00	1.40	1	CL FLA CPV
CSC	13	0.00	-	0.00	1.40	2	CL FLA DECORT CPV

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
--> SITENO = 23DU298							
16.00	18.00	CSC		0.00 - 0.00	0.10	1	CL FLA CPP
22.00	18.00	CSC		0.00 - 0.00	29.40	1	CL FLA PUM CRY
34.00	18.00	CSC		0.00 - 0.00	0.20	1	CL FLA DECORT CPY
40.00	18.00	CSC		0.00 - 0.00	6.90	2	CL FLA DECORT CPP
40.00	18.00	CSC		0.00 - 0.00	2.50	1	CL FLA DECORT CRY
40.00	18.00	CSC		0.00 - 0.00	359.30	1	METAL METOBJ FEPS
46.00	18.00	CSC		0.00 - 0.00	5.40	1	POT BODY SAND
46.00	18.00	CSC		0.00 - 0.00	4.20	2	CL FLA CRY
46.00	18.00	CSC		0.00 - 0.00	0.60	1	CL FLA CPR
52.00	18.00	CSC		0.00 - 0.00	2.00	2	CL FLA DECORT CRY
52.00	18.00	CSC		0.00 - 0.00	0.80	1	CL FLA SFTLP CRY
52.00	18.00	CSC		0.00 - 0.00	0.20	1	CL FLA SFTLP QOZ
52.00	18.00	CSC		0.00 - 0.00	0.40	1	CL FLA CRY
52.00	18.00	CSC		0.00 - 0.00	1.50	1	CL FLA DECORT CPP
52.00	18.00	CSC		0.00 - 0.00	19.30	1	CL SHAT CRY
58.00	18.00	CSC		0.00 - 0.00	1.10	2	CL FLA DECORT CRR
58.00	18.00	CSC		0.00 - 0.00	1.00	2	CL FLA CRR
58.00	18.00	CSC		0.00 - 0.00	8.40	5	CL FLA DECORT CRY
64.00	18.00	CSC		0.00 - 0.00	0.10	1	CL FLA CRR
64.00	18.00	CSC		0.00 - 0.00	0.90	1	CL FLA SFTLP CRY
64.00	18.00	CSC		0.00 - 0.00	0.40	1	CL FLA DECORT CRY
64.00	18.00	CSC		0.00 - 0.00	2.40	1	CL FLA QOZ
64.00	18.00	CSC		0.00 - 0.00	3.30	1	CL SHAT CRY
64.00	18.00	CSC		0.00 - 0.00	8.50	1	CL BIFK ST3 CRY
70.00	18.00	CSC		0.00 - 0.00	2.50	1	CL FLA DECORT CRR
70.00	18.00	CSC		0.00 - 0.00	0.80	1	CL FLA DECORT CRY
70.00	18.00	CSC		0.00 - 0.00	0.20	1	CL FLA CRY
70.00	18.00	CSC		0.00 - 0.00	169.80	1	CL COBL TESTED CRY
76.00	18.00	CSC		0.00 - 0.00	0.70	1	CL FLA DECORT CRR
76.00	18.00	CSC		0.00 - 0.00	0.40	1	CL FLA DECORT CRY
76.00	18.00	CSC		0.00 - 0.00	1.10	2	CL FLA CRY
76.00	18.00	CSC		0.00 - 0.00	0.10	1	CL FLA CRT
82.00	18.00	CSC		0.00 - 0.00	4.60	2	CL FLA DECORT CRY
82.00	18.00	CSC		0.00 - 0.00	1.20	1	CL FLA CRY
82.00	18.00	CSC		0.00 - 0.00	0.20	1	CL FLA SFTLP CRR
88.00	18.00	CSC		0.00 - 0.00	3.20	1	POT BODY SAND
88.00	18.00	CSC		0.00 - 0.00	3.20	2	CL FLA DECORT CRY
88.00	18.00	CSC		0.00 - 0.00	0.90	2	CL FLA CRY
52.00	12.00	CSC		0.00 - 0.00	8.60	5	CL FLA CRY
52.00	12.00	CSC		0.00 - 0.00	0.30	1	CL FLA SFTLP CRY
52.00	12.00	CSC		0.00 - 0.00	0.60	1	CL FLA DECORT QOZ
52.00	12.00	CSC		0.00 - 0.00	0.40	1	CL FLA DECORT CRR
52.00	24.00	CSC		0.00 - 0.00	2.80	3	CL FLA CRR
52.00	24.00	CSC		0.00 - 0.00	1.30	1	CL FLA DECORT QOZ
52.00	24.00	CSC		0.00 - 0.00	1.30	1	CL FLA SFTLP CRR
52.00	24.00	CSC		0.00 - 0.00	1.90	2	CL FLA DECORT CRR
52.00	24.00	CSC		0.00 - 0.00	3.50	2	CL FLA CRY
52.00	24.00	CSC		0.00 - 0.00	4.50	1	CL FLA DECORT CRY
52.00	24.00	CSC		0.00 - 0.00	24.90	1	CL BIFK CRY FR
52.00	30.00	CSC		0.00 - 0.00	2.20	1	CL FLA DECORT CPP
52.00	30.00	CSC		0.00 - 0.00	13.70	2	CL FLA DECORT CRY
52.00	30.00	CSC		0.00 - 0.00	4.10	1	CL FLA CRY
52.00	36.00	CSC		0.00 - 0.00	189.70	1	QRL PITS SS
52.00	36.00	CSC		0.00 - 0.00	1.60	1	CL FLA CRR

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...		
SITENO = 2300200									
		GENER		0.00 - 0.00	8.20	7	CL	FLA	CRY
		GENEP		0.00 - 0.00	5.40	2	CL	FLA	DECORT CRY
		GENER		0.00 - 0.00	1.00	4	CL	FLA	CPR
		GENER		0.00 - 0.00	2.80	2	CL	FLA	DECORT CRP
		GENER		0.00 - 0.00	17.60	1	CL	BIFK	ST2 CRY
		GENER		0.00 - 0.00	55.50	2	CL	BIFK	ST1 CRY
58.00	18.00	1X1M	1	-	0.60		POT	BODYFG	SAND
58.00	18.00	1X1M	1	-	0.70	2	CL	FLA	CRY
58.00	18.00	1X1M	1	-	2.80	1	CL	FLA	DECORT CRY
58.00	18.00	1X1M	1	-	1.00	1	CL	FLA	SFTLP CRP

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...				
--> SITENO = 23DU289											
34.00	94.00	CSC		0.00 - 0.00	1.50	1	CL	FLA	DECORT	CRR	FC
34.00	94.00	CSC		0.00 - 0.00	0.30	1	CL	FLA	CRR		
34.00	94.00	CSC		0.00 - 0.00	14.40		URM	CHNK	FC		
40.00	94.00	CSC		0.00 - 0.00	0.30	1	CL	FLA	CRR		
40.00	94.00	CSC		0.00 - 0.00	136.00	1	CL	COBL	TESTED	CRY	HT
40.00	94.00	BATR		0.00 - 0.00	2.30	2	CL	SHAT	CRR	FC	
46.00	94.00	CSC		0.00 - 0.00	4.70	1	CL	DART	CRT	DS	
46.00	94.00	CSC		0.00 - 0.00	0.20	1	CL	FLA	WHCRT		
46.00	94.00	CSC		0.00 - 0.00	7.00	2	CL	FLA	CRR		
46.00	94.00	CSC		0.00 - 0.00	28.80	5	CL	FLA	DECORT	CRY	
46.00	94.00	CSC		0.00 - 0.00	7.30	3	CL	FLA	DECORT	CRR	
46.00	94.00	CSC		0.00 - 0.00	1.90	1	CL	SHAT	CRR		
52.00	94.00	CSC		0.00 - 0.00	210.60	1	CL	COPE	CRY		
52.00	94.00	CSC		0.00 - 0.00	3.00	3	CL	FLA	DECORT	QQZ	
52.00	94.00	CSC		0.00 - 0.00	4.60	5	CL	FLA	CRR		
52.00	94.00	CSC		0.00 - 0.00	2.30	4	CL	FLA	CRY		
52.00	94.00	CSC		0.00 - 0.00	6.10	6	CL	FLA	DECORT	CRR	
52.00	94.00	CSC		0.00 - 0.00	65.00	11	CL	FLA	DECORT	CRY	
52.00	94.00	CSC		0.00 - 0.00	19.00	3	CL	SHAT	CRY		
52.00	94.00	CSC		0.00 - 0.00	11.50	4	CL	SHAT	CRR		
58.00	94.00	CSC		0.00 - 0.00	48.80	2	CL	FLA	DECORT	QQZ	
58.00	94.00	CSC		0.00 - 0.00	5.30	1	URM	CHNK	QTZ		
58.00	94.00	CSC		0.00 - 0.00	1.50	2	CL	FLA	WHCRT		
58.00	94.00	CSC		0.00 - 0.00	0.40	1	CL	SHAT	QQZ		
58.00	94.00	CSC		0.00 - 0.00	7.30	2	CL	SHAT	CRY		
58.00	94.00	CSC		0.00 - 0.00	28.00	7	CL	SHAT	CRR		
58.00	94.00	CSC		0.00 - 0.00	16.00	12	CL	FLA	CRY		
58.00	94.00	CSC		0.00 - 0.00	5.30	11	CL	FLA	CRR		
58.00	94.00	CSC		0.00 - 0.00	21.00	10	CL	FLA	DECORT	CRY	
58.00	94.00	CSC		0.00 - 0.00	5.10	1	CL	FLA	RUM	CRR	
58.00	94.00	CSC		0.00 - 0.00	4.10	1	GLASS	BASE	LAV		
58.00	94.00	CSC		0.00 - 0.00	1.20	1	CL	FLA	QQZ		
58.00	94.00	CSC		0.00 - 0.00	2.10	3	CL	FLA	SFTLP	CRY	
58.00	94.00	CSC		0.00 - 0.00	1.50	2	CL	FLA	SFTLP	CRY	
58.00	94.00	CSC		0.00 - 0.00	0.70	1	POT	BODYFG	SAND		
64.00	94.00	CSC		0.00 - 0.00	15.60	5	POT	BODY	SAND		
64.00	94.00	CSC		0.00 - 0.00	13.20	9	POT	BODYFG	SAND		
64.00	94.00	CSC		0.00 - 0.00	4.50	3	CL	FLA	QQZ		
64.00	94.00	CSC		0.00 - 0.00	3.70	1	CL	FLA	DECORT	CRT	
64.00	94.00	CSC		0.00 - 0.00	269.00	2	CL	COBL	TESTED	CRY	
64.00	94.00	CSC		0.00 - 0.00	2.00	1	CL	BIFK	CRY	DS	
64.00	94.00	CSC		0.00 - 0.00	1.50	3	CL	FLA	WHCRT		
64.00	94.00	CSC		0.00 - 0.00	0.10	2	CL	FLA	SFTLP	CRR	
64.00	94.00	CSC		0.00 - 0.00	0.10	1	CL	FLA	SFTLP	CRY	
64.00	94.00	CSC		0.00 - 0.00	57.00	25	CL	FLA	DECORT	CRR	
64.00	94.00	CSC		0.00 - 0.00	46.80	20	CL	FLA	DECORT	CRY	
64.00	94.00	CSC		0.00 - 0.00	23.70	70	CL	FLA	CRY		
64.00	94.00	CSC		0.00 - 0.00	9.80	23	CL	FLA	CRR		
64.00	94.00	CSC		0.00 - 0.00	27.20	5	CL	SHAT	CRY		
64.00	94.00	CSC		0.00 - 0.00	0.20	1	POT	BODY	GROG		
70.00	94.00	CSC		0.00 - 0.00	19.70	9	POT	BODY	SAND		
70.00	94.00	CSC		0.00 - 0.00	3.60	1	POT	BODY	CRNK	SAND	
70.00	94.00	CSC		0.00 - 0.00	9.30		POT	BODYFG	SAND		
70.00	94.00	CSC		0.00 - 0.00	0.80		POT	BODYFG	CRNK	SAND	

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
SITENO = 2304289							
70.00	94.00	CSC		0.00 - 0.00	5.60	2	CL FLA QOZ
70.00	94.00	CSC		0.00 - 0.00	12.50	6	CL FLA DECORT QOZ
70.00	94.00	CSC		0.00 - 0.00	24.90	28	CL FLA CRR
70.00	94.00	CSC		0.00 - 0.00	56.70	39	CL FLA DECORT CRR
70.00	94.00	CSC		0.00 - 0.00	172.40	54	CL FLA DECORT CRY
70.00	94.00	CSC		0.00 - 0.00	14.20	27	CL FLA CRY
70.00	94.00	CSC		0.00 - 0.00	3.20	1	CL FLA SPOKS RUM CRY
70.00	94.00	CSC		0.00 - 0.00	0.80	1	CL FLA RUM CRY
70.00	94.00	CSC		0.00 - 0.00	1.10	3	CL FLA SPOKS RUM CRR
70.00	94.00	CSC		0.00 - 0.00	0.90	3	CL FLA SFTLP CRY
70.00	94.00	CSC		0.00 - 0.00	3.20	3	CL FLA WHCRT
70.00	94.00	CSC		0.00 - 0.00	308.70	1	CL COBL TESTED CRR
70.00	94.00	CSC		0.00 - 0.00	27.30	3	CL SHAT CRR
70.00	94.00	CSC		0.00 - 0.00	6.80	2	CL SHAT CRY
70.00	94.00	CSC		0.00 - 0.00	19.10	1	CL BIFK ST2 CRY
70.00	94.00	CSC		0.00 - 0.00	25.90	1	CL BIFK CRR FR
70.00	94.00	CSC		0.00 - 0.00	5.40	1	CL BIFK CRR DS
70.00	94.00	CSC		0.00 - 0.00	5.30	1	GLASS WHO
76.00	94.00	CSC		0.00 - 0.00	340.60	1	CL COBTO CHOP CRY
76.00	94.00	CSC		0.00 - 0.00	448.50	5	CL COBL TESTED CRY
76.00	94.00	CSC		0.00 - 0.00	94.80	8	CL SHAT CRY
76.00	94.00	CSC		0.00 - 0.00	6.60	1	CL SHAT QOZ
76.00	94.00	CSC		0.00 - 0.00	20.10	5	CL SHAT CRR
76.00	94.00	CSC		0.00 - 0.00	142.30	24	CL FLA DECORT CRY
76.00	94.00	CSC		0.00 - 0.00	11.00	9	CL FLA SFTLP CRY
76.00	94.00	CSC		0.00 - 0.00	29.50	28	CL FLA CRY
76.00	94.00	CSC		0.00 - 0.00	1.80	2	CL FLA SFTLP CRY
76.00	94.00	CSC		0.00 - 0.00	59.60	21	CL FLA DECORT CRR
76.00	94.00	CSC		0.00 - 0.00	47.00	26	CL FLA CRR
76.00	94.00	CSC		0.00 - 0.00	0.90	2	CL FLA SFTLP CRR
76.00	94.00	CSC		0.00 - 0.00	6.90	3	CL SHAT QOZ
76.00	94.00	CSC		0.00 - 0.00	0.50	1	CL FLA QOZ
76.00	94.00	CSC		0.00 - 0.00	3.50	2	CL FLA DECORT QOZ
76.00	94.00	CSC		0.00 - 0.00	3.00	2	CL FLA CRT
76.00	94.00	CSC		0.00 - 0.00	17.10	3	UPM CHNK HEM
76.00	94.00	BATR		0.00 - 0.00	5.00	1	CL FLA DECORT CRR
76.00	94.00	CSC		0.00 - 0.00	3.20	1	CL FLA SPOKS RUM CRR
76.00	94.00	CSC		0.00 - 0.00	26.50	1	CL FLA SCR DECORT CRY
76.00	94.00	CSC		0.00 - 0.00	10.80	1	CL BIFK ST2 CRY
76.00	94.00	CSC		0.00 - 0.00	296.90	1	GRL HAM CRR
76.00	94.00	CSC		0.00 - 0.00	352.30	1	GRL HAM QOZ
76.00	94.00	CSC		0.00 - 0.00	7.80	4	POT BODYFO SAND
76.00	94.00	CSC		0.00 - 0.00	1175.70	1	GRL PECK SS
76.00	94.00	CSC		0.00 - 0.00	4.20	2	CL FLA SFTLP CRR
82.00	94.00	CSC		0.00 - 0.00	3.60	1	CL PPK CRT ND
82.00	94.00	CSC		0.00 - 0.00	13.90	1	CL DART CNTRST QOZ
82.00	94.00	CSC		0.00 - 0.00	7.50	1	CL BIFK CRR FR FC
82.00	94.00	CSC		0.00 - 0.00	50.00	1	CL BIFK ST2 CRY
82.00	94.00	CSC		0.00 - 0.00	7.10	1	CL BIFK ST3 CRY DS
82.00	94.00	CSC		0.00 - 0.00	20.40	1	CL BIFK ST1 CRY
82.00	94.00	CSC		0.00 - 0.00	2.30	2	POT BODY CRMK SAND
82.00	94.00	CSC		0.00 - 0.00	9.00	5	POT BODY SAND
82.00	94.00	CSC		0.00 - 0.00	1.50		POT PEL
82.00	94.00	CSC		0.00 - 0.00	1.50	2	CL FLA CRY
82.00	94.00	CSC		0.00 - 0.00	4.10	1	CL FLA RUM CRY
82.00	94.00	CSC		0.00 - 0.00	1.60	1	CL FLA SPOKS RUM CRY

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
<b>SITENO = 2301289</b>							
82.00	94.00	CSC		0.00 - 0.00	2.20	3	CL FLA SFTLP CRY
82.00	94.00	CSC		0.00 - 0.00	1.30	1	CL FLA SFTLP CRR
82.00	94.00	CSC		0.00 - 0.00	5.90	9	CL FLA CRR FC
82.00	94.00	CSC		0.00 - 0.00	105.20	29	CL FLA DECORT CRY
82.00	94.00	CSC		0.00 - 0.00	105.50	41	CL FLA CRY
82.00	94.00	CSC		0.00 - 0.00	61.50	4	CL SHAT CRY
82.00	94.00	CSC		0.00 - 0.00	22.90	34	CL FLA CRR
82.00	94.00	CSC		0.00 - 0.00	116.20	29	CL FLA DECORT CRR
82.00	94.00	CSC		0.00 - 0.00	52.90	10	CL FLA CRR FC
82.00	94.00	CSC		0.00 - 0.00	177.90	22	CL SHAT CRR
82.00	94.00	CSC		0.00 - 0.00	55.90	2	CL SHAT QGZ
82.00	94.00	CSC		0.00 - 0.00	12.10	2	CL FLA DECORT QGZ
82.00	94.00	CSC		0.00 - 0.00	171.00	3	CL COBL TESTED CRY
82.00	94.00	CSC		0.00 - 0.00	0.50	2	CL FLA WHCRT
82.00	94.00	CSC		0.00 - 0.00	29.00	1	CL SHAT RUM CRY
82.00	94.00	CSC		0.00 - 0.00	37.60	1	URM CHNK SS
88.00	94.00	CSC		0.00 - 0.00	50.70		URM CHNK
88.00	94.00	CSC		0.00 - 0.00	21.00	7	POT BODY SAND
88.00	94.00	CSC		0.00 - 0.00	8.70	3	POT BODY CRMK SAND
88.00	94.00	CSC		0.00 - 0.00	3.60	3	POT BODY SHELL
88.00	94.00	CSC		0.00 - 0.00	15.10	29	CL FLA DECORT CRY
88.00	94.00	CSC		0.00 - 0.00	1.90	1	CL FLA RUM CRY
88.00	94.00	CSC		0.00 - 0.00	18.00	26	CL FLA CRY
88.00	94.00	CSC		0.00 - 0.00	4.20	6	CL FLA SFTLP CRY
88.00	94.00	CSC		0.00 - 0.00	0.90	1	CL FLA DECORT CRY
88.00	94.00	CSC		0.00 - 0.00	38.20	2	CL SHAT RUM CRY
88.00	94.00	CSC		0.00 - 0.00	30.20	4	CL SHAT CRY
88.00	94.00	CSC		0.00 - 0.00	108.40	47	CL FLA DECORT CRR
88.00	94.00	CSC		0.00 - 0.00	5.60	6	POT BODYFG SAND
88.00	94.00	CSC		0.00 - 0.00	31.20	32	CL FLA CRR
88.00	94.00	CSC		0.00 - 0.00	1.80		POT BODYFG CRMK SAND
88.00	94.00	CSC		0.00 - 0.00	10.90	3	CL SHAT CRR
88.00	94.00	CSC		0.00 - 0.00	8.40	5	CL FLA CRT
88.00	94.00	CSC		0.00 - 0.00	38.90	3	CL COBL TESTED CRY
88.00	94.00	CSC		0.00 - 0.00	19.50	8	CL FLA QGZ
88.00	94.00	CSC		0.00 - 0.00	45.00	4	CL SHAT QGZ
88.00	94.00	CSC		0.00 - 0.00	2.90	1	CL FLA SPOKS DECORT CRR
88.00	94.00	CSC		0.00 - 0.00	2.90	1	CL FLA SPOKS DECORT CRR
88.00	94.00	CSC		0.00 - 0.00	0.40	2	CL FLA SFTLP CRR
88.00	94.00	CSC		0.00 - 0.00	3.20	3	CL FLA CRT
88.00	94.00	CSC		0.00 - 0.00	1.60	1	CL FLA WHCRT
88.00	94.00	CSC		0.00 - 0.00	1.00	1	CL ARROW EXPNST CRR
88.00	94.00	CSC		0.00 - 0.00	10.10	1	CL DRAWL CRR PX
88.00	94.00	CSC		0.00 - 0.00	1.10	1	CL BIFK CRY FR
88.00	94.00	CSC		0.00 - 0.00	288.60	1	URM L-NK SCH
94.00	94.00	CSC		0.00 - 0.00	28.10	10	POT BODY SAND
94.00	94.00	CSC		0.00 - 0.00	2.40	1	POT BODY CRMK SAND
94.00	94.00	CSC		0.00 - 0.00	1.50	1	POT BODY SHELL
94.00	94.00	CSC		0.00 - 0.00	13.40		POT BODYFG SAND
94.00	94.00	CSC		0.00 - 0.00	3.30		POT PEL
94.00	94.00	CSC		0.00 - 0.00	4.70	5	CL FLA SFTLP CRY
94.00	94.00	CSC		0.00 - 0.00	4.10	1	CL FLA RUM CRY
94.00	94.00	CSC		0.00 - 0.00	22.70	38	CL FLA CRY
94.00	94.00	CSC		0.00 - 0.00	3.50	2	CL FLA DECORT CRY
94.00	94.00	CSC		0.00 - 0.00	171.90	37	CL FLA DECORT CRY
94.00	94.00	CSC		0.00 - 0.00	26.00	3	CL SHAT CRY

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...					
SITE# = 2300289												
94.00	94.00	CSC		0.00 - 0.00	2.30	2	CL FLA CRT					
94.00	94.00	CSC		0.00 - 0.00	7.10	4	CL FLA WHCRT					
94.00	94.00	CSC		0.00 - 0.00	2.30	4	CL FLA QOZ					
94.00	94.00	CSC		0.00 - 0.00	6.00	1	CL DART CNTRST CRP	PT	FC			
94.00	94.00	CSC		0.00 - 0.00	112.80	45	CL FLA DECORT CRP					
94.00	94.00	CSC		0.00 - 0.00	13.40	1	CL BIFK CRP FR					
94.00	94.00	CSC		0.00 - 0.00	0.20	1	CL FLA SFTLP CRT					
94.00	94.00	CSC		0.00 - 0.00	25.90	48	CL FLA CRT					
94.00	94.00	CSC		0.00 - 0.00	4.10	3	CL FLA SFTLP CRP					
94.00	94.00	CSC		0.00 - 0.00	1.40	1	CL FLA DECORT CRT					
94.00	94.00	CSC		0.00 - 0.00	16.50	2	CL SHAT CRP					
100.00	94.00	CSC		0.00 - 0.00	12.90	5	POT BODY SAND					
100.00	94.00	CSC		0.00 - 0.00	7.10		POT BODYFG SAND					
100.00	94.00	CSC		0.00 - 0.00	86.90	6	CL FLA DECORT QOZ					
100.00	94.00	CSC		0.00 - 0.00	10.00	7	CL FLA QOZ					
100.00	94.00	CSC		0.00 - 0.00	19.50	21	CL FLA CRY					
100.00	94.00	CSC		0.00 - 0.00	19.20	3	CL FLA RUM CRY					
100.00	94.00	CSC		0.00 - 0.00	0.20	1	CL FLA LUNA CRY					
100.00	94.00	CSC		0.00 - 0.00	6.10	10	CL FLA SFTLP CRY					
100.00	94.00	CSC		0.00 - 0.00	6.00	2	CL FLA DECORT CRY					
100.00	94.00	CSC		0.00 - 0.00	339.50	34	CL FLA DECORT CRY					
100.00	94.00	CSC		0.00 - 0.00	3.20	1	CL PPK EXPNST CRY					
100.00	94.00	CSC		0.00 - 0.00	342.20	1	GRL HAM QOZ					
100.00	94.00	CSC		0.00 - 0.00	7.40	1	CL BIFK ST2 CRP	FR				
100.00	94.00	CSC		0.00 - 0.00	102.20	1	CL CORE CRY					
100.00	94.00	CSC		0.00 - 0.00	26.80	1	CL BIFK ST2 CRY					
100.00	94.00	CSC		0.00 - 0.00	4.20	14	CL FLA CRP					
100.00	94.00	CSC		0.00 - 0.00	62.50	26	CL FLA DECORT CRP					
100.00	94.00	CSC		0.00 - 0.00	3.50	6	CL FLA SFTLP CRP					
100.00	94.00	CSC		0.00 - 0.00	1.90	4	CL FLA CRP FR					
100.00	94.00	CSC		0.00 - 0.00	1.40	3	CL FLA WHCRT					
100.00	94.00	CSC		0.00 - 0.00	18.90		URM CHNK					
106.00	94.00	CSC		0.00 - 0.00	27.50		URM CHNK FC					
106.00	94.00	CSC		0.00 - 0.00	9.00	1	POT BL CRNK SAND					
106.00	94.00	CSC		0.00 - 0.00	2.20	1	POT BODY SAND					
106.00	94.00	CSC		0.00 - 0.00	1.10		POT BODYFG SAND					
106.00	94.00	CSC		0.00 - 0.00	2.80		POT BODYFG SAND					
106.00	94.00	CSC		0.00 - 0.00	2.40		POT PEL					
106.00	94.00	CSC		0.00 - 0.00	1.70	1	CL PPK FR					
106.00	94.00	CSC		0.00 - 0.00	76.80	17	CL FLA DECORT CRY					
106.00	94.00	CSC		0.00 - 0.00	7.10	4	CL FLA SFTLP CRY					
106.00	94.00	CSC		0.00 - 0.00	0.50	2	CL FLA SFTLP CRY					
106.00	94.00	CSC		0.00 - 0.00	9.50	2	CL FLA RUM CRY					
106.00	94.00	CSC		0.00 - 0.00	3.80	5	CL FLA CRY					
106.00	94.00	CSC		0.00 - 0.00	58.00	25	CL FLA DECORT CRP					
106.00	94.00	CSC		0.00 - 0.00	14.30	2	CL FLA QOZ					
106.00	94.00	CSC		0.00 - 0.00	11.00	1	URM CHNK LIM					
106.00	94.00	CSC		0.00 - 0.00	0.90	3	CL FLA WHCRT					
106.00	94.00	CSC		0.00 - 0.00	0.10	1	CL FLA QZIT					
106.00	94.00	CSC		0.00 - 0.00	3.40	13	CL FLA CRP					
106.00	94.00	CSC		0.00 - 0.00	497.80	1	GRL GROUND QOZ					
106.00	94.00	CSC		0.00 - 0.00	29.10	3	CL SHAT CRY					
106.00	94.00	CSC		0.00 - 0.00	4.40	2	CL FLA CRT					
106.00	94.00	CSC		0.00 - 0.00	5.70	1	CL CORE CRY					
112.00	94.00	CSC		0.00 - 0.00	36.60	5	CL SHAT QOZ					
112.00	94.00	CSC		0.00 - 0.00	0.20	1	CL FLA QOZ					

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...			
SITE# = 2300289										
112.00	94.00	CSC		0.00 - 0.00	14.20	4	CL	FLA	CRY	
112.00	94.00	CSC		0.00 - 0.00	3.30	4	CL	FLA	SFTLP	CRY
106.00	94.00	CSC		0.00 - 0.00	61.50	19	CL	FLA	DECORT	CRY
112.00	94.00	CSC		0.00 - 0.00	27.70	22	CL	FLA	DECORT	CRR
112.00	94.00	CSC		0.00 - 0.00	11.90	15	CL	FLA	CRR	
112.00	94.00	CSC		0.00 - 0.00	4.00	4	CL	FLA	SFTLP	CRR
112.00	94.00	CSC		0.00 - 0.00	12.00	8	CL	SHAT	CRR	
112.00	94.00	CSC		-0.00 - 0.00	7.30	1	CL	DART	CORNT	CRT
112.00	94.00	CSC		0.00 - 0.00	20.00	1	CL	BIFK	ST1	CRY
112.00	94.00	CSC		0.00 - 0.00	142.30	1	CL	COBL	TESTED	CRY
112.00	94.00	CSC		0.00 - 0.00	1.20	1	POT	BODYFG	SAND	
118.00	94.00	CSC		0.00 - 0.00	2.10	1	POT	BODY	SAND	
118.00	94.00	CSC		0.00 - 0.00	2.60	1	POT	BODY	CRNK	SAND
118.00	94.00	CSC		0.00 - 0.00	30.90	8	CL	FLA	DECORT	CRR
118.00	94.00	CSC		0.00 - 0.00	71.70	11	CL	FLA	DECORT	CRY
118.00	94.00	CSC		0.00 - 0.00	5.00	4	CL	FLA	CRR	
118.00	94.00	CSC		0.00 - 0.00	7.90	6	CL	FLA	CRY	
118.00	94.00	CSC		0.00 - 0.00	0.80	2	CL	FLA	SFTLP	CRY
118.00	94.00	CSC		0.00 - 0.00	0.60	2	CL	FLA	SFTLP	CRR
118.00	94.00	CSC		0.00 - 0.00	1.30	1	CL	FLA	RUM	CRR
118.00	94.00	CSC		0.00 - 0.00	5.50	1	CL	FLA	DECORT	QOZ
118.00	94.00	CSC		0.00 - 0.00	5.80	4	CL	SHAT	CRR	
118.00	94.00	CSC		0.00 - 0.00	0.60	1	CL	SHAT	CRY	
118.00	94.00	CSC		0.00 - 0.00	1.40	2	URM	CHNK		
130.00	94.00	CSC		0.00 - 0.00	36.00	1	CL	CORE	CRY	FR
130.00	94.00	CSC		0.00 - 0.00	50.00	1	GRL	PITS	SS	
130.00	94.00	CSC		0.00 - 0.00	12.30	8	CL	FLA	DECORT	CRY
130.00	94.00	CSC		0.00 - 0.00	1.40	3	CL	FLA	CRY	
130.00	94.00	CSC		0.00 - 0.00	0.40	2	CL	FLA	CRR	
130.00	94.00	CSC		0.00 - 0.00	0.70	1	CL	FLA	QOZ	
130.00	94.00	CSC		0.00 - 0.00	23.20		URM	CHNK	FC	
136.00	94.00	CSC		0.00 - 0.00	8.40	1	CL	SCR	WHCRT	
136.00	94.00	CSC		0.00 - 0.00	7.40	1	CL	FLA	DECORT	CRR
136.00	94.00	CSC		0.00 - 0.00	2.00	1	CL	FLA	DECORT	CRY
142.00	94.00	CSC		0.00 - 0.00	129.00	1	CL	CORE	QOZ	
142.00	94.00	CSC		0.00 - 0.00	0.20	1	CL	FLA	WHCRT	
142.00	94.00	CSC		0.00 - 0.00	0.10	2	CL	FLA	QOZ	
142.00	94.00	CSC		0.00 - 0.00	0.10	1	CL	FLA	CRY	
142.00	94.00	CSC		0.00 - 0.00	0.70	4	CL	FLA	CRR	
142.00	94.00	CSC		0.00 - 0.00	0.10	1	CL	FLA	DECORT	CRR
142.00	94.00	CSC		0.00 - 0.00	1.10	1	CL	FLA	DECORT	CRY
148.00	94.00	CSC		0.00 - 0.00	3.00	1	CL	FLA	DECORT	CRY
148.00	94.00	CSC		0.00 - 0.00	3.00	5	CL	SHAT	CRR	
148.00	94.00	CSC		0.00 - 0.00	29.00		URM	CHNK		
154.00	94.00	CSC		0.00 - 0.00	1.40	9	ANIM	BONE	CAL	
154.00	94.00	CSC		0.00 - 0.00	0.60	2	ANIM	TURTLE	CAL	
154.00	94.00	CSC		0.00 - 0.00	13.00		URM	CHNK	FC	
154.00	94.00	CSC		0.00 - 0.00	3.40	2	CL	FLA	DECORT	CRY
166.00	94.00	CSC		0.00 - 0.00	1.70	2	CL	FLA	CRR	
166.00	94.00	CSC		0.00 - 0.00	10.00	1	URM	CHNK	FC	
172.00	94.00	CSC		0.00 - 0.00	0.30	1	CL	FLA	CRR	
178.00	94.00	CSC		0.00 - 0.00	6.40	1	CL	CORE	EXHAUST	CRR
178.00	94.00	CSC		0.00 - 0.00	14.30	1	URM	CHNK	FC	
184.00	94.00	CSC		0.00 - 0.00	2.60	1	CL	FLA	DECORT	CRY
184.00	94.00	CSC		0.00 - 0.00	0.20	1	CL	FLA	DECORT	CRR
184.00	94.00	CSC		0.00 - 0.00	1.30	1	UPM	CHNK	FC	



North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
<b>SITENO = 23DU289</b>							
190.00	94.00	CSC		0.00 - 0.00	44.50	1	GRL HAM OZIT
190.00	94.00	CSC		0.00 - 0.00	1.10	2	CL FLA CRY
190.00	94.00	CSC		0.00 - 0.00	4.00		URM CHNK FC
196.00	94.00	CSC	-	0.00 - 0.00	56.40	1	URM CHNK FC
202.00	94.00	CSC		0.00 - 0.00	10.30	1	URM CHNK FC
208.00	94.00	CSC		0.00 - 0.00	4.50		URM CHNK FC
214.00	94.00	CSC		0.00 - 0.00	6.60	1	CL DART CNTRST CRR
214.00	94.00	CSC		0.00 - 0.00	6.60	1	CL FLA DECORT CRY
214.00	94.00	CSC		0.00 - 0.00	19.20	2	URM CHNK CRP FC
220.00	94.00	CSC		0.00 - 0.00	9.40		URM CHNK FC
226.00	94.00	CSC		0.00 - 0.00	18.50		URM CHNK FC
226.00	94.00	CSC		0.00 - 0.00	59.70		METAL TACK FERS
232.00	94.00	CSC		0.00 - 0.00	0.30	1	CL FLA CRP
94.00	52.00	CSC		0.00 - 0.00	1.80	1	CL FLA CRY
94.00	52.00	CSC		0.00 - 0.00	479.30	1	GRL HAM ORZ
94.00	58.00	CSC		0.00 - 0.00	33.20	1	CL BIFK ST2 CRY
94.00	64.00	CSC		0.00 - 0.00	0.40	1	CL FLA CRR
94.00	70.00	CSC		0.00 - 0.00	3.20	2	POT BODYFG SAND
94.00	70.00	CSC		0.00 - 0.00	2.60	2	CL FLA CRY
94.00	70.00	CSC		0.00 - 0.00	0.40	1	CL FLA SFTLP CRY
94.00	70.00	CSC		0.00 - 0.00	3.10	1	CL FLA DECORT CRY
94.00	76.00	CSC		0.00 - 0.00	3.80	2	POT BODY SAND
94.00	76.00	CSC		0.00 - 0.00	43.30	6	CL FLA DECORT CRY
94.00	76.00	CSC		0.00 - 0.00	27.00	8	CL FLA DECORT CRR
94.00	76.00	CSC		0.00 - 0.00	1.30	1	CL FLA CRY
94.00	76.00	CSC		0.00 - 0.00	2.20	2	CL FLA CRP
94.00	76.00	CSC		0.00 - 0.00	158.30	1	CL COBTO OZIT
94.00	76.00	CSC		0.00 - 0.00	1.20	1	CL FLA CRY
94.00	76.00	CSC		0.00 - 0.00	26.80		URM CHNK FC
94.00	76.00	CSC		0.00 - 0.00	40.40	1	CL PEBL TESTED CRR
94.00	82.00	CSC		0.00 - 0.00	2.10		POT BODYFG SAND
94.00	82.00	CSC		0.00 - 0.00	6.80	2	POT BODY SAND
94.00	82.00	CSC		0.00 - 0.00	5.20	2	POT BODY CRMK SAND
94.00	82.00	CSC		0.00 - 0.00	1.90	1	CL PPK CRY DS
94.00	82.00	CSC		0.00 - 0.00	33.10	16	CL FLA CRR
94.00	82.00	CSC		0.00 - 0.00	105.40	11	CL FLA DECORT CRR
94.00	82.00	CSC		0.00 - 0.00	490.50	1	GRL HAM CRY
94.00	82.00	CSC		0.00 - 0.00	54.60	19	CL FLA DECORT CRR
94.00	82.00	CSC		0.00 - 0.00	13.80	3	CL FLA ORZ
94.00	82.00	CSC		0.00 - 0.00	1.90	3	CL FLA SFTLP CRY
94.00	82.00	CSC		0.00 - 0.00	0.30	1	CL FLA WHCRT
94.00	82.00	CSC		0.00 - 0.00	2.60	2	CL FLA DECORT CRY
94.00	82.00	CSC		0.00 - 0.00	0.90	1	CL FLA SFTLP CRR
94.00	82.00	CSC		0.00 - 0.00	1.50	1	CL FLA CRT
94.00	82.00	CSC		0.00 - 0.00	4.20	1	CL SHAT RUM CRY
94.00	82.00	CSC		0.00 - 0.00	112.80	2	CL CORE CRY
94.00	82.00	CSC		0.00 - 0.00	141.40	1	CL DRIP CRY
94.00	88.00	CSC		0.00 - 0.00	13.10	4	POT BODY CRMK SAND
94.00	88.00	CSC		0.00 - 0.00	1.00	1	POT PEL
94.00	88.00	CSC		0.00 - 0.00	75.00	1	CL CORE CRY FR
94.00	88.00	CSC		0.00 - 0.00	16.40	1	CL BIFK ST2 CRY
94.00	88.00	CSC		0.00 - 0.00	25.60	1	CL BIFK ST1 CRT
94.00	88.00	CSC		0.00 - 0.00	35.80	1	CL COBL TESTED CRR
94.00	88.00	CSC		0.00 - 0.00	165.00	3	CL COBL TESTED CRY
94.00	88.00	CSC		0.00 - 0.00	104.10	18	CL FLA DECORT CRR
94.00	88.00	CSC		0.00 - 0.00	39.90	8	CL FLA DECORT CRY

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...			
SITE# = 2301289										
94.00	88.00	CSC		0.00 - 0.00	18.40	16	CL	FLA	CRY	
94.00	88.00	CSC		0.00 - 0.00	16.00	10	CL	FLA	CPR	
94.00	88.00	CSC		0.00 - 0.00	5.30	6	CL	FLA	SFTLP	CRY
94.00	88.00	CSC		0.00 - 0.00	11.30	2	CL	FLA	QOZ	
94.00	88.00	CSC		0.00 - 0.00	42.90	2	CL	SHAT	CRY	
94.00	88.00	CSC		0.00 - 0.00	0.90	1	CL	FLA	RUM	CRY
94.00	100.00	CSC		0.00 - 0.00	14.60	4	POT	BODY	SAND	
94.00	100.00	CSC		0.00 - 0.00	1.90	1	POT	BODYFG	SAND	
94.00	100.00	CSC		0.00 - 0.00	2.10	1	POT	BODYFG	SHELL	
94.00	100.00	CSC		0.00 - 0.00	0.70	1	POT	RIMFG	SAND	
94.00	100.00	CSC		0.00 - 0.00	23.80	14	CL	FLA	CRR	
94.00	100.00	CSC		0.00 - 0.00	4.70	2	CL	FLA	SFTLP	CRR
94.00	100.00	CSC		0.00 - 0.00	164.20	29	CL	FLA	CRR	
94.00	100.00	CSC		0.00 - 0.00	10.80	2	CL	FLA	QOZ	
94.00	100.00	CSC		0.00 - 0.00	8.90	1	CL	BIFK	CRT	
94.00	100.00	CSC		0.00 - 0.00	6.70	1	CL	BIFK	CRT	
94.00	100.00	CSC		0.00 - 0.00	0.80	1	CL	PPK	CRR	
94.00	100.00	CSC		0.00 - 0.00	7.60	2	CL	SHAT	CRR	
94.00	100.00	CSC		0.00 - 0.00	86.50	1	GRL	HAM	QZIT	FR
94.00	100.00	CSC		0.00 - 0.00	9.10	9	CL	FLA	CRY	
94.00	100.00	CSC		0.00 - 0.00	0.40	2	CL	FLA	SFTLP	CRY
94.00	100.00	CSC		0.00 - 0.00	0.20	1	CL	FLA	LUNA	CRY
94.00	100.00	CSC		0.00 - 0.00	82.10	19	CL	FLA	DECORT	CRY
94.00	100.00	CSC		0.00 - 0.00	15.50		UPM	CHNK	FC	
94.00	100.00	CSC		0.00 - 0.00	141.70	1	CL	CORE	CRY	
94.00	100.00	CSC		0.00 - 0.00	38.70	1	CL	PEBL	TESTED	CRY
94.00	106.00	CSC		0.00 - 0.00	46.20	17	CL	FLA	DECORT	CRR
94.00	106.00	CSC		0.00 - 0.00	4.00	10	CL	FLA	DECORT	CRR
94.00	106.00	CSC		0.00 - 0.00	22.40	16	CL	FLA	CRR	
94.00	106.00	CSC		0.00 - 0.00	16.20	17	CL	FLA	CRR	
94.00	106.00	CSC		0.00 - 0.00	3.00	2	CL	SHAT	CRR	
94.00	106.00	CSC		0.00 - 0.00	0.80	1	CL	FLA	SFTLP	CRR
94.00	106.00	CSC		0.00 - 0.00	2.00	1	CL	FLA	RUM	CRR
94.00	106.00	CSC		0.00 - 0.00	0.50	1	CL	FLA	WHCRT	
94.00	106.00	CSC		0.00 - 0.00	13.50	1	CL	BIFK	ST2	CRR
94.00	106.00	CSC		0.00 - 0.00	11.00	6	CL	FLA	QOZ	
94.00	106.00	CSC		0.00 - 0.00	25.60	5	CL	SHAT	QOZ	
94.00	106.00	CSC		0.00 - 0.00	17.40	8	POT	BODY	SAND	
94.00	106.00	CSC		0.00 - 0.00	32.00	22	CL	FLA	CRY	
94.00	106.00	CSC		0.00 - 0.00	39.40	20	CL	FLA	DECORT	CRY
94.00	106.00	CSC		0.00 - 0.00	24.50	5	CL	FLA	SFTLP	CRY
94.00	106.00	CSC		0.00 - 0.00	74.50	1	CL	COBL	TESTED	CRY
94.00	106.00	CSC		0.00 - 0.00	710.10	1	GRL	PITS	GROUND	QOZ
94.00	106.00	CSC		0.00 - 0.00	24.20	3	URM	CHNK		
94.00	112.00	CSC		0.00 - 0.00	33.40	11	CL	FLA	DECORT	CRY
94.00	112.00	CSC		0.00 - 0.00	0.50	1	CL	FLA	SFTLP	CRY
94.00	112.00	CSC		0.00 - 0.00	6.10	7	CL	FLA	CRY	
94.00	112.00	CSC		0.00 - 0.00	39.80	4	CL	SHAT	CRY	
94.00	112.00	CSC		0.00 - 0.00	22.80	2	URM	CHNK	FC	
94.00	112.00	CSC		0.00 - 0.00	1.70	1	CL	FLA	WHCRT	
94.00	112.00	CSC		0.00 - 0.00	2.60	3	CL	FLA	CRR	
94.00	112.00	CSC		0.00 - 0.00	0.30	1	CL	FLA	SFTLP	CRR
94.00	112.00	CSC		0.00 - 0.00	0.90	1	CL	FLA	DECORT	CRR
94.00	112.00	CSC		0.00 - 0.00	4.30	5	CL	FLA	CRR	
94.00	112.00	CSC		0.00 - 0.00	19.70	8	CL	FLA	DECORT	CRR
94.00	112.00	CSC		0.00 - 0.00	30.50	5	CL	SHAT	CRR	

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...			
SITENO = 23DU289										
94.00	112.00	CSC		0.00 - 0.00	9.60	3	CL	FLA	QQZ	
94.00	112.00	CSC		0.00 - 0.00	24.40	1	CL	SHAT	QQZ	
94.00	112.00	CSC		0.00 - 0.00	82.50	1	CL	CORE	QQZ	
94.00	118.00	CSC		0.00 - 0.00	0.50	1	SHELL	FR		
94.00	118.00	CSC		0.00 - 0.00	0.30	1	CL	FLA	CRP	
94.00	118.00	CSC		0.00 - 0.00	18.20	1	CL	FLA	DECORT	CRY
94.00	118.00	CSC		0.00 - 0.00	128.00	2	URM	CHNK	LEM	
226.00	70.00	CSC		0.00 - 0.00	26.90		URM	CHNK	FC	
226.00	76.00	CSC		0.00 - 0.00	9.50		URM	CHNK	FC	
226.00	76.00	CSC		0.00 - 0.00	0.10	1	CL	FLA	WHCRT	
226.00	76.00	CSC		0.00 - 0.00	5.20	1	CL	SHAT	CRY	
226.00	100.00	CSC		0.00 - 0.00	16.00		URM	CHNK		
226.00	100.00	CSC		0.00 - 0.00	6.70	2	CL	FLA	DECORT	QQZ
226.00	100.00	CSC		0.00 - 0.00	10.00	1	CL	FLA	DECORT	CRR
226.00	100.00	CSC		0.00 - 0.00	2.40	1	CL	FLA	DECORT	CRT
226.00	100.00	CSC		0.00 - 0.00	0.80	1	CL	FLA	SFTLP	CRR
226.00	100.00	CSC		0.00 - 0.00	0.50	1	CL	FLA	SFTLP	CRY
226.00	100.00	CSC		0.00 - 0.00	128.40	1	CL	CORE	TESTED	CRY
226.00	106.00	CSC		0.00 - 0.00	58.30	6	CL	FLA	DECORT	CRY
226.00	106.00	CSC		0.00 - 0.00	62.50	7	CL	FLA	DECORT	CRR
226.00	106.00	CSC		0.00 - 0.00	77.70	2	CL	FLA	DECORT	QTZ
226.00	105.00	CSC		0.00 - 0.00	2.20	2	CL	FLA	CRY	
226.00	112.00	CSC		0.00 - 0.00	1.40	1	CL	FLA	DECORT	CRR
226.00	112.00	CSC		0.00 - 0.00	0.20	1	CL	FLA	CRR	FC
226.00	112.00	CSC		0.00 - 0.00	0.30	1	CL	FLA	CRR	
226.00	112.00	CSC		0.00 - 0.00	9.40	11	CL	FLA	DECORT	CRR
226.00	112.00	CSC		0.00 - 0.00	1.20	1	CL	FLA	WHCRT	
226.00	112.00	CSC		0.00 - 0.00	0.50	1	CL	FLA	DECORT	CRY
226.00	112.00	CSC		0.00 - 0.00	10.10	6	CL	FLA	DECORT	CRY
226.00	112.00	CSC		0.00 - 0.00	2.90	4	CL	FLA	CRY	
226.00	112.00	CSC		0.00 - 0.00	4.50	1	CL	BIFK	CRY	FR
226.00	112.00	CSC		0.00 - 0.00	25.20	1	CL	FLA	DECORT	CRY
226.00	112.00	CSC		0.00 - 0.00	145.70	6	CL	SHAT	CRR	
226.00	112.00	CSC		0.00 - 0.00	66.10	3	CL	SHAT	QQZ	
226.00	112.00	CSC		0.00 - 0.00	1.10	1	CL	FLA	QQZ	
226.00	112.00	CSC		0.00 - 0.00	38.60	1	CL	CORE	CRY	
226.00	112.00	CSC		0.00 - 0.00	22.10		URM	CHNK	FC	
226.00	112.00	CSC		0.00 - 0.00	26.70	1	CL	BIFK	ST1	CRY
226.00	118.00	CSC		0.00 - 0.00	98.90		URM	CHNK	LEM	
226.00	118.00	CSC		0.00 - 0.00	32.30		URM	CHNK	FC	
226.00	124.00	CSC		0.00 - 0.00	11.50	1	CL	FLA	DECORT	CRY
226.00	124.00	CSC		0.00 - 0.00	37.20	1	CL	FLA	DECORT	CRR
226.00	124.00	CSC		0.00 - 0.00	64.00		URM	CHNK	FC	
226.00	124.00	CSC		0.00 - 0.00	218.60		URM	CHNK	LEM	
226.00	130.00	CSC		0.00 - 0.00	279.00	1	CL	CORE	CRY	
226.00	130.00	CSC		0.00 - 0.00	72.10	1	CL	SHAT	CRY	
226.00	130.00	CSC		0.00 - 0.00	2.50	1	POT	BODY	CRMK	SAND
226.00	130.00	CSC		0.00 - 0.00	77.90		URM	CHNK	LEM	
226.00	130.00	CSC		0.00 - 0.00	128.40		URM	CHNK	FC	
226.00	136.00	CSC		0.00 - 0.00	1.90	1	SHELL	MUSSEL		
226.00	136.00	CSC		0.00 - 0.00	37.20		URM	CHNK	FC	
226.00	136.00	CSC		0.00 - 0.00	234.50	1	URM	CHNK	QQZ	
226.00	136.00	CSC		0.00 - 0.00	47.40		URM	CHNK	LEM	
94.00	94.00	1X1M		0.00 - 11.00	12.60	32	CL	FLA	CRR	
94.00	94.00	1X1M		0.00 - 11.00	3.60	10	CL	FLA	CRR	FC
94.00	94.00	1X1M		0.00 - 11.00	1.10	6	CL	FLA	SFTLP	CRR

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
SITE# = 230289							
94.00	94.00	1X1M		0.00 - 11.00	53.00	32	CL FLA DECORT CPP
94.00	94.00	1X1M		0.00 - 11.00	14.00	11	CL FLA DECORT CPP FC
94.00	94.00	1X1M		0.00 - 11.00	7.50	1	CL FLA PUM QOZ
94.00	94.00	1X1M		0.00 - 11.00	1.10	1	CL FLA PUM CPY
94.00	94.00	1X1M		0.00 - 11.00	0.20	1	CL FLA CRY FC
94.00	94.00	1X1M		0.00 - 11.00	16.30	41	CL FLA CPY
94.00	94.00	1X1M		0.00 - 11.00	2.40	6	CL FLA SFTLP CRY
94.00	94.00	1X1M		0.00 - 11.00	50.50	35	CL FLA DECORT CRY
94.00	94.00	1X1M		0.00 - 11.00	3.30	3	CL FLA SFTLP CRY
94.00	94.00	1X1M		0.00 - 11.00	6.00	1	CL FLA PUM CRY
94.00	94.00	1X1M		0.00 - 11.00	5.20	9	CL FLA QOZ
94.00	94.00	1X1M		0.00 - 11.00	0.70	2	CL FLA QOL
94.00	94.00	1X1M		0.00 - 11.00	0.40	1	CL FLA SFTLP QOZ
94.00	94.00	1X1M		0.00 - 11.00	0.80	1	CL FLA DECORT QOZ
94.00	94.00	1X1M		0.00 - 11.00	3.30	5	CL FLA WHCRT
94.00	94.00	1X1M		0.00 - 11.00	3.30	1	CL SHAT WHCRT
94.00	94.00	1X1M		0.00 - 11.00	1.20	1	GLASS BROWN
94.00	94.00	1X1M		0.00 - 11.00	3.50	3	POT BODY CRNK SAND
94.00	94.00	1X1M		0.00 - 11.00	2.60	6	POT BODY SHELL
94.00	94.00	1X1M		0.00 - 11.00	54.30	58	POT BODY SAND
94.00	94.00	1X1M		0.00 - 11.00	3.70		POT BODYFG
94.00	94.00	1X1M		0.00 - 11.00	3.50		POT PEL
94.00	94.00	1X1M		0.00 - 11.00	13.20		URM CHNK FC
94.00	94.00	1X1M		0.00 - 11.00	2.10	1	CL SHAT QOL
94.00	94.00	1X1M		0.00 - 11.00	5.20	1	CL SHAT QOZ
94.00	94.00	1X1M		0.00 - 11.00	3.60	1	CL SHAT CRY
94.00	94.00	1X1M		16.00 - 26.00	23.30	25	CL FLA CRY
94.00	94.00	1X1M		16.00 - 26.00	8.70	6	CL FLA DECORT CRY
94.00	94.00	1X1M		16.00 - 26.00	2.10	5	CL FLA SFTLP CRY
94.00	94.00	1X1M		16.00 - 26.00	26.00	1	CL SHAT CRY
94.00	94.00	1X1M		16.00 - 26.00	1.00	3	CL FLA CRT FC
94.00	94.00	1X1M		16.00 - 26.00	1.10	2	CL FLA CRT
94.00	94.00	1X1M		16.00 - 26.00	7.20	4	CL FLA DECORT CRT FC
94.00	94.00	1X1M		16.00 - 26.00	4.20	5	CL FLA DECORT CRT
94.00	94.00	1X1M		16.00 - 26.00	1.60	2	CL FLA QOZ
94.00	94.00	1X1M		16.00 - 26.00	1.50	1	CL FLA DECORT QOZ
94.00	94.00	1X1M		16.00 - 26.00	0.90	3	CL FLA WHCRT
94.00	94.00	1X1M		16.00 - 26.00	5.20	1	POT BODY CRNK SAND
94.00	94.00	1X1M		16.00 - 26.00	1.10	1	POT BODY SHELL
94.00	94.00	1X1M		16.00 - 26.00	1.40	1	POT BODY SAND
94.00	94.00	1X1M		16.00 - 26.00	7.50		POT BODYFG SAND
94.00	94.00	1X1M		16.00 - 26.00	19.50		POT PEL
94.00	94.00	1X1M		16.00 - 26.00	0.10	1	ANIM BONE CAL
94.00	94.00	1X1M		16.00 - 26.00	5.20	5	CL FLA SFTLP CPR
94.00	94.00	1X1M		16.00 - 26.00	1.50	2	CL FLA DECORT CPR
94.00	94.00	1X1M		16.00 - 26.00	2.30	3	CL FLA CPR FC
94.00	94.00	1X1M		16.00 - 26.00	3.70	9	CL FLA CPR
94.00	94.00	1X1M		16.00 - 26.00	4.90	5	CL FLA DECORT CRR
94.00	94.00	1X1M		16.00 - 26.00	59.40	4	CL SHAT CRP
94.00	94.00	1X1M		16.00 - 26.00	7.20		URM CHNK FC
94.00	94.00	1X1M		26.00 - 36.00	2.60		URM CHNK FC
94.00	94.00	1X1M		26.00 - 36.00	22.60		POT PEL
94.00	94.00	1X1M		26.00 - 36.00	0.80		ANIM BONE CAL
94.00	94.00	1X1M		26.00 - 36.00	6.90	2	POT BODY CRNK SAND
94.00	94.00	1X1M		26.00 - 36.00	2.00		POT BODYFG SAND
94.00	94.00	1X1M		26.00 - 36.00	0.20	1	FLOR CHAR NUT

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...			
SITENO = 23DU289										
94.00	94.00	1X1M		26.00 - 36.00	0.40	1	CL	FLA	SFTLP	CRY
94.00	94.00	1X1M		26.00 - 36.00	26.30	27	CL	FLA	CRY	
94.00	94.00	1X1M		26.00 - 36.00	5.70	7	CL	FLA	SFTLP	CRY
94.00	94.00	1X1M		26.00 - 36.00	16.90	45	CL	FLA	CRR	
94.00	94.00	1X1M		26.00 - 36.00	3.10	6	CL	FLA	QQZ	
94.00	94.00	1X1M		26.00 - 36.00	15.70	14	CL	FLA	CRT	
94.00	94.00	1X1M		26.00 - 36.00	0.10	1	CL	FLA	WHCRT	
94.00	94.00	1X1M		26.00 - 36.00	1.60	1	CL	SHAT	CRT	
94.00	94.00	1X1M		26.00 - 36.00	34.80	1	CL	FLA	RUM	CRR
94.00	94.00	1X1M		26.00 - 36.00	65.30	33	CL	FLA	DECORT	CRR
94.00	94.00	1X1M		26.00 - 36.00	82.00	21	CL	FLA	DECORT	CRY
94.00	94.00	1X1M		26.00 - 36.00	0.10	1	CL	FLA	SFTLP	CRT
94.00	94.00	1X1M		26.00 - 36.00	1.20		POT	BODYFG	GRGG	
94.00	94.00	1X1M		36.00 - 46.00	150.70	5	CL	SHAT	CRY	
94.00	94.00	1X1M		36.00 - 46.00	24.80	5	CL	FLA	DECORT	CPP
94.00	94.00	1X1M		36.00 - 46.00	4.70	1	CL	SHAT	CRR	
94.00	94.00	1X1M		36.00 - 46.00	113.70	12	CL	FLA	DECORT	CRY
94.00	49.00	1X1M		36.00 - 46.00	7.40	3	CL	FLA	CRY	
94.00	94.00	1X1M		36.00 - 46.00	189.30	1	CL	COBL	TESTED	CRR
94.00	94.00	1X1M		36.00 - 46.00	29.20	1	CL	COBL	TESTED	CRY
94.00	94.00	1X1M		36.00 - 46.00	14.60	6	CL	FLA	CRR	
94.00	94.00	1X1M		36.00 - 46.00	3.50	1	CL	FLA	SFTLP	CRY
94.00	94.00	1X1M		36.00 - 46.00	1.10	1	CL	FLA	WHCRT	
94.00	94.00	1X1M		36.00 - 46.00	1.20	1	CL	FLA	SFTLP	WHCRT
94.00	94.00	1X1M		36.00 - 46.00	77.20	1	CL	COBL	TESTED	QQZ
94.00	94.00	1X1M		36.00 - 46.00	12.70	2	CL	FLA	QQZ	
94.00	94.00	1X1M		36.00 - 46.00	2.60	1	URM	CHNK	HEM	
94.00	94.00	1X1M		36.00 - 46.00	6.40	1	CL	BIFK	CRR	FR FC
94.00	94.00	1X1M		36.00 - 46.00	8.60	1	CL	FLA	DECORT	CRY
94.00	94.00	1X1M		36.00 - 46.00	3.80		POT	PEL		
94.00	94.00	1X1M		36.00 - 46.00	0.70	3	ANIM	BONE	CAL	
94.00	94.00	1X1M		36.00 - 46.00	11.60	3	URM	CHNK	CPR	FC
94.00	94.00	1X1M		46.00 - 59.00	12.40	5	POT	PEL		
94.00	94.00	1X1M		46.00 - 59.00	0.50	2	ANIM	BONE	CAL	
94.00	94.00	1X1M		46.00 - 59.00	22.90	1	CL	SHAT	CRR	
94.00	94.00	1X1M		46.00 - 59.00	3.30	2	CL	FLA	CRR	
94.00	94.00	1X1M		46.00 - 59.00	4.50	3	CL	FLA	CRR	FC
94.00	94.00	1X1M		46.00 - 59.00	5.80	2	CL	FLA	DECORT	CRY
94.00	94.00	1X1M		46.00 - 59.00	13.20	4	CL	FLA	DECORT	CRY FC
94.00	94.00	1X1M		46.00 - 59.00	27.50	4	CL	FLA	DECORT	CRR
94.00	94.00	1X1M		46.00 - 59.00	0.20	1	CL	FLA	CRY	
94.00	94.00	1X1M		46.00 - 59.00	1.00	1	CL	FLA	SFTLP	CRY
94.00	94.00	1X1M		46.00 - 59.00	81.50	2	URM	CHNK	FC	
94.00	94.00	1X1M		46.00 - 59.00	1.00	1	POT	BODY	CRMK	SAND
94.00	94.00	1X1M		59.00 - 69.00	2.90		POT	BODYFG	SAND	
94.00	94.00	1X1M		59.00 - 69.00	0.50	1	ANIM	BONE		
94.00	94.00	1X1M		59.00 - 69.00	29.10	7	CL	FLA	DECORT	CRR
94.00	94.00	1X1M		59.00 - 69.00	0.40	2	CL	FLA	CRT	
94.00	94.00	1X1M		59.00 - 69.00	2.50	1	CL	FLA	SFTLP	CRY
94.00	94.00	1X1M		59.00 - 69.00	1.70	4	CL	FLA	CRY	
94.00	94.00	1X1M		59.00 - 69.00	0.60	2	CL	FLA	CRR	
94.00	94.00	1X1M		59.00 - 69.00	17.20	7	CL	FLA	DECORT	CRY
94.00	94.00	1X1M		11.00 - 16.00	1.90		URM	CHNK	FC	
94.00	94.00	1X1M		11.00 - 16.00	20.40	5	POT	BODY	CPMK	SAND
94.00	94.00	1X1M		11.00 - 16.00	52.50	44	POT	BODY	SAND	
94.00	94.00	1X1M		11.00 - 16.00	0.60		POT	PEL		

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...			
SITENO = 230U289										
94.00	94.00	1X1M		11.00 - 16.00	0.40	1	POT	BODYFG	CRMK	SAND
94.00	94.00	1X1M		11.00 - 16.00	6.40		POT	BODYFG	SAND	
94.00	94.00	1X1M		11.00 - 16.00	0.30		POT	BODYFG	SHELL	
94.00	94.00	1X1M		11.00 - 16.00	2.40	1	CL	PPK	EXPNST	CRR BS
94.00	94.00	1X1M		11.00 - 16.00	0.30	1	FLOR	CHAR	NUT	
94.00	94.00	1X1M		11.00 - 16.00	0.60	2	ANIM	BONE	CAL	
94.00	94.00	1X1M		11.00 - 16.00	64.00	27	CL	FLA	DECORT	CRY
94.00	94.00	1X1M		11.00 - 16.00	5.90	8	CL	FLA	SFTLP	CRY
94.00	94.00	1X1M		11.00 - 16.00	0.30	3	CL	FLA	LUNA	CRY
94.00	94.00	1X1M		11.00 - 16.00	0.30	1	CL	FLA	DECORT	CRY
94.00	94.00	1X1M		11.00 - 16.00	20.80	42	CL	FLA	CRY	
94.00	94.00	1X1M		11.00 - 16.00	8.70	4	CL	SHAT	CRY	
94.00	94.00	1X1M		11.00 - 16.00	4.40	4	CL	FLA	SFTLP	CRR
94.00	94.00	1X1M		11.00 - 16.00	1.90	4	CL	FLA	SFTLP	CRR
94.00	94.00	1X1M		11.00 - 16.00	31.00	44	CL	FLA	DECORT	CRR
94.00	94.00	1X1M		11.00 - 16.00	29.20	48	CL	FLA	CRR	
94.00	94.00	1X1M		11.00 - 16.00	2.50	7	CL	FLA	DECORT	CRT
94.00	94.00	1X1M		11.00 - 16.00	1.50	2	CL	FLA	CRT	FC
94.00	94.00	1X1M		11.00 - 16.00	5.70	6	CL	FLA	CRT	
94.00	94.00	1X1M		11.00 - 16.00	15.10	7	CL	SHAT	CRR	
94.00	94.00	1X1M		11.00 - 16.00	1.30	1	CL	FLA	SFTLP	OGZ
94.00	94.00	1X1M		11.00 - 16.00	1.50	4	CL	FLA	WHCRT	
94.00	94.00	1X1M		11.00 - 16.00	2.00	1	CL	FLA	DECORT	WHCRT
94.00	94.00	1X1M		11.00 - 16.00	8.70		URM	CHNK	FC	
94.00	94.00	1X1M		11.00 - 16.00	6.20	4	CL	FLA	DECORT	OGZ
94.00	94.00	1X1M		11.00 - 16.00	5.80	7	CL	FLA	OGZ	
124.00	94.00	CSC		0.00 - 0.00	15.50	5	CL	FLA	DECORT	CRR
124.00	94.00	CSC		0.00 - 0.00	2.10	3	CL	FLA	DECORT	CRR FC
124.00	94.00	CSC		0.00 - 0.00	3.30	1	CL	FLA	CRR	
124.00	94.00	CSC		0.00 - 0.00	2.70	1	CL	FLA	CRR	FC
124.00	94.00	CSC		0.00 - 0.00	1.40	2	CL	FLA	SFTLP	CRR
124.00	94.00	CSC		0.00 - 0.00	1.20	1	CL	FLA	RUM	WHCRT
124.00	94.00	CSC		0.00 - 0.00	9.10	2	CL	FLA	DECORT	OGZ
124.00	94.00	CSC		0.00 - 0.00	12.00	8	CL	FLA	CRY	
124.00	94.00	CSC		0.00 - 0.00	0.30	1	CL	FLA	SFTLP	CRY
124.00	94.00	CSC		0.00 - 0.00	6.10	2	CL	FLA	DECORT	CRY
124.00	94.00	CSC		0.00 - 0.00	3.40	1	CL	SHAT	CRY	
124.00	94.00	1X1M		0.00 - 0.00	193.90	1	GRL	HAM	OGZ	
124.00	94.00	CSC		0.00 - 0.00	4.00	2	POT	BODY	SAND	
124.00	94.00	CSC		0.00 - 0.00	27.50		URM	CHNK	FC	
200.00	94.00	CSC	e	0.00 - 0.00	5.20	2	CL	FLA	DECORT	CRY
200.00	94.00	CSC	e	0.00 - 0.00	1.00	1	CL	FLA	CRR	
200.00	94.00	CSC	e	0.00 - 0.00	2.40	1	CL	FLA	OGZ	
200.00	94.00	CSC	e	0.00 - 0.00	13.20	2	GLASS	CURVE		
200.00	94.00	CSC	e	0.00 - 0.00	9.20	1	URM	CHNK	FC	
206.00	94.00	CSC	e	0.00 - 0.00	2.20	1	CL	FLA	DECORT	CRY
212.00	94.00	CSC	e	0.00 - 0.00	3.00	1	CL	FLA	DECORT	CRY
212.00	94.00	CSC	e	0.00 - 0.00	2.40	3	CL	FLA	CRY	
212.00	94.00	CSC	e	0.00 - 0.00	7.20		URM	CHNK	FC	
218.00	94.00	CSC	e	0.00 - 0.00	2.40	1	CL	FLA	DECORT	CRY
218.00	94.00	CSC	e	0.00 - 0.00	0.70	1	CL	FLA	CRR	
218.00	94.00	CSC	e	0.00 - 0.00	1.10	1	CL	FLA	WHCRT	
218.00	94.00	CSC	e	0.00 - 0.00	2.40	3	CL	FLA	CRY	
224.00	94.00	CSC	e	0.00 - 0.00	9.10	1	CL	FLA	DECORT	CRY
224.00	94.00	CSC	e	0.00 - 0.00	0.30	1	CL	FLA	CRR	
224.00	94.00	CSC	e	0.00 - 0.00	1.40	3	CL	FLA	CRY	

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...			
SITE# = 230289										
224.00	94.00	CSC	e	0.00 - 0.00	7.10	1	GLASS	ERASE	BLUE	
224.00	94.00	CSC	e	0.00 - 0.00	3.30	1	BRICK	FP		
224.00	94.00	CSC	e	0.00 - 0.00	4.40	3	UPM	CHNK	FC	
230.00	94.00	CSC	e	0.00 - 0.00	0.30	1	CL	FLA	CRY	
230.00	94.00	CSC	e	0.00 - 0.00	7.20		UPM	CHNK	FC	
236.00	94.00	CSC	e	0.00 - 0.00	0.30	3	CL	FLA	DECORT	CRY
236.00	94.00	CSC	e	0.00 - 0.00	1.20	2	CL	FLA	CRY	
236.00	94.00	CSC	e	0.00 - 0.00	1.30		UPM	CHNK	FC	
242.00	94.00	CSC	e	0.00 - 0.00	4.30	1	CL	FLA	DECORT	CRY
242.00	94.00	CSC	e	0.00 - 0.00	0.70	1	CL	FLA	DECORT	CRY
242.00	94.00	CSC	e	0.00 - 0.00	7.20	1	CL	FLA	DECORT	CRY
242.00	94.00	CSC	e	0.00 - 0.00	5.00	1	CL	SHAT	CRY	
242.00	94.00	CSC	e	0.00 - 0.00	5.30	1	GLASS	CURVE		
242.00	94.00	CSC	e	0.00 - 0.00	0.60		UPM	CHNK	FC	
248.00	94.00	CSC	e	0.00 - 0.00	19.80	1	CL	FLA	DECORT	CRY
248.00	94.00	CSC	e	0.00 - 0.00	10.00	2	UPM	CHNK	FC	
245.00	95.00	CSC	e	0.00 - 0.00	5.20	1	CL	FLA	DECORT	CRY
254.00	94.00	CSC	e	0.00 - 0.00	2.30	1	CL	FLA	CRY	
254.00	94.00	CSC	e	0.00 - 0.00	25.60	1	CL	SHAT	CRY	
254.00	94.00	CSC	e	0.00 - 0.00	1.50	1	FOSSIL	COAL		
254.00	94.00	CSC	e	0.00 - 0.00	0.70	1	METAL			
254.00	94.00	CSC	e	0.00 - 0.00	0.60	1	SYN	RUBBER		
260.00	94.00	CSC	e	0.00 - 0.00	16.90	3	CL	FLA	DECORT	CRY
260.00	94.00	CSC	e	0.00 - 0.00	2.20	2	CL	FLA	CRY	
266.00	94.00	BATR	fla	0.00 - 0.00	5.70	1	CL	FLA	DECORT	CRY
266.00	94.00	CSC	e	0.00 - 0.00	5.20	3	CL	FLA	DECORT	CRY
266.00	94.00	CSC	e	0.00 - 0.00	0.50	1	CL	FLA	SFTLP	CRY
266.00	94.00	CSC	e	0.00 - 0.00	0.30	1	CL	FLA	CRY	
266.00	94.00	CSC	e	0.00 - 0.00	4.60	3	CL	FLA	CRY	
266.00	94.00	CSC	e	0.00 - 0.00	38.30	1	CL	COBL	TESTED	CRY
266.00	94.00	CSC	e	0.00 - 0.00	2.60	1	METAL			
266.00	94.00	CSC	e	0.00 - 0.00	3.90	1	GLASS	FLAT		
200.00	100.00	CSC	e	0.00 - 0.00	3.20		SYN	IND		
200.00	100.00	CSC	e	0.00 - 0.00	4.50		METAL			
206.00	100.00	CSC	e	0.00 - 0.00	0.30	1	CL	FLA	CRY	
206.00	100.00	CSC	e	0.00 - 0.00	189.00	1	GRL	HAM	CRY	
212.00	100.00	CSC	e	0.00 - 0.00	0.40	1	CL	FLA	SFTLP	CRY
212.00	100.00	CSC	e	0.00 - 0.00	2.70	1	CL	FLA	DECORT	CRY
218.00	100.00	CSC	e	0.00 - 0.00	0.40	1	CL	FLA	CRY	
218.00	100.00	CSC	e	0.00 - 0.00	1.20	1	CL	FLA	DECORT	CRY
230.00	100.00	CSC	e	0.00 - 0.00	2.60	1	CL	FLA	CRY	
230.00	100.00	CSC	e	0.00 - 0.00	6.50	1	BRICK			
236.00	100.00	CSC	e	0.00 - 0.00	0.20	1	CL	FLA	DECORT	CRY
236.00	100.00	CSC	e	0.00 - 0.00	0.50	2	CL	FLA	CRY	
242.00	100.00	CSC	e	0.00 - 0.00	23.30	1	CL	PEBL	RUM	CRY
242.00	100.00	CSC	e	0.00 - 0.00	0.50	1	CL	FLA	CRY	
242.00	100.00	CSC	e	0.00 - 0.00	0.90	1	CL	FLA	CRY	
242.00	100.00	CSC	e	0.00 - 0.00	1.00	1	CL	FLA	DECORT	CRY
242.00	100.00	CSC	e	0.00 - 0.00	60.00	1	CL	CORE	CRY	
248.00	100.00	CSC	e	0.00 - 0.00	3.10	1	POT	BODY	SAND	
248.00	100.00	CSC	e	0.00 - 0.00	1.40	1	GLASS	FLAT		
248.00	100.00	CSC	e	0.00 - 0.00	5.00	1	CL	FLA	CRY	
254.00	100.00	CSC	e	0.00 - 0.00	0.90	1	CL	FLA	SFTLP	CRY
266.00	100.00	CSC	e	0.00 - 0.00	1.60	1	POT	BODY	SAND	
266.00	100.00	CSC	e	0.00 - 0.00	39.70	4	CL	FLA	DECORT	CRY
266.00	100.00	CSC	e	0.00 - 0.00	0.40	1	CL	FLA	CRY	

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
SITE# = 230289							
266.00	100.00	CSC	e	0.00 - 0.00	2.00	1	CL FLA DECORT CRP
266.00	100.00	CSC	e	0.00 - 0.00	1.00	1	GLASS CLEAR
266.00	100.00	CSC	e	0.00 - 0.00	140.00	1	BRICK
206.00	106.00	CSC	e	0.00 - 0.00	1.00	1	CL FLA DECORT CRP
206.00	106.00	CSC	e	0.00 - 0.00	0.70	1	CL FLA SFTLP CRP
206.00	106.00	CSC	e	0.00 - 0.00	0.50	1	CL FLA CPT
212.00	106.00	CSC	e	0.00 - 0.00	2.30	1	CL FLA DECORT CRP
212.00	106.00	CSC	e	0.00 - 0.00	2.70	1	GLASS CLEAR
218.00	106.00	CSC	e	0.00 - 0.00	3.50	2	CL FLA SFTLP CRV
218.00	106.00	CSC	e	0.00 - 0.00	0.70	1	GLASS CURVE
224.00	106.00	CSC	e	0.00 - 0.00	3.70	2	CL FLA CRV
230.00	106.00	CSC	e	0.00 - 0.00	2.90	1	CL FLA DECORT CRP
230.00	106.00	CSC	e	0.00 - 0.00	2.10	1	CL FLA CRV
230.00	106.00	CSC	e	0.00 - 0.00	230.90	1	GRL HAM CRV
236.00	106.00	CSC	e	0.00 - 0.00	0.50	1	CL FLA DECORT CRP
236.00	106.00	CSC	e	0.00 - 0.00	0.50	1	CL FLA SFTLP CRT
236.00	106.00	CSC	e	0.00 - 0.00	1.10	1	METAL
248.00	106.00	CSC	e	0.00 - 0.00	0.10	1	CL FLA DECORT CRV
248.00	106.00	CSC	e	0.00 - 0.00	1.70	1	GLASS CURVE
248.00	106.00	CSC	e	0.00 - 0.00	5.00	1	SYN IND
254.00	106.00	CSC	e	0.00 - 0.00	1.50	1	CL FLA DECORT CRV
254.00	106.00	CSC	e	0.00 - 0.00	0.70	1	CL FLA CRV
254.00	106.00	CSC	e	0.00 - 0.00	10.70	1	BRICK
260.00	105.00	CSC	e	0.00 - 0.00	1.50	1	CL FLA DECORT CRV
260.00	106.00	CSC	e	0.00 - 0.00	36.40	1	CL BIFK ST2 CRV
266.00	106.00	CSC	e	0.00 - 0.00	3.30	1	CL FLA QOZ
266.00	106.00	CSC	e	0.00 - 0.00	1.10	1	CL FLA CRP
194.00	94.00	CSC	e	0.00 - 0.00	1.50	2	CL FLA CRP
188.00	94.00	CSC	e	0.00 - 0.00	5.80	2	CL FLA CRV
182.00	94.00	CSC	e	0.00 - 0.00	0.40	1	CL FLA QOZ
170.00	94.00	CSC	e	0.00 - 0.00	0.70	1	CL FLA DECORT CRV
146.00	94.00	CSC	e	0.00 - 0.00	0.10	1	CL FLA CRP
146.00	94.00	CSC	e	0.00 - 0.00	0.10	1	CL FLA SFTLP CRP
146.00	94.00	CSC	e	0.00 - 0.00	0.10	1	CL FLA WHCRT
140.00	94.00	CSC	e	0.00 - 0.00	0.20	1	CL FLA DECORT CRP
134.00	94.00	CSC	e	0.00 - 0.00	0.10	1	CL FLA SFTLP CRV
128.00	94.00	CSC	e	0.00 - 0.00	1.40	1	CL FLA CRP
128.00	94.00	CSC	e	0.00 - 0.00	3.20		URM CHNK FC
128.00	94.00	CSC	e	0.00 - 0.00	19.20	1	CL FLA DECORT QOZ
128.00	94.00	CSC	e	0.00 - 0.00	0.70	1	WHITEN BODY
128.00	94.00	CSC	e	0.00 - 0.00	1.10	1	GLASS MOLD
116.00	94.00	CSC	e	0.00 - 0.00	0.40	1	CL FLA QOZ
116.00	94.00	CSC	e	0.00 - 0.00	1.20	1	GLASS CURVE
116.00	94.00	CSC	e	0.00 - 0.00	2.40	1	CL SHAT CRV
110.00	94.00	CSC	e	0.00 - 0.00	2.10	1	CL FLA CRV
110.00	94.00	CSC	e	0.00 - 0.00	59.40	2	CL SHAT CRV
56.00	100.00	CSC	e	0.00 - 0.00	1.80	1	CL FLA DECORT CRV
86.00	100.00	CSC	e	0.00 - 0.00	1.00	1	CL FLA CRP
136.00	100.00	CSC	e	0.00 - 0.00	12.70	1	CL SCR CRV
98.00	100.00	CSC	e	0.00 - 0.00	0.30	1	CL FLA WHCRT
98.00	100.00	CSC	e	0.00 - 0.00	0.80	1	CL FLA DECORT CRV
98.00	100.00	CSC	e	0.00 - 0.00	3.70	1	CL FLA DECORT CRP
116.00	100.00	CSC	e	0.00 - 0.00	1.30	1	CL FLA SFTLP CRV
116.00	100.00	CSC	e	0.00 - 0.00	2.60	1	WHITEN ALBBRS
116.00	100.00	CSC	e	0.00 - 0.00	377.00	1	ORL GROUND JZIT
122.00	100.00	CSC	e	0.00 - 0.00	11.90	1	CL BIFK ST3 CRP



North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
<b>SITENO = 230U289</b>							
128.00	100.00	CSC	e	0.00 - 0.00	2.40	1	WHITEW RIM
140.00	100.00	CSC	e	0.00 - 0.00	1.40	2	CL FLA WHCRT
146.00	100.00	CSC	e	0.00 - 0.00	209.60	1	BRICK
152.00	100.00	CSC	e	0.00 - 0.00	1.40	1	WHITEW BODY
152.00	100.00	CSC	e	0.00 - 0.00	51.90	1	CL BIFK ST1 CRR
158.00	100.00	CSC	e	0.00 - 0.00	2.80	1	GLASS CURVE
158.00	100.00	CSC	e	0.00 - 0.00	0.30	1	SHELL
164.00	100.00	CSC	e	0.00 - 0.00	0.60	1	CL FLA DECORT CRR
170.00	100.00	CSC	e	0.00 - 0.00	1.20	1	CL FLA DECORT CRR
170.00	100.00	CSC	e	0.00 - 0.00	0.10	1	CL FLA 00Z
170.00	100.00	CSC	e	0.00 - 0.00	0.40	2	SHELL
170.00	100.00	CSC	e	0.00 - 0.00	37.00	1	CL FLA DECORT CRY
182.00	100.00	CSC	e	0.00 - 0.00	0.40	1	CL FLA DECORT CRR
182.00	100.00	CSC	e	0.00 - 0.00	1.20	1	CL FLA CRY
182.00	100.00	CSC	e	0.00 - 0.00	5.10	1	SHELL MUSSEL
194.00	106.00	CSC	e	0.00 - 0.00	2.00	1	CL FLA SFTLP CRY
182.00	106.00	CSC	e	0.00 - 0.00	4.30	1	CL FLA CRT
182.00	106.00	CSC	e	0.00 - 0.00	0.90	1	CL FLA CRR
182.00	106.00	CSC	e	0.00 - 0.00	1.40	1	CL FLA CRY
170.00	106.00	CSC	e	0.00 - 0.00	0.50	1	CL FLA CRY
158.00	106.00	CSC	e	0.00 - 0.00	1.40	1	CL FLA DECORT 00Z
152.00	106.00	CSC	e	0.00 - 0.00	1.70	2	CL FLA CRR
152.00	106.00	CSC	e	0.00 - 0.00	1.20	1	CL FLA DECORT CRR
152.00	106.00	CSC	e	0.00 - 0.00	80.00	1	CL SHAT CRY
146.00	106.00	CSC	e	0.00 - 0.00	0.20	1	CL FLA CRY
146.00	106.00	CSC	e	0.00 - 0.00	6.50	1	CL PPK EXPNST CRR
122.00	106.00	CSC	e	0.00 - 0.00	0.30	1	CL BIFK ST3 CRR
122.00	106.00	CSC	e	0.00 - 0.00	11.60	1	CL FLA CRR
80.00	106.00	CSC	e	0.00 - 0.00	1.30	1	CL FLA SFTLP CRY
68.00	106.00	CSC	e	0.00 - 0.00	2.60	1	CL FLA DECORT CRY
62.00	106.00	CSC	e	0.00 - 0.00	0.40	1	CL FLA CRY
206.00	112.00	CSC	e	0.00 - 0.00	0.80	1	CL PPK EXPNST CRY BS
206.00	112.00	CSC	e	0.00 - 0.00	3.20	1	CL FLA RUM CRR
206.00	112.00	CSC	e	0.00 - 0.00	1.20	1	GLASS FLAT
206.00	118.00	CSC	e	0.00 - 0.00	0.60	2	CL FLA CRR
206.00	118.00	CSC	e	0.00 - 0.00	0.40	1	CL FLA CRY
206.00	124.00	CSC	e	0.00 - 0.00	9.00	3	CL FLA CRY
206.00	124.00	CSC	e	0.00 - 0.00	0.10	1	CL FLA SFTLP CRR
206.00	124.00	CSC	e	0.00 - 0.00	1.60	1	WHITEW BODY
206.00	124.00	CSC	e	0.00 - 0.00	49.40	1	CL COBL TESTED CRY
206.00	130.00	CSC	e	0.00 - 0.00	5.40	1	CL PPK CNTRST CRR py
206.00	130.00	CSC	e	0.00 - 0.00	39.90	1	CL SHAT CRY
206.00	130.00	CSC	e	0.00 - 0.00	2.40	2	CL FLA DECORT CRY
206.00	130.00	CSC	e	0.00 - 0.00	2.40	2	CL FLA DECORT CRR
206.00	130.00	CSC	e	0.00 - 0.00	0.50	1	CL FLA CRR
206.00	130.00	CSC	e	0.00 - 0.00	1.90	1	CL FLA SFTLP CRR
206.00	136.00	CSC	e	0.00 - 0.00	1.20	2	CL FLA SFTLP CRR
206.00	136.00	CSC	e	0.00 - 0.00	1.20	2	CL FLA CRR
206.00	136.00	CSC	e	0.00 - 0.00	2.40	1	CL FLA CRY
206.00	136.00	CSC	e	0.00 - 0.00	2.90	1	CL FLA CRR
206.00	136.00	CSC	e	0.00 - 0.00	2.00	1	POT PEL
206.00	136.00	CSC	e	0.00 - 0.00	10.40	1	CL BIFK ST2 CRY FP
206.00	142.00	CSC	e	0.00 - 0.00	5.50	3	CL FLA DECORT CRR
206.00	142.00	CSC	e	0.00 - 0.00	0.40	1	CL FLA CRR
206.00	142.00	CSC	e	0.00 - 0.00	1.60	1	GLASS CURVE
206.00	142.00	CSC	e	0.00 - 0.00	182.90	1	OPL HAM 00Z

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
<b>SITENO = 230209</b>							
206.00	148.00	CSC	e	0.00 - 0.00	0.90	1	CL FLA SFTLP CRY
206.00	148.00	CSC	e	0.00 - 0.00	0.20	1	CL FLA CRR
206.00	154.00	CSC	e	0.00 - 0.00	1.70	1	WHITEN RIM MOLD
206.00	154.00	CSC	e	0.00 - 0.00	2.90	1	GLASS CURVE
206.00	106.00	CSC	e	0.00 - 0.00	0.50	1	CL FLA SFTLP CRY
206.00	172.00	CSC	e	0.00 - 0.00	0.90	1	CL FLA SFTLP CRY
206.00	172.00	CSC	e	0.00 - 0.00	0.10	1	CL FLA SFTLP CRY
206.00	172.00	CSC	e	0.00 - 0.00	0.10	1	CL FLA CRR
206.00	172.00	CSC	e	0.00 - 0.00	39.10	4	URM CHNK FC
206.00	178.00	CSC	e	0.00 - 0.00	8.20	2	CL FLA DECORT CRY
206.00	178.00	CSC	e	0.00 - 0.00	0.20	1	CL FLA CRY
206.00	178.00	CSC	e	0.00 - 0.00	0.60	1	CL FLA CRR
206.00	178.00	CSC	e	0.00 - 0.00	1.00	1	URM CHNK FC
206.00	178.00	CSC	e	0.00 - 0.00	37.20	1	CL COBL TESTED CRY
206.00	184.00	CSC	e	0.00 - 0.00	14.80	1	CL BIFK ST1 CRR
206.00	184.00	CSC	e	0.00 - 0.00	1.90	1	CL FLA CRR
206.00	196.00	CSC	e	0.00 - 0.00	40.00	1	URM CHNK CRR FC
206.00	202.00	CSC	e	0.00 - 0.00	0.70	1	CL FLA CRY
206.00	208.00	CSC	e	0.00 - 0.00	0.10	1	CL FLA CRR
206.00	208.00	CSC	e	0.00 - 0.00	0.60	1	CL FLA CRY
206.00	220.00	CSC	e	0.00 - 0.00	90.00	1	CL COBL TESTED CRY
206.00	226.00	CSC	e	0.00 - 0.00	0.40	1	CL FLA SFTLP CRY
206.00	226.00	CSC	e	0.00 - 0.00	2.30	2	CL FLA CRY
206.00	232.00	CSC	e	0.00 - 0.00	1.20	1	CL FLA DECORT CRY
206.00	232.00	CSC	e	0.00 - 0.00	0.70	1	CL FLA WHCRT
206.00	250.00	CSC	e	0.00 - 0.00	115.70	1	BRICK
206.00	250.00	CSC	e	0.00 - 0.00	12.10	1	CL FLA DECORT CRY
206.00	256.00	CSC	e	0.00 - 0.00	0.70	1	CL FLA CRR
206.00	256.00	CSC	e	0.00 - 0.00	0.50	1	CL SHAT CRY
206.00	256.00	CSC	e	0.00 - 0.00	29.20	1	URM CHNK FC
206.00	256.00	CSC	e	0.00 - 0.00	4.20	1	GLASS CURVE
206.00	262.00	CSC	e	0.00 - 0.00	1.40	2	CL FLA SFTLP CRY
206.00	262.00	CSC	e	0.00 - 0.00	4.00	1	CL FLA CRY
206.00	262.00	CSC	e	0.00 - 0.00	8.80	2	GLASS CURVE
206.00	262.00	CSC	e	0.00 - 0.00	21.40	1	URM CHNK FC
200.00	112.00	CSC	e	0.00 - 0.00	6.80	1	POT BODY SAND
200.00	112.00	CSC	e	0.00 - 0.00	1.60	1	CL FLA DECORT CRY
200.00	112.00	CSC	e	0.00 - 0.00	1.00	3	CL FLA CRR
200.00	112.00	CSC	e	0.00 - 0.00	0.60	3	CL FLA CRY
200.00	112.00	CSC	e	0.00 - 0.00	70.00	1	CL CORE CRT
200.00	112.00	CSC	e	0.00 - 0.00	1.00	1	PORCE
200.00	118.00	CSC	e	0.00 - 0.00	0.70	1	CL FLA CRR
200.00	118.00	CSC	e	0.00 - 0.00	1.10	2	CL FLA DECORT CRY
200.00	118.00	CSC	e	0.00 - 0.00	1.30	1	CL FLA CRY
200.00	118.00	CSC	e	0.00 - 0.00	1.00	1	CL FLA OQZ
200.00	118.00	CSC	e	0.00 - 0.00	0.50	1	CL SHAT CRT
200.00	118.00	CSC	e	0.00 - 0.00	2.10	1	REDW
200.00	124.00	CSC	e	0.00 - 0.00	2.00	3	CL FLA CRY
200.00	130.00	CSC	e	0.00 - 0.00	6.10	3	CL FLA DECORT CRY
200.00	130.00	CSC	e	0.00 - 0.00	0.90	3	CL FLA CRR
200.00	130.00	CSC	e	0.00 - 0.00	3.00	1	CL FLA OQZ
200.00	136.00	CSC	e	0.00 - 0.00	1.70	3	CL FLA CRR
200.00	136.00	CSC	e	0.00 - 0.00	2.50	2	CL FLA CRY
200.00	136.00	CSC	e	0.00 - 0.00	4.90	1	GLASS CURVE
200.00	136.00	CSC	e	0.00 - 0.00	8.50	1	WHITEN BASE
200.00	142.00	CSC	e	0.00 - 0.00	1.00	1	CL FLA DECORT CRY

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
<b>SITENO = 230289</b>							
200.00	142.00	CSC	e	0.00 - 0.00	2.10	2	CL FLA CRY
200.00	142.00	CSC	e	0.00 - 0.00	0.40	1	CL FLA CRR
200.00	148.00	CSC	e	0.00 - 0.00	16.50	1	CL BIFK ST2 CRR
200.00	154.00	CSC	e	0.00 - 0.00	0.20	1	SHELL
200.00	154.00	CSC	e	0.00 - 0.00	12.40	2	CL FLA DECORT CRY
200.00	160.00	CSC	e	0.00 - 0.00	340.00	1	GRL PITS SS
200.00	160.00	CSC	e	0.00 - 0.00	3.00	1	CL FLA DECORT CRY
200.00	160.00	CSC	e	0.00 - 0.00	6.70	1	CL PPK STRAST CRY
200.00	166.00	CSC	e	0.00 - 0.00	12.70	2	METAL
200.00	166.00	CSC	e	0.00 - 0.00	0.90	1	CL FLA CRT
200.00	166.00	CSC	e	0.00 - 0.00	3.40	1	CL FLA DECORT CRR
200.00	184.00	CSC	e	0.00 - 0.00	2.10	2	CL FLA CRR
200.00	184.00	CSC	e	0.00 - 0.00	2.20	1	CL FLA CRY
200.00	190.00	CSC	e	0.00 - 0.00	9.10	1	CL FLA DECORT CRR
200.00	190.00	CSC	e	0.00 - 0.00	2.80	1	CL FLA DECORT CRY
200.00	190.00	CSC	e	0.00 - 0.00	0.40	1	CL FLA CRR
200.00	190.00	CSC	e	0.00 - 0.00	21.40	1	URM CHNK CRR FC
200.00	196.00	CSC	e	0.00 - 0.00	9.00	1	CL FLA CRR
200.00	196.00	CSC	e	0.00 - 0.00	0.80	1	CL FLA DECORT CRR
200.00	196.00	CSC	e	0.00 - 0.00	1.50	1	CL FLA DECORT CRY
200.00	196.00	CSC	e	0.00 - 0.00	14.20	2	CL FLA CRY
200.00	196.00	CSC	e	0.00 - 0.00	81.30	1	CL BIFK ST1 CRY
200.00	202.00	CSC	e	0.00 - 0.00	5.80	1	CL SHAT CRR
200.00	208.00	CSC	e	0.00 - 0.00	2.40	1	CL FLA SFTLP CRR
200.00	208.00	CSC	e	0.00 - 0.00	0.30	1	CL FLA SFTLP CRR
200.00	208.00	CSC	e	0.00 - 0.00	2.90	1	CL FLA CRR
200.00	214.00	CSC	e	0.00 - 0.00	161.00	1	BRICK
200.00	220.00	CSC	e	0.00 - 0.00	1.70	1	CL FLA WHCRT
200.00	220.00	CSC	e	0.00 - 0.00	0.30	1	CL FLA SFTLP CRY
200.00	220.00	CSC	e	0.00 - 0.00	27.00	1	URM CHNK FC
200.00	226.00	CSC	e	0.00 - 0.00	2.20	1	CL FLA DECORT CRR
200.00	232.00	CSC	e	0.00 - 0.00	195.70	1	CL COBL TESTED CRY
200.00	232.00	CSC	e	0.00 - 0.00	7.20	1	URM CHNK FC
200.00	236.00	CSC	e	0.00 - 0.00	2.60	1	CL FLA CRY
200.00	236.00	CSC	e	0.00 - 0.00	0.70	1	CL FLA CRT
200.00	244.00	CSC	e	0.00 - 0.00	156.20	1	GRL HAM CRY
200.00	244.00	CSC	e	0.00 - 0.00	137.70	1	BRICK
200.00	244.00	CSC	e	0.00 - 0.00	1.00	1	CL FLA CRY
200.00	244.00	CSC	e	0.00 - 0.00	1.40	1	CL FLA DECORT CRR
200.00	250.00	CSC	e	0.00 - 0.00	7.50	1	WHITEW BODY TRANS
200.00	256.00	CSC	e	0.00 - 0.00	15.80	3	CL FLA DECORT CRY
200.00	256.00	CSC	e	0.00 - 0.00	2.00	1	CL FLA SFTLP CRY
200.00	256.00	CSC	e	0.00 - 0.00	17.70	4	CL FLA CRY
200.00	256.00	CSC	e	0.00 - 0.00	5.20	2	CL FLA CRR
200.00	256.00	CSC	e	0.00 - 0.00	7.70	3	CL FLA SFTLP CRR
200.00	256.00	CSC	e	0.00 - 0.00	2.20	1	WHITEW RIM GREEN
200.00	262.00	CSC	e	0.00 - 0.00	0.20	1	CL FLA CRR
200.00	262.00	CSC	e	0.00 - 0.00	0.60	1	CL FLA DECORT CRR
200.00	262.00	CSC	e	0.00 - 0.00	12.60	2	CL FLA DECORT CRY
200.00	262.00	CSC	e	0.00 - 0.00	1.00	1	CL FLA DECORT CRY
200.00	262.00	CSC	e	0.00 - 0.00	4.20	1	WHITEW BODY
194.00	112.00	CSC	e	0.00 - 0.00	0.10	1	CL FLA CRR
194.00	112.00	CSC	e	0.00 - 0.00	0.60	1	CL FLA DECORT CRR
194.00	112.00	CSC	e	0.00 - 0.00	0.90	1	CL FLA SFTLP CRR
194.00	112.00	CSC	e	0.00 - 0.00	0.40	1	CL FLA CRY
194.00	112.00	CSC	e	0.00 - 0.00	4.20	1	CL FLA OQT

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...		
SITENO = 230289									
194.00	112.00	CSC	e	0.00 - 0.00	1.10	1	URM	CHNK	HEM
194.00	118.00	CSC	e	0.00 - 0.00	2.00	2	CL	FLA	DECORT CRP
194.00	118.00	CSC	e	0.00 - 0.00	21.20	1	CL	FLA	DECORT CRY
194.00	118.00	CSC	e	0.00 - 0.00	0.30	1	CL	FLA	CRY
194.00	118.00	CSC	e	0.00 - 0.00	5.80	1	CL	SHAT	WHCPT
194.00	118.00	CSC	e	0.00 - 0.00	52.80	1	CL	COBL	TESTED CRV
194.00	118.00	CSC	e	0.00 - 0.00	0.80	1	CL	PPK	CPT FR
194.00	124.00	CSC	e	0.00 - 0.00	2.10	2	CL	FLA	DECORT CRY
194.00	124.00	CSC	e	0.00 - 0.00	10.90	1	CL	FLA	CRY
194.00	124.00	CSC	e	0.00 - 0.00	0.10	1	CL	FLA	DECORT CRP
194.00	124.00	CSC	e	0.00 - 0.00	0.10	1	CL	FLA	SFTLP CRP
194.00	130.00	CSC	e	0.00 - 0.00	2.70	2	CL	FLA	DECORT CRY
194.00	130.00	CSC	e	0.00 - 0.00	0.60	2	CL	FLA	CRY
194.00	130.00	CSC	e	0.00 - 0.00	5.70	4	CL	FLA	CRP
194.00	130.00	CSC	e	0.00 - 0.00	2.90	2	CL	FLA	DECORT CRP
194.00	136.00	CSC	e	0.00 - 0.00	3.20	1	CL	BIFK	CRY
194.00	136.00	CSC	e	0.00 - 0.00	4.40	2	CL	FLA	DECORT CRY
194.00	136.00	CSC	e	0.00 - 0.00	0.40	2	CL	FLA	CRY
194.00	136.00	CSC	e	0.00 - 0.00	2.60	1	CL	FLA	DECORT CRP
194.00	136.00	CSC	e	0.00 - 0.00	0.80	4	CL	FLA	CRY
194.00	142.00	CSC	e	0.00 - 0.00	0.10	1	CL	FLA	SFTLP CRP
194.00	142.00	CSC	e	0.00 - 0.00	1.20	2	CL	FLA	DECORT CRP
194.00	142.00	CSC	e	0.00 - 0.00	0.80	1	CL	FLA	CRP
194.00	142.00	CSC	e	0.00 - 0.00	1.60	2	CL	FLA	DECORT CRY
194.00	142.00	CSC	e	0.00 - 0.00	0.30	1	CL	FLA	CRY
194.00	148.00	CSC	e	0.00 - 0.00	1.20		POT	BODYFS	SAND
194.00	148.00	CSC	e	0.00 - 0.00	3.70	1	CL	FLA	CRY
194.00	148.00	CSC	e	0.00 - 0.00	2.00	1	CL	FLA	SFTLP CRY
194.00	148.00	CSC	e	0.00 - 0.00	1.50	1	CL	FLA	DECORT CRP
194.00	166.00	CSC	e	0.00 - 0.00	6.70	1	BRICK		
194.00	166.00	CSC	e	0.00 - 0.00	28.40	2	CL	FLA	DECORT CRP
194.00	166.00	CSC	e	0.00 - 0.00	4.60	1	CL	FLA	SFTLP CRY
194.00	172.00	CSC	e	0.00 - 0.00	0.60	1	GLASS	MILK	
194.00	172.00	CSC	e	0.00 - 0.00	1.60	1	CL	FLA	DECORT CRP
194.00	172.00	CSC	e	0.00 - 0.00	0.10	1	CL	FLA	SFTLP CRP
194.00	178.00	CSC	e	0.00 - 0.00	11.40		URM	CHNK	FC
194.00	178.00	CSC	e	0.00 - 0.00	0.60	1	CL	FLA	CRP
194.00	178.00	CSC	e	0.00 - 0.00	0.90	3	CL	FLA	CRY
194.00	184.00	CSC	e	0.00 - 0.00	0.10	1	SHELL		
194.00	184.00	CSC	e	0.00 - 0.00	8.20	2	CL	FLA	CRY
194.00	190.00	CSC	e	0.00 - 0.00	3.30	1	METAL	NAIL	COMMON FERS
194.00	190.00	CSC	e	0.00 - 0.00	15.70	3	URM	CHNK	FC
194.00	196.00	CSC	e	0.00 - 0.00	1.20	1	CL	FLA	CRY
194.00	196.00	CSC	e	0.00 - 0.00	0.60	1	CL	FLA	DECORT CRY
194.00	196.00	CSC	e	0.00 - 0.00	11.40	1	CL	SHAT	CPY
194.00	202.00	CSC	e	0.00 - 0.00	15.00	1	BRICK	FR	
194.00	208.00	CSC	e	0.00 - 0.00	1.20	1	CL	FLA	DECORT CRP
194.00	208.00	CSC	e	0.00 - 0.00	0.90	1	CL	FLA	CRP
194.00	208.00	CSC	e	0.00 - 0.00	4.80	1	CL	FLA	DECORT CRY
194.00	208.00	CSC	e	0.00 - 0.00	5.60		URM	CHNK	FC
194.00	220.00	CSC	e	0.00 - 0.00	1.90	1	CL	FLA	SFTLP CRY
194.00	220.00	CSC	e	0.00 - 0.00	1.60	1	CL	FLA	CRY
194.00	220.00	CSC	e	0.00 - 0.00	27.20	1	CL	PEBL	PUM CRY
194.00	226.00	CSC	e	0.00 - 0.00	10.10	1	GLASS	CLEAR	
194.00	226.00	CSC	e	0.00 - 0.00	4.50	1	GLASS	BLUE	
194.00	238.00	CSC	e	0.00 - 0.00	1.00	1	CL	FLA	DECORT CRY

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...				
SITENO = 230289											
194.00	238.00	CSC	e	0.00 - 0.00	2.60	1	CL	FLA	CRY		
194.00	238.00	CSC	e	0.00 - 0.00	0.20	1	CL	FLA	DECORT	CRR	
194.00	238.00	CSC	e	0.00 - 0.00	0.40	1	CL	FLA	CRY		
194.00	238.00	CSC	e	0.00 - 0.00	41.90	1	CL	CORE	CRY		
194.00	244.00	CSC	e	0.00 - 0.00	3.00	2	CL	FLA	DECORT	CRR	
194.00	244.00	CSC	e	0.00 - 0.00	1.40	1	CL	FLA	CRY		
194.00	244.00	CSC	e	0.00 - 0.00	3.40	2	CL	FLA	DECORT	CRY	
194.00	244.00	CSC	e	0.00 - 0.00	0.20	1	CL	FLA	CRY		
194.00	244.00	CSC	e	0.00 - 0.00	2.10	1	GLASS	CURVE			
194.00	250.00	CSC	e	0.00 - 0.00	13.20	1	CL	SHAT	CRY		
194.00	250.00	CSC	e	0.00 - 0.00	2.10	1	CL	FLA	SFTLP	CRY	
194.00	250.00	CSC	e	0.00 - 0.00	32.80	1	CL	BIFK	ST1	CRY	
194.00	256.00	CSC	e	0.00 - 0.00	86.20	2	BRICK	FR			
194.00	256.00	CSC	e	0.00 - 0.00	4.50	4	CL	FLA	DECORT	CRR	
194.00	256.00	CSC	e	0.00 - 0.00	1.70	1	GLASS	CURVE			
194.00	262.00	CSC	e	0.00 - 0.00	1.50	1	GLASS	CURVE			
194.00	262.00	CSC	e	0.00 - 0.00	7.50	1	CL	FLA	DECORT	CRR	
194.00	262.00	CSC	e	0.00 - 0.00	0.50	2	CL	FLA	CRY		
194.00	262.00	CSC	e	0.00 - 0.00	1.80	1	CL	FLA	CRY		
188.00	112.00	CSC	e	0.00 - 0.00	19.60	2	BRICK				
188.00	112.00	CSC	e	0.00 - 0.00	63.50	1	CL	BIFK	ST2	CRY	
188.00	112.00	CSC	e	0.00 - 0.00	2.40	2	CL	FLA	DECORT	CRY	
188.00	112.00	CSC	e	0.00 - 0.00	0.50	1	CL	FLA	CRY		
188.00	118.00	CSC	e	0.00 - 0.00	33.70	1	CL	COBL	TESTED	CRY	
188.00	124.00	CSC	e	0.00 - 0.00	8.60	5	CL	FLA	DECORT	CRY	
188.00	124.00	CSC	e	0.00 - 0.00	1.40	3	CL	FLA	CRY		
188.00	124.00	CSC	e	0.00 - 0.00	1.90	1	CL	FLA	SFTLP	CRR	
188.00	124.00	CSC	e	0.00 - 0.00	4.60	2	CL	FLA	CRY		
188.00	124.00	CSC	e	0.00 - 0.00	5.90	2	CL	FLA	DECORT	CRR	
188.00	124.00	CSC	e	0.00 - 0.00	1.10	1	CL	FLA	RUM	CRR	
188.00	130.00	CSC	e	0.00 - 0.00	1.30	2	CL	FLA	DECORT	CRR	
188.00	130.00	CSC	e	0.00 - 0.00	3.40	4	CL	FLA	CRY		
188.00	130.00	CSC	e	0.00 - 0.00	0.70	2	CL	FLA	CRY		
188.00	130.00	CSC	e	0.00 - 0.00	75.50	1	CL	COBL	TESTED	CRR	
188.00	136.00	CSC	e	0.00 - 0.00	8.80	1	METAL	FERS			
188.00	136.00	CSC	e	0.00 - 0.00	31.10	4	CL	FLA	DECORT	CRR	
188.00	136.00	CSC	e	0.00 - 0.00	1.10	1	CL	FLA	CRY		
188.00	136.00	CSC	e	0.00 - 0.00	9.60	4	CL	FLA	CRY		
188.00	136.00	CSC	e	0.00 - 0.00	2.80	1	CL	FLA	DECORT	CRY	
188.00	136.00	CSC	e	0.00 - 0.00	5.20	1	CL	FLA	CRT		
188.00	136.00	CSC	e	0.00 - 0.00	35.20	1	CL	CORE	CRY		
188.00	136.00	CSC	e	0.00 - 0.00	63.50	1	CL	COBL	TESTED	CRY	
188.00	136.00	CSC	e	0.00 - 0.00	7.50	1	CL	DART	WHCPT		
188.00	142.00	CSC	e	0.00 - 0.00	26.80	1	BRICK	FR			
188.00	142.00	CSC	e	0.00 - 0.00	0.10	1	CL	FLA	CRY		
188.00	142.00	CSC	e	0.00 - 0.00	0.50	1	GLASS	CURVE			
188.00	148.00	CSC	e	0.00 - 0.00	53.90	1	CL	CHNK	TESTED	CRY	FC
188.00	148.00	CSC	e	0.00 - 0.00	10.70	2	CL	FLA	CRY		
188.00	148.00	CSC	e	0.00 - 0.00	0.30	1	CL	FLA	CRY		
188.00	148.00	CSC	e	0.00 - 0.00	4.10	2	CL	FLA	DECORT	CRR	
188.00	148.00	CSC	e	0.00 - 0.00	4.10	1	WHITEM	RIM	DEC		
188.00	154.00	CSC	e	0.00 - 0.00	3.20	1	BRICK				
188.00	154.00	CSC	e	0.00 - 0.00	1.80	3	CL	FLA	CRY		
188.00	154.00	CSC	e	0.00 - 0.00	50.60	4	CL	FLA	CRY		
188.00	160.00	CSC	e	0.00 - 0.00	0.90	2	CL	FLA	CRY		
188.00	172.00	CSC	e	0.00 - 0.00	0.70	1	CL	FLA	LUNA	CRR	

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyas ...				
SITE# = 230209											
188.00	172.00	CSC	e	0.00 - 0.00	203.50	1	CL	CORE	CRY		
188.00	172.00	CSC	e	0.00 - 0.00	158.70	1	CL	COBL	TESTED	CRY	
188.00	193.00	CSC	e	0.00 - 0.00	4.90	1	CL	FLA	OOZ		
188.00	193.00	CSC	e	0.00 - 0.00	3.10	2	CL	FLA	CRY		
188.00	193.00	CSC	e	0.00 - 0.00	2.70		URM	CHNK	FC		
188.00	184.00	CSC	e	0.00 - 0.00	1.10	1	CL	FLA	CRY		
188.00	184.00	CSC	e	0.00 - 0.00	49.00	1	CL	COBL	TESTED	CRY	
188.00	196.00	CSC	e	0.00 - 0.00	1.10	1	CL	FLA	CRY		
188.00	202.00	CSC	e	0.00 - 0.00	2.30	3	CL	FLA	CRY		
188.00	202.00	CSC	e	0.00 - 0.00	4.70	1	CL	SHAT	CRY		
188.00	208.00	CSC	e	0.00 - 0.00	1.90	2	CL	FLA	CRR		
188.00	208.00	CSC	e	0.00 - 0.00	1.00	2	FOSSIL	COAL			
188.00	208.00	CSC	e	0.00 - 0.00	1.80	1	SYN	IND			
188.00	208.00	CSC	e	0.00 - 0.00	0.40	1	CL	FLA	CRY		
188.00	214.00	CSC	e	0.00 - 0.00	11.20	1	CL	FLA	DECORT	CRY	
188.00	214.00	CSC	e	0.00 - 0.00	0.20	1	CL	FLA	CRR		
188.00	214.00	CSC	e	0.00 - 0.00	0.40	2	CL	FLA	SFTLP	CRR	
188.00	214.00	CSC	e	0.00 - 0.00	0.70	1	CL	FLA	SFTLP	CRY	
188.00	220.00	CSC	e	0.00 - 0.00	10.10	1	URM	CHNK	HEM		
188.00	220.00	CSC	e	0.00 - 0.00	0.30	1	CL	FLA	CRR		
188.00	220.00	CSC	e	0.00 - 0.00	12.00	1	CL	BIFK	ST1	CRR	
188.00	232.00	CSC	e	0.00 - 0.00	0.20	1	CL	FLA	CRY		
188.00	238.00	CSC	e	0.00 - 0.00	1.80	1	CL	FLA	DECORT	CRY	
188.00	238.00	CSC	e	0.00 - 0.00	1.30	1	CL	FLA	CRY		
188.00	244.00	CSC	e	0.00 - 0.00	8.80	1	CL	SHAT	CRY		
188.00	244.00	CSC	e	0.00 - 0.00	0.80	1	CL	FLA	CRY		
188.00	244.00	CSC	e	0.00 - 0.00	1.80	2	CL	FLA	SFTLP	CRY	
188.00	250.00	CSC	e	0.00 - 0.00	26.80	1	CL	FLA	DECORT	CRY	
188.00	250.00	CSC	e	0.00 - 0.00	1.80	1	CL	FLA	CRY		
188.00	250.00	CSC	e	0.00 - 0.00	1.00	2	CL	FLA	CRR		
188.00	250.00	CSC	e	0.00 - 0.00	87.00	1	BRICK	GRAY	FR		
188.00	250.00	CSC	e	0.00 - 0.00	93.50	1	METAL	METOBJ	FERS		
188.00	250.00	CSC	e	0.00 - 0.00	4.90	1	URM	CHNK	OOZ	FC	
188.00	256.00	CSC	e	0.00 - 0.00	2.50	2	CL	FLA	CRR		
188.00	256.00	CSC	e	0.00 - 0.00	0.50	1	CL	FLA	SFTLP	CRR	
188.00	256.00	CSC	e	0.00 - 0.00	0.30	1	CL	FLA	SFTLP	CRY	
188.00	256.00	CSC	e	0.00 - 0.00	2.30	1	METAL	WIRE	FERS		
188.00	262.00	CSC	e	0.00 - 0.00	2.10	1	GLASS	FLAT			
188.00	262.00	CSC	e	0.00 - 0.00	4.90	6	CL	FLA	CRR		
188.00	262.00	CSC	e	0.00 - 0.00	3.40	1	CL	FLA	SFTLP	CRY	
200.00	88.00	CSC	e	0.00 - 0.00	1.50	2	CL	FLA	CRR		
200.00	88.00	CSC	e	0.00 - 0.00	0.40	1	CL	FLA	SFTLP	CRR	
200.00	88.00	CSC	e	0.00 - 0.00	0.80	1	CL	FLA	CRY		
200.00	88.00	CSC	e	0.00 - 0.00	29.80	1	CL	PPK	EXPNST	WHCRT	
200.00	88.00	CSC	e	0.00 - 0.00	1.30	1	METAL				
200.00	82.00	CSC	e	0.00 - 0.00	0.50	1	SHELL				
200.00	82.00	CSC	e	0.00 - 0.00	6.20	2	GLASS	CURVE			
200.00	82.00	CSC	e	0.00 - 0.00	0.50	1	WHITEW	RIM			
200.00	82.00	CSC	e	0.00 - 0.00	11.20	1	CL	BIFK	ST3	CRR	DS
200.00	82.00	CSC	e	0.00 - 0.00	11.20	1	CL	FLA	DECORT	CRY	
200.00	82.00	CSC	e	0.00 - 0.00	0.30	2	CL	FLA	CRY		
200.00	82.00	CSC	e	0.00 - 0.00	7.10	4	CL	FLA	DECORT	CRR	
200.00	82.00	CSC	e	0.00 - 0.00	0.30	2	CL	FLA	CRT		
200.00	76.00	CSC	e	0.00 - 0.00	9.40	1	CL	SHAT	CRY		
200.00	70.00	CSC	e	0.00 - 0.00	2.70	1	CL	FLA	CRY		
200.00	70.00	CSC	e	0.00 - 0.00	1.30	1	CL	FLA	WHCRT		

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
SITE# = 23028A							
206.00	88.00	CSC	e	0.00 - 0.00	2.10	1	CL FLA SFTLP CRT
206.00	88.00	CSC	e	0.00 - 0.00	1.50	1	CL FLA CRY
206.00	88.00	CSC	e	0.00 - 0.00	2.00	2	CL FLA CRR
206.00	88.00	CSC	e	0.00 - 0.00	1.80	1	GLASS CURVE
206.00	82.00	CSC	e	0.00 - 0.00	3.30	1	POT BODY CRNK SAND
206.00	82.00	CSC	e	0.00 - 0.00	0.50	1	CL FLA SFTLP CRR
206.00	82.00	CSC	e	0.00 - 0.00	2.80	1	GLASS CURVE
206.00	82.00	CSC	e	0.00 - 0.00	3.70	1	BRICK FR
206.00	76.00	CSC	e	0.00 - 0.00	1.90	1	CL FLA DECORT CRY
206.00	76.00	CSC	e	0.00 - 0.00	4.00	1	BRICK
212.00	70.00	CSC	e	0.00 - 0.00	3.10	1	GLASS CURVE
212.00	70.00	CSC	e	0.00 - 0.00	21.20	1	CL FLA RUM CRR
194.00	88.00	CSC	e	0.00 - 0.00	2.70	4	CL FLA CRP
194.00	88.00	CSC	e	0.00 - 0.00	0.80	5	CL FLA CPY
194.00	88.00	CSC	e	0.00 - 0.00	0.60	1	CL FLA SFTLP CRY
194.00	88.00	CSC	e	0.00 - 0.00	0.30	1	CL FLA SFTLP CRT
194.00	88.00	CSC	e	0.00 - 0.00	13.00	5	CL FLA DECORT CRY
194.00	88.00	CSC	e	0.00 - 0.00	26.80	5	CL FLA DECORT CRR
194.00	88.00	CSC	e	0.00 - 0.00	0.30	1	GLASS CLEAR
194.00	88.00	CSC	e	0.00 - 0.00	57.40	1	CL SHAT CRY
194.00	82.00	CSC	e	0.00 - 0.00	6.50	2	GLASS CURVE
194.00	82.00	CSC	e	0.00 - 0.00	4.30	1	GLASS CURVE
194.00	82.00	CSC	e	0.00 - 0.00	1.00	1	GLASS CURVE
194.00	82.00	CSC	e	0.00 - 0.00	12.60	2	BRICK FR
194.00	82.00	CSC	e	0.00 - 0.00	3.30	5	CL FLA CRY
194.00	82.00	CSC	e	0.00 - 0.00	0.30	1	CL FLA DECORT CRY
194.00	82.00	CSC	e	0.00 - 0.00	0.20	1	CL FLA SFTLP WHCRT
194.00	82.00	CSC	e	0.00 - 0.00	0.10	1	CL FLA SFTLP CRR
194.00	82.00	CSC	e	0.00 - 0.00	1.00	1	POT BODYFG SAND
194.00	82.00	CSC	e	0.00 - 0.00	12.80	1	CL SHAT CRY
194.00	76.00	CSC	e	0.00 - 0.00	18.30	2	CL FLA DECORT CRY
194.00	76.00	CSC	e	0.00 - 0.00	0.10	1	CL FLA CRY
194.00	76.00	CSC	e	0.00 - 0.00	0.60	1	SHELL
194.00	76.00	CSC	e	0.00 - 0.00	1.10	1	GLASS CURVE
194.00	70.00	CSC	e	0.00 - 0.00	14.40	1	BRICK
194.00	70.00	CSC	e	0.00 - 0.00	1.30	2	CL FLA DECORT CRY
188.00	88.00	CSC	e	0.00 - 0.00	17.70	2	CL FLA DECORT CRY
188.00	88.00	CSC	e	0.00 - 0.00	4.70	2	CL FLA SFTLP CRY
188.00	88.00	CSC	e	0.00 - 0.00	3.20	1	CL FLA DECORT CRR
188.00	88.00	CSC	e	0.00 - 0.00	1.90	2	CL FLA CRY
188.00	88.00	CSC	e	0.00 - 0.00	3.40	2	CL FLA SFTLP CRY
188.00	88.00	CSC	e	0.00 - 0.00	0.20	1	CL FLA CRR
188.00	88.00	CSC	e	0.00 - 0.00	3.60	1	CL FLA DECORT OQZ
188.00	88.00	CSC	e	0.00 - 0.00	6.80	4	GLASS CURVE
188.00	82.00	CSC	e	0.00 - 0.00	1.40	1	CL FLA DECORT CRY
188.00	82.00	CSC	e	0.00 - 0.00	0.60	2	CL FLA CRR
188.00	82.00	CSC	e	0.00 - 0.00	4.40	2	CL FLA DECORT CRR
188.00	82.00	CSC	e	0.00 - 0.00	3.80	2	CL FLA CRT
188.00	82.00	CSC	e	0.00 - 0.00	0.10	1	CL FLA CRY
188.00	82.00	CSC	e	0.00 - 0.00	0.30	1	SHELL
188.00	82.00	CSC	e	0.00 - 0.00	0.70	1	GLASS CURVE
188.00	82.00	CSC	e	0.00 - 0.00	18.40	2	BRICK FR
188.00	76.00	CSC	e	0.00 - 0.00	89.40	1	BRICK FF
188.00	76.00	CSC	e	0.00 - 0.00	0.20	1	SHELL
188.00	76.00	CSC	e	0.00 - 0.00	1.00	1	GLASS CURVE
188.00	76.00	GENER	e	0.00 - 0.00	68.20	1	CL BIFK ST1 CPY

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
SITE# = 23DU289							
		GENER	e	0.00 - 0.00	8.10	1	CL DRAWL CRY
		GENER	e	0.00 - 0.00	7.60	1	CL PPK EYPNST WHCFT
		GENER	e	0.00 - 0.00	3500.00	1	GRL ANVIL PECK QOZ
		BD	1	0.00 - 0.00	20.00	1	FOSSIL COAL
		BD	1	0.00 - 0.00	3.20	1	CL FLA DECORT CRR
		BD	1	0.00 - 0.00	2.10	3	CL FLA CRR
		BD	1	0.00 - 0.00	1.70	1	CL FLA QZIT
		BD	1	0.00 - 0.00	1.00	1	CL FLA CRY
		BD	1	0.00 - 0.00	2.10	1	GLASS CURVE
		BD	7	0.00 - 0.00	0.80	1	ANIM BONE
		BD	7	0.00 - 0.00	13.70	10	FOSSIL COAL
		BD	7	0.00 - 0.00	2.10	2	CL FLA CRT
		BD	7	0.00 - 0.00	12.90	1	CL SHAT CRR
		BD	7	0.00 - 0.00	8.10	1	CL SHAT CRY
		BD	7	0.00 - 0.00	0.40	1	CL FLA CRR
		BD	7	0.00 - 0.00	1.70	1	CL FLA QOZ
		BD	7	0.00 - 0.00	1.90	1	CL FLA SFTLP CRY
		BD	7	0.00 - 0.00	0.60	2	CL FLA WHCFT
		BD	7	0.00 - 0.00	334.40	1	REDW DPIPE
		BD	13	0.00 - 0.00	2.10	2	CL FLA SFTLP CRY
		BD	13	0.00 - 0.00	1.80	1	CL FLA DECORT CRY
		BD	13	0.00 - 0.00	0.50	1	CL FLA CRY
		BD	13	0.00 - 0.00	27.00	2	METAL
		BD	13	0.00 - 0.00	4.40	1	CL FLA DECORT CRY
		BD	13	0.00 - 0.00	3.80	4	CL FLA CRR
		BD	13	0.00 - 0.00	6.30	2	CL FLA DECORT CRR
		BD	13	0.00 - 0.00	4.90	2	FOSSIL COAL
		BD	19	0.00 - 0.00	28.10	3	CL FLA DECORT CRY
		BD	19	0.00 - 0.00	0.90	1	CL FLA SFTLP CRY
		BD	19	0.00 - 0.00	2.40	2	CL FLA SFTLP CRY
		BD	19	0.00 - 0.00	3.90	3	CL FLA CRY
		BD	19	0.00 - 0.00	1.10	4	CL FLA CRR
		BD	19	0.00 - 0.00	16.10	7	CL FLA DECORT CRR
		BD	25	0.00 - 0.00	6.90	6	CL FLA CRR
		BD	25	0.00 - 0.00	6.40	7	CL FLA DECORT CRR
		BD	25	0.00 - 0.00	9.40	5	CL FLA CRY
		BD	25	0.00 - 0.00	2.00	1	CL FLA SFTLP CRY
		BD	25	0.00 - 0.00	4.10	1	CL FLA DECORT CRY
		BD	25	0.00 - 0.00	22.10	1	CL SHAT CRR
		BD	25	0.00 - 0.00	0.70	1	CL FLA CRT
		BD	31	0.00 - 0.00	3.20	1	CL FLA DECORT CRY
		BD	31	0.00 - 0.00	18.10	1	CL FLA DECORT QOZ
		BD	31	0.00 - 0.00	204.50	1	CL CHNK TESTED CRY
		BD	31	0.00 - 0.00	1.60	3	CL FLA CRY
		BD	31	0.00 - 0.00	6.20	5	CL FLA CRR
		BD	31	0.00 - 0.00	52.00	2	REDW DPIPE
		BD	31	0.00 - 0.00	12.50	1	CL BIFK QOZ DS
		BD	31	0.00 - 0.00	47.10	4	POT BODY SHELL
		BD	31	0.00 - 0.00	1.20	2	POT BODYFG SHELL
		BD	31	0.00 - 0.00	0.20	1	ANIM BONE
		BD	37	0.00 - 0.00	1.20		POT BODYFG SHELL
		BD	37	0.00 - 0.00	0.50	1	CL FLA SFTLP CRR
		BD	37	0.00 - 0.00	1.00	3	CL FLA CRY
		BD	37	0.00 - 0.00	0.40	1	CL FLA SFTLP CRY
		BD	43	0.00 - 0.00	30.00	1	ANIM BONE
		BD	43	0.00 - 0.00	4.80	2	CL FLA DECORT CRR



North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
SITE# = 2301289							
BD	43	0.00	- 0.00	1.10	1	CL	FLA CRY
BD	43	0.00	- 0.00	0.20	1	CL	FLA WHCRT
BD	43	0.00	- 0.00	18.40	1	CL	SHAT CRY
BD	49	0.00	- 0.00	1.20	1	CL	FLA CRR
BD	49	0.00	- 0.00	2.60	2	CL	FLA CRY
BD	55	0.00	- 0.00	63.40	1	CL	BIFK ST3 CRY
BD	61	0.00	- 0.00	1.00	1	CL	FLA CRR
BD	61	0.00	- 0.00	0.60	1	CL	FLA SFTLP CRY
BD	61	0.00	- 0.00	0.30	2	CL	FLA CRY
BD	61	0.00	- 0.00	5.00		METAL	
BD	67	0.00	- 0.00	46.90	1	CL	BIFK ST1 CRY
BD	73	0.00	- 0.00	9.10	1	GLASS	MOLD
BD	97	0.00	- 0.00	73.80	1	GLASS	JRIM LBLUE
BD	97	0.00	- 0.00	5.20	5	CL	FLA CRY
BD	97	0.00	- 0.00	5.50	4	CL	FLA DECORT CRY
BD	97	0.00	- 0.00	0.40	1	CL	FLA CRR
BD	97	0.00	- 0.00	0.40	1	CL	FLA DECORT CRR
BD	103	0.00	- 0.00	1.70	1	CL	FLA SFTLP ORZ
BD	103	0.00	- 0.00	3.20	1	CL	FLA RUM CRY
BD	103	0.00	- 0.00	38.50	1	CL	SHAT CRY
BD	109	0.00	- 0.00	0.50	1	CL	FLA SFTLP CRY
BD	109	0.00	- 0.00	4.10	1	CL	BIFK CRR FR FC
BD	109	0.00	- 0.00	0.40	1	URM	CHNK CRR FC
BD	115	0.00	- 0.00	1.00	2	CL	FLA CRR
BD	115	0.00	- 0.00	0.50	1	URM	CHNK HEM
BD	121	0.00	- 0.00	20.70	1	GLASS	BASE LBLUE
BD	121	0.00	- 0.00	9.10	3	CL	FLA DECORT CRY
BD	121	0.00	- 0.00	6.80	4	CL	FLA DECORT CRR
BD	121	0.00	- 0.00	1.00	2	CL	FLA CRR
BD	121	0.00	- 0.00	3.30	5	CL	FLA CRY
BD	127	0.00	- 0.00	0.60	1	CL	FLA DECORT CRR
BD	127	0.00	- 0.00	0.40	1	CL	FLA CRR
BD	127	0.00	- 0.00	4.10	2	CL	FLA CRY
BD	127	0.00	- 0.00	155.80	1	URM	CHNK PEWD
BD	133	0.00	- 0.00	4.80	1	CL	BIFK WHCRT FR
BD	133	0.00	- 0.00	0.30	1	CL	FLA CRR
BD	133	0.00	- 0.00	1.10	2	CL	FLA CRY
BD	133	0.00	- 0.00	7.00	3	CL	FLA DECORT CRY
BD	133	0.00	- 0.00	1.70	1	CL	FLA DECORT CRR
BD	133	0.00	- 0.00	9.20		URM	CHNK FC
BD	139	0.00	- 0.00	3.00	1	POT	BODY SAND
BD	139	0.00	- 0.00	1.50	2	CL	FLA DECORT CRY
BD	139	0.00	- 0.00	0.80	1	CL	FLA CRR
BD	139	0.00	- 0.00	10.00		URM	CHNK FC
BD	145	0.00	- 0.00	2.20	2	CL	FLA DECORT CRR
BD	145	0.00	- 0.00	1.10	2	CL	FLA SFTLP CRR
BD	145	0.00	- 0.00	0.10	1	CL	FLA CRR
BD	145	0.00	- 0.00	4.20	3	CL	FLA CRY
BD	145	0.00	- 0.00	2.90	2	CL	FLA DECORT CRY
BD	151	0.00	- 0.00	1.20	2	CL	FLA SFTLP CRY
BD	151	0.00	- 0.00	0.30	1	CL	FLA SFTLP CRT
BD	151	0.00	- 0.00	0.20	1	CL	FLA LUNA CRR
BD	151	0.00	- 0.00	0.10	1	CL	FLA CRR
BD	157	0.00	- 0.00	1.60	2	CL	FLA DECORT CRR
BD	157	0.00	- 0.00	0.10	1	CL	FLA CRR
BD	157	0.00	- 0.00	1.30	2	CL	FLA DECORT CRY

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...			
SITE# = 2300289										
BD	157	0.00	-	0.00	0.30	1	CL	FLA	QQZ	
BD	163	0.00	-	0.00	3.60	1	POT	BODY	SAND	
BD	163	0.00	-	0.00	1.40		POT	BODYFG	SAND	
BD	163	0.00	-	0.00	23.40	3	CL	FLA	DECORT	CRY
BD	163	0.00	-	0.00	6.10	4	CL	FLA	CRY	
BD	163	0.00	-	0.00	0.70	1	CL	FLA	WHCRT	
BD	163	0.00	-	0.00	5.60	6	CL	FLA	SFTLP	CRY
BD	163	0.00	-	0.00	7.10	8	CL	FLA	CRR	
BD	163	0.00	-	0.00	0.80	1	CL	FLA	SFTLP	CRR
BD	163	0.00	-	0.00	13.10	5	CL	FLA	DECORT	CRR
BD	163	0.00	-	0.00	15.20	1	CL	FLA	DECORT	QQZ
BD	163	0.00	-	0.00	1.30	1	CL	FLA	DECORT	QQZ
BD	163	0.00	-	0.00	1.40	1	METAL	FERS		
BD	163	0.00	-	0.00	1.00	1	GLASS	CURVE		
BD	163	0.00	-	0.00	7.20	1	STONEW	ALBALB		
BD	169	0.00	-	0.00	0.90	4	CL	FLA	CRY	
BD	169	0.00	-	0.00	0.20	1	CL	FLA	WHCRT	
BD	169	0.00	-	0.00	59.00	1	CL	COBL	TESTED	CRY
BD	169	0.00	-	0.00	9.70		URM	CHNK	FC	
BD	175	0.00	-	0.00	0.20	1	CL	FLA	CRY	
BD	175	0.00	-	0.00	0.50	2	CL	FLA	CRR	
BD	175	0.00	-	0.00	2.10	1	CL	FLA	DECORT	CRY
BD	175	0.00	-	0.00	14.30	3	CL	FLA	DECORT	CRR
BD	175	0.00	-	0.00	6.20	1	BRICK	FR		
BD	181	0.00	-	0.00	0.20	1	CL	FLA	CRR	
BD	181	0.00	-	0.00	2.00	1	CL	FLA	DECORT	CRY
BD	181	0.00	-	0.00	1.20	1	CL	FLA	DECORT	CRT
BD	181	0.00	-	0.00	1.90	1	CL	FLA	DECORT	CRR
BD	181	0.00	-	0.00	22.20	1	CL	SHAT	CRY	
BD	181	0.00	-	0.00	0.20	1	CL	FLA	QQZ	
BD	181	0.00	-	0.00	0.20	1	CL	FLA	CRT	
BD	181	0.00	-	0.00	2.40	1	POT	BODY	SAND	WEA
BD	187	0.00	-	0.00	0.10	1	CL	FLA	CRR	
BD	187	0.00	-	0.00	11.10	3	URM	CHNK	FC	
BD	193	0.00	-	0.00	13.80	2	CL	FLA	DECORT	CRR
BD	193	0.00	-	0.00	0.10	1	CL	FLA	CRR	
BD	193	0.00	-	0.00	4.00	1	METAL	GEAR		
BD	199	0.00	-	0.00	15.30	1	CL	BIFK	END	CRY
BD	199	0.00	-	0.00	0.30	1	URM	CHNK	CRR	FC
BD	205	0.00	-	0.00	0.80	3	CL	FLA	CRR	
BD	205	0.00	-	0.00	0.40	1	CL	FLA	DECORT	CRR
BD	211	0.00	-	0.00	2.70	2	CL	FLA	SFTLP	CRY
BD	211	0.00	-	0.00	0.30	1	CL	FLA	CRY	
BD	211	0.00	-	0.00	11.80	1	CL	FLA	DECORT	CRY
BD	211	0.00	-	0.00	7.60	2	CL	FLA	DECORT	CRR
BD	211	0.00	-	0.00	130.00	1	CL	COBL	TESTED	QQZ
BD	217	0.00	-	0.00	1.50	1	CL	FLA	SFTLP	CRY
BD	217	0.00	-	0.00	1.50	1	CL	FLA	DECORT	QQZ
BD	217	0.00	-	0.00	6.10	3	CL	FLA	DECORT	CRY
BD	217	0.00	-	0.00	0.80	2	CL	FLA	CRR	
BD	217	0.00	-	0.00	0.30	1	CL	FLA	DECORT	CRR
BD	217	0.00	-	0.00	0.40	1	CL	FLA	WHCRT	
BD	223	0.00	-	0.00	0.40	1	CL	FLA	QQZ	
BD	223	0.00	-	0.00	0.40	2	CL	FLA	SFTLP	CRR
BD	223	0.00	-	0.00	3.30	2	CL	FLA	DECORT	CRR
BD	223	0.00	-	0.00	5.00	1	CL	SHAT	CRR	

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
SITE# = 2300289							
BD	223	0.00	-	0.00	9.40	1	CL BIFK CRP SP
BD	229	0.00	-	0.00	1.40	2	CL FLA CRR
BD	229	0.00	-	0.00	11.80	4	CL FLA DECORT CRY
BD	229	0.00	-	0.00	5.50	2	CL FLA DECORT CRY
BD	229	0.00	-	0.00	0.30	1	CL FLA CRY
BD	229	0.00	-	0.00	8.00	1	CL SHAT CRT
BD	229	0.00	-	0.00	86.10	1	CL COBL TESTED CRY
BD	229	0.00	-	0.00	2.80	1	CL FLA DECORT CRT
BD	229	0.00	-	0.00	1.30	1	CL FLA SCR PUM CRR
BD	235	0.00	-	0.00	0.20	1	CL FLA CRY
BD	235	0.00	-	0.00	1.20	2	CL FLA CRR
BD	235	0.00	-	0.00	0.40	1	CL FLA OQZ
BD	235	0.00	-	0.00	3.20	3	CL FLA DECORT CRR
BD	235	0.00	-	0.00	2.40	1	CL SHAT CRR
BD	235	0.00	-	0.00	3.60	2	CL SHAT OQZ
BD	241	0.00	-	0.00	2.30	1	CL FLA DECORT OQZ
BD	241	0.00	-	0.00	0.40	1	CL FLA WHCRT
BD	241	0.00	-	0.00	0.30	2	CL FLA CRR
BD	241	0.00	-	0.00	0.20	1	CL FLA CRY
BD	241	0.00	-	0.00	1.50	1	WHITEW RIM
BD	241	0.00	-	0.00	83.90	1	CL COBL TESTED OQZ
BD	241	0.00	-	0.00	39.90	1	CL CORE OQZ
BD	247	0.00	-	0.00	1.20	1	CL FLA CRY
BD	253	0.00	-	0.00	34.70	1	BRICK
BD	253	0.00	-	0.00	2.30	4	CL FLA CRR
BD	253	0.00	-	0.00	0.40	1	CL FLA DECORT CRR
BD	253	0.00	-	0.00	0.70	1	CL FLA CRY
BD	253	0.00	-	0.00	1.70	1	CL FLA DECORT CRY
BD	253	0.00	-	0.00	132.00	1	CL COBL TESTED CRY
BD	259	0.00	-	0.00	1.40	2	CL FLA SFTLP CRY
BD	259	0.00	-	0.00	0.90	1	CL FLA DECORT CRY
BD	259	0.00	-	0.00	0.70	1	WHITEW BODY
BD	265	0.00	-	0.00	0.20	1	CL FLA DECORT CRY
BD	265	0.00	-	0.00	1.20	1	CL FLA SFTLP CRY
BD	265	0.00	-	0.00	0.60	1	CL FLA CRY
BD	265	0.00	-	0.00	3.60	1	CL FLA DECORT CRR
BD	271	0.00	-	0.00	13.70	2	CL SHAT CRY
BD	271	0.00	-	0.00	78.60	1	CL SHAT OQZ
BD	271	0.00	-	0.00	1.70	1	CL FLA OQZ
BD	271	0.00	-	0.00	0.60	1	CL FLA SFTLP CRR
BD	271	0.00	-	0.00	1.40	2	CL FLA CRR
BD	271	0.00	-	0.00	0.40	1	CL FLA WHCRT
BD	271	0.00	-	0.00	5.40	1	POT BODY SAND
BD	271	0.00	-	0.00	0.50	1	POT PEL
BD	277	0.00	-	0.00	1.10	1	CL FLA DECORT CRR
BD	277	0.00	-	0.00	0.30	1	CL FLA DECORT CRY
BD	277	0.00	-	0.00	0.20	1	CL FLA CRT
BD	283	0.00	-	0.00	2.20	2	CL FLA DECORT CRY
BD	283	0.00	-	0.00	0.10	1	CL FLA CRY
BD	283	0.00	-	0.00	0.30	1	CL FLA CRR
BD	289	0.00	-	0.00	2.00	1	POT BODY SAND
BD	289	0.00	-	0.00	4.50	4	CL FLA DECORT CRR
BD	289	0.00	-	0.00	6.00	1	CL FLA DECORT CRY
BD	289	0.00	-	0.00	0.50	1	CL FLA CRR
BD	289	0.00	-	0.00	0.90	1	CL FLA CRY
BD	295	0.00	-	0.00	2.80	4	CL FLA CRR

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
SITE# = 2300289							
BD	295	0.00	- 0.00	24.60	2	CL	FLA DECORT CRY
BD	295	0.00	- 0.00	2.40	1	POT	BODYFG CRNK SAND
BD	301	0.00	- 0.00	3.10	2	CL	FLA CRR
BD	301	0.00	- 0.00	1.30	1	CL	FLA DECORT CRY
BD	301	0.00	- 0.00	10.00		URM	CHNK FC
BD	307	0.00	- 0.00	1.10	1	WHITEW	BODY
BD	307	0.00	- 0.00	4.60	1	CL	FLA DECORT CRY
BD	313	0.00	- 0.00	41.50	6	CL	FLA DECORT CRR
BD	313	0.00	- 0.00	1.20	2	CL	FLA CRY
BD	313	0.00	- 0.00	1.30	1	CL	FLA CRR
BD	313	0.00	- 0.00	8.50		POT	PEL
BD	313	0.00	- 0.00	55.60	3	CL	FLA DECORT CRY
BD	313	0.00	- 0.00	63.00	1	CL	COBL TESTED CRY
BD	319	0.00	- 0.00	52.30	1	BRICK	FR
BD	319	0.00	- 0.00	24.80	1	CL	RIFK ST1 CRY
BD	319	0.00	- 0.00	1.00	1	CL	FLA SFTLP CRY
BD	319	0.00	- 0.00	2.70	1	CL	FLA CRR
BD	319	0.00	- 0.00	0.30	1	CL	FLA SFTLP CRR
BD	319	0.00	- 0.00	0.80	1	GLASS	CURVE
BD	325	0.00	- 0.00	20.90	3	CL	FLA DECORT CRR
BD	325	0.00	- 0.00	12.90	5	CL	FLA DECORT CRY
BD	325	0.00	- 0.00	0.70	1	CL	FLA CRY
BD	325	0.00	- 0.00	0.40	1	CL	FLA SFTLP CRY
BD	325	0.00	- 0.00	0.50	2	CL	FLA SFTLP CRR
BD	325	0.00	- 0.00	1.30	1	CL	FLA SFTLP WHORT
BD	325	0.00	- 0.00	1.80	1	POT	BODYFG SAND
BD	337	0.00	- 0.00	0.50	1	WHITEW	RIM
BD	337	0.00	- 0.00	4.90	1	CL	FLA DECORT CRY
BD	337	0.00	- 0.00	0.30	1	CL	FLA CRR
BD	337	0.00	- 0.00	11.30	1	CL	FLA RUM CRY FC
BD	337	0.00	- 0.00	10.90		URM	CHNK FC
BD	349	0.00	- 0.00	39.30	1	METAL	FERS
BD	355	0.00	- 0.00	5.70	1	UPM	CHNK HEM
BD	355	0.00	- 0.00	20.00	1	METAL	NAIL FERS
BD	361	0.00	- 0.00	4.50	1	BRICK	FR
BD	361	0.00	- 0.00	1.20	1	GLASS	CURVE
BD	367	0.00	- 0.00	2.50	1	CL	FLA DECORT CRY
BD	367	0.00	- 0.00	13.30	1	CL	FLA DECORT WHORT
BD	367	0.00	- 0.00	13.50	1	CL	PEBL TESTED CRR
BD	397	0.00	- 0.00	2.60	1	CL	FLA CRY
BD	403	0.00	- 0.00	8.40	1	CL	DART CNTRST CRY PY
GENER		0.00	- 0.00	4.80	2	POT	BODY SAND
GENER		0.00	- 0.00	8.40	1	CL	DART CNTRST CRY PY

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
-------	------	------	-------	---------------	----	----	--------------

--> SITENO = 23DU239

182.00	94.00	CSC	e	0.00 - 0.00	0.20	1	CL	FLA	CPY
--------	-------	-----	---	-------------	------	---	----	-----	-----

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
-------	------	------	-------	---------------	----	----	--------------

--> SITENO = 23DU289

260.00	100.00	CSC	e	0.00 - 0.00	1.30	1	GLASS MOLD
260.00	100.00	CSC	e	0.00 - 0.00	0.20	1	CL FLA CPY
260.00	100.00	CSC	e	0.00 - 0.00	0.20	1	CL FLA CRR
260.00	100.00	CSC	e	0.00 - 0.00	20.80	1	CL CORL TESTED CPY

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...			
--- SITE NO = 13DU290										
500.00	100.00	CSC		0.00 - 0.00	4.80	1	POT	BODY	SHELL	
500.00	100.00	CSC		0.00 - 0.00	3.50	1	POT	BODY	SAND	
500.00	100.00	CSC		0.00 - 0.00	1.00	1	POT	BODYFG	SAND	
500.00	100.00	CSC		0.00 - 0.00	0.40	1	CL	FLA	SFTLP	CRP
500.00	100.00	CSC		0.00 - 0.00	0.30	1	CL	FLA	CRY	
500.00	100.00	CSC		0.00 - 0.00	18.20	1	URM	CHNK	FC	
494.00	100.00	CSC		0.00 - 0.00	3.70	1	POT	RIM	SHELL	
494.00	100.00	CSC		0.00 - 0.00	0.50	1	POT	BODYFG	SHELL	
494.00	100.00	CSC		0.00 - 0.00	4.20	1	CL	FLA	DECORT	CRT
494.00	100.00	CSC		0.00 - 0.00	0.50	1	CL	FLA	CRP	
494.00	100.00	CSC		0.00 - 0.00	13.50		URM	CHNK	FC	
488.00	100.00	CSC		0.00 - 0.00	20.80	7	POT	BODY	SHELL	
488.00	100.00	CSC		0.00 - 0.00	8.70	1	POT	BODY	SAND	
488.00	100.00	CSC		0.00 - 0.00	45.50	1	URM	COBL	QZIT	
482.00	100.00	CSC		0.00 - 0.00	16.90	5	POT	BODY	SAND	
482.00	100.00	CSC		0.00 - 0.00	0.60		POT	BODYFG	SHELL	
482.00	100.00	CSC		0.00 - 0.00	2.90	1	POT	BODY	RED	SHELL
482.00	100.00	CSC		0.00 - 0.00	32.80	7	POT	BODY	SHELL	
482.00	100.00	CSC		0.00 - 0.00	3.30	4	CL	FLA	CRY	
482.00	100.00	CSC		0.00 - 0.00	3.40	1	CL	FLA	CRR	
482.00	100.00	CSC		0.00 - 0.00	0.40	1	CL	FLA	CRT	
482.00	100.00	CSC		0.00 - 0.00	4.40	1	CL	FLA	QOZ	
482.00	100.00	CSC		0.00 - 0.00	2.00	1	CL	PPK	EXPNST	CRY PS
376.00	100.00	CSC		0.00 - 0.00	51.50	2	POT	BODY	SHELL	
376.00	100.00	CSC		0.00 - 0.00	2.40	1	POT	BODY	RED	SHELL
376.00	100.00	CSC		0.00 - 0.00	3.50	1	POT	BODY	CRMK	SAND
376.00	100.00	CSC		0.00 - 0.00	0.70		POT	RIMFG	SHELL	
376.00	100.00	CSC		0.00 - 0.00	0.70		POT	BODYFG	SHELL	
376.00	100.00	CSC		0.00 - 0.00	1.40	1	CL	FLA	DECORT	CRY
376.00	100.00	CSC		0.00 - 0.00	19.80	1	CL	COBL	TESTED	CRY
470.00	100.00	CSC		0.00 - 0.00	19.20	1	POT	BODY	RED	SHELL
470.00	100.00	CSC		0.00 - 0.00	1.40	2	POT	RIM	RED	SHELL
470.00	100.00	CSC		0.00 - 0.00	13.80	4	POT	BODY	CRMK	SAND
470.00	100.00	CSC		0.00 - 0.00	9.40	3	POT	BODY	SAND	
470.00	100.00	CSC		0.00 - 0.00	0.30	1	POT	BODYFG	SHELL	
470.00	100.00	CSC		0.00 - 0.00	2.80		POT	PEL		
470.00	100.00	CSC		0.00 - 0.00	72.60	1	CL	CORE	CRP	
470.00	100.00	CSC		0.00 - 0.00	3.50	1	CL	FLA	DECORT	CRP
470.00	100.00	CSC		0.00 - 0.00	0.60	2	CL	FLA	CRR	
470.00	100.00	CSC		0.00 - 0.00	0.10	1	CL	FLA	CRY	
470.00	100.00	CSC		0.00 - 0.00	29.60	6	CL	FLA	DECORT	CPY
470.00	100.00	CSC		0.00 - 0.00	2.60	2	CL	FLA	CRT	
470.00	100.00	CSC		0.00 - 0.00	29.70	9	POT	BODY	SHELL	
464.00	100.00	CSC		0.00 - 0.00	9.40	1	POT	BODY	SAND	
464.00	100.00	CSC		0.00 - 0.00	1.40		POT	BODYFG	SAND	
464.00	100.00	CSC		0.00 - 0.00	14.60	3	POT	BODY	CRMK	SAND
464.00	100.00	CSC		0.00 - 0.00	3.80	1	POT	RIM	CRMK	SAND
464.00	100.00	CSC		0.00 - 0.00	5.20		POT	BODYFG	SHELL	
464.00	100.00	CSC		0.00 - 0.00	26.30	8	POT	BODY	SHELL	
464.00	100.00	CSC		0.00 - 0.00	5.90	2	SHELL	MUSSEL		
464.00	100.00	CSC		0.00 - 0.00	1.70	1	CL	FLA	CRY	
458.00	100.00	CSC		0.00 - 0.00	48.00	13	POT	BODY	SHELL	
458.00	100.00	CSC		0.00 - 0.00	7.30	1	POT	BODY	RED	SHELL
458.00	100.00	CSC		0.00 - 0.00	3.70	1	POT	BODY	SAND	

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...				
SITENO = 230U290											
458.00	100.00	CSC		0.00 - 0.00	8.60	1	CL	PPK	EXPST	CRR	
458.00	100.00	CSC		0.00 - 0.00	1.80	1	CL	FLA	RUM	CRR	
458.00	100.00	CSC		0.00 - 0.00	3.50	3	CL	FLA	CRR		
458.00	100.00	CSC		0.00 - 0.00	3.00	2	CL	FLA	CRY		
458.00	100.00	CSC		0.00 - 0.00	0.30	1	ANIM	TURTLE			
452.00	100.00	CSC		0.00 - 0.00	29.50	2	POT	RIM	SHELL		
452.00	100.00	CSC		0.00 - 0.00	4.50	2	POT	BODY	RED	SHELL	
452.00	100.00	CSC		0.00 - 0.00	36.00	3	POT	BODY	CRMK	SAND	
452.00	100.00	CSC		0.00 - 0.00	15.50	1	POT	BASE	CRMK	SAND	
452.00	100.00	CSC		0.00 - 0.00	18.30	5	POT	BODY	SHELL		
452.00	100.00	CSC		0.00 - 0.00	11.00	2	HUM	BONE			
452.00	100.00	CSC		0.00 - 0.00	6.00	1	SHELL	MUSSEL			
452.00	100.00	CSC		0.00 - 0.00	14.90	1	CL	FLA	DECORT	CRY	
452.00	100.00	CSC		0.00 - 0.00	0.60	1	CL	FLA	SFTLP	CRY	
452.00	100.00	CSC		0.00 - 0.00	0.60	1	CL	FLA	SFTLP	WHCRT	
452.00	100.00	CSC		0.00 - 0.00	9.10	3	CL	FLA	DECORT	CRR	
452.00	100.00	CSC		0.00 - 0.00	4.40	2	CL	FLA	DECORT	CRY	
452.00	100.00	CSC		0.00 - 0.00	4.70	2	CL	FLA	CRY		
452.00	100.00	CSC		0.00 - 0.00	45.30		URM	CHNK	FC		
446.00	100.00	CSC		0.00 - 0.00	2.50	1	POT	BODY	INCI	SHELL	
446.00	100.00	CSC		0.00 - 0.00	0.60	2	ANIM	TURTLE			
446.00	100.00	CSC		0.00 - 0.00	16.80	4	POT	BODY	SAND		
446.00	100.00	CSC		0.00 - 0.00	1.40		POT	BODYFG	SAND		
446.00	100.00	CSC		0.00 - 0.00	4.70	1	HUM	BONE	METAT		
446.00	100.00	CSC		0.00 - 0.00	5.40	4	ANIM	BONE			
446.00	100.00	CSC		0.00 - 0.00	22.90	4	POT	BODY	CRMK	SAND	
446.00	100.00	CSC		0.00 - 0.00	4.70	3	POT	BODY	RED	SHELL	
446.00	100.00	CSC		0.00 - 0.00	11.10		POT	BODYFG	SHELL		
446.00	100.00	CSC		0.00 - 0.00	59.50	18	POT	BODY	SHELL		
446.00	100.00	CSC		0.00 - 0.00	7.60	2	SHELL	MUSSEL			
446.00	100.00	CSC		0.00 - 0.00	2.00	1	CL	FLA	OGZ		
446.00	100.00	CSC		0.00 - 0.00	8.60	8	CL	FLA	CRY		
446.00	100.00	CSC		0.00 - 0.00	2.70	1	CL	BIFK	CRR	DS	
446.00	100.00	CSC		0.00 - 0.00	63.10	11	CL	FLA	DECORT	CRY	
446.00	100.00	CSC		0.00 - 0.00	1.60	1	CL	FLA	SFTLP	CRY	
446.00	100.00	CSC		0.00 - 0.00	4.20	5	CL	FLA	DECOPT	CRP	
446.00	100.00	CSC		0.00 - 0.00	0.60	1	CL	FLA	SFTLP	CRR	
446.00	100.00	CSC		0.00 - 0.00	2.90	3	CL	FLA	CRR		
446.00	100.00	CSC		0.00 - 0.00	8.00	1	CL	FLA	DECORT	CRY	
446.00	100.00	CSC		0.00 - 0.00	2.10	1	CL	FLA	SFTLP	CRR	
440.00	100.00	CSC		0.00 - 0.00	111.00	1	GRL	HAM	OGZ		
440.00	100.00	CSC		0.00 - 0.00	1.80	3	SHELL				
440.00	100.00	CSC		0.00 - 0.00	0.90	2	ANIM	TURTLE			
440.00	100.00	CSC		0.00 - 0.00	4.80	1	ANIM	BONE	JAW		
440.00	100.00	CSC		0.00 - 0.00	2.80	1	ANIM	BONE	VERT		
440.00	100.00	CSC		0.00 - 0.00	16.30	12	HUM	BONE			
440.00	100.00	CSC		0.00 - 0.00	3.00	4	CL	FLA	SFTLP	CRY	
440.00	100.00	CSC		0.00 - 0.00	3.70	2	CL	FLA	CRY		
440.00	100.00	CSC		0.00 - 0.00	2.70	4	CL	FLA	CRR		
440.00	100.00	CSC		0.00 - 0.00	9.30	3	CL	FLA	DECORT	CRY	
440.00	100.00	CSC		0.00 - 0.00	3.80	1	CL	FLA	OGZ		
440.00	100.00	CSC		0.00 - 0.00	1.00	1	CL	BIFK	ST3	WHCRT	FR
440.00	100.00	CSC		0.00 - 0.00	1.00	3	POT	BODY	CRMK	SAND	
440.00	100.00	CSC		0.00 - 0.00	4.00		POT	BODYFG	SHELL		
440.00	100.00	CSC		0.00 - 0.00	2.70	1	POT	BODY	RED	SHELL	
440.00	100.00	CSC		0.00 - 0.00	150.40	24	POT	BODY	SHELL		



North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...			
SITENO = 230U290										
440.00	100.00	CSC		0.00 - 0.00	30.00	6	POT	RIM	SHELL	
434.00	100.00	CSC		0.00 - 0.00	1.50	1	ANIM	BONE		
434.00	100.00	CSC		0.00 - 0.00	6.20	1	SHELL	MUSSEL		
434.00	100.00	CSC		0.00 - 0.00	5.80	4	CL	FLA	CRY	
434.00	100.00	CSC		0.00 - 0.00	39.60	8	CL	FLA	DECORT	CRY
434.00	100.00	CSC		0.00 - 0.00	3.40	2	CL	FLA	SFTLP	CRY
434.00	100.00	CSC		0.00 - 0.00	5.40	1	CL	FLA	WHCRT	
434.00	100.00	CSC		0.00 - 0.00	30.40	9	CL	FLA	DECORT	CRP
434.00	100.00	CSC		0.00 - 0.00	4.90	1	CL	CORE	CRY	FR
434.00	100.00	CSC		0.00 - 0.00	8.50	1	CL	BIFK	ST2	CRP FR
434.00	100.00	CSC		0.00 - 0.00	1.20		POT	BODYFG	RED	SHELL
434.00	100.00	CSC		0.00 - 0.00	3.70	1	POT	RIM	RED	SHELL
434.00	100.00	CSC		0.00 - 0.00	8.00	2	POT	BODY	RED	SHELL
434.00	100.00	CSC		0.00 - 0.00	17.90	2	POT	RIM	SHELL	
434.00	100.00	CSC		0.00 - 0.00	144.60	34	POT	BODY	SHELL	
434.00	100.00	CSC		0.00 - 0.00	61.00	12	POT	BODY	CRMK	SAND
434.00	100.00	CSC		0.00 - 0.00	10.00	1	POT	BODY	INCI	SHELL
434.00	100.00	CSC		0.00 - 0.00	50.50	12	POT	BODY	SAND	
434.00	100.00	CSC		0.00 - 0.00	3.00	1	POT	DAUB		
428.00	100.00	CSC		0.00 - 0.00	3.60	3	CL	FLA	CRP	
428.00	100.00	CSC		0.00 - 0.00	8.30	1	CL	SHAT	CPR	
428.00	100.00	CSC		0.00 - 0.00	2.00	1	CL	FLA	DECORT	CRY
428.00	100.00	CSC		0.00 - 0.00	3.70	3	CL	FLA	CRY	
428.00	100.00	CSC		0.00 - 0.00	94.90	26	POT	BODY	SHELL	
428.00	100.00	CSC		0.00 - 0.00	4.50		POT	BODYFG	SHELL	
428.00	100.00	CSC		0.00 - 0.00	2.20	1	POT	BODY	RED	SHELL
428.00	100.00	CSC		0.00 - 0.00	4.00	2	POT	RIM	SHELL	
428.00	100.00	CSC		0.00 - 0.00	7.80	1	POT	BODY	DEC	SAND WEA
428.00	100.00	CSC		0.00 - 0.00	11.70	3	POT	BODY	CRMK	SAND
428.00	100.00	CSC		0.00 - 0.00	19.50	6	POT	BODY	SAND	
428.00	100.00	CSC		0.00 - 0.00	4.40	1	BONE			
428.00	100.00	CSC		0.00 - 0.00	10.50	1	POT	BASE	SAND	

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
--> SITENO = 23DU290							
422.00	100.00	CSC		0.00 - 0.00	19.80	3	CL SHAT CRY
422.00	100.00	CSC		0.00 - 0.00	1.60	2	CL FLA CRY
422.00	100.00	CSC		0.00 - 0.00	2.20	2	CL FLA CRR
422.00	100.00	CSC		0.00 - 0.00	3.00	2	CL FLA SFTLP CRR
422.00	100.00	CSC		0.00 - 0.00	2.60	1	POT BODY SAND
422.00	100.00	CSC		0.00 - 0.00	31.40	6	POT BODY CRMK SAND
422.00	100.00	CSC		0.00 - 0.00	69.70	21	POT BODY SHELL
422.00	100.00	CSC		0.00 - 0.00	1.10		POT BODYFG SHELL
422.00	100.00	CSC		0.00 - 0.00	7.60	2	POT RIM SHELL
422.00	100.00	CSC		0.00 - 0.00	17.10	2	POT BASE SAND
422.00	100.00	CSC		0.00 - 0.00	17.90	1	POT BASE DEC SAND WEA
422.00	100.00	CSC		0.00 - 0.00	585.60	1	GRL GRIP QZIT
422.00	100.00	CSC		0.00 - 0.00	10.60	1	CL BIFK ST2 CRY
416.00	100.00	CSC		0.00 - 0.00	32.60	1	CL SHAT QZT
416.00	100.00	CSC		0.00 - 0.00	14.50	2	CL FLA DECORT CRY
416.00	100.00	CSC		0.00 - 0.00	4.60	1	CL FLA RUM CRY
416.00	100.00	CSC		0.00 - 0.00	5.40	1	POT BODY SAND
416.00	100.00	CSC		0.00 - 0.00	1.10	1	POT BODYFG SAND
416.00	100.00	CSC		0.00 - 0.00	1.30	1	POT BODYFG CRMK SAND
416.00	100.00	CSC		0.00 - 0.00	16.10	5	POT BODY CRMK SAND
416.00	100.00	CSC		0.00 - 0.00	36.80	2	POT RIM CRMK SAND
416.00	100.00	CSC		0.00 - 0.00	76.70	20	POT BODY SHELL
416.00	100.00	CSC		0.00 - 0.00	2.70		POT BODYFG SHELL
416.00	100.00	CSC		0.00 - 0.00	13.20	2	POT BASE SHELL
416.00	100.00	CSC		0.00 - 0.00	159.00	1	GRL HAM CRTLS
416.00	100.00	CSC		0.00 - 0.00	1.30	2	ANIM BONE
410.00	100.00	CSC		0.00 - 0.00	15.70	1	CL FLA DECORT CRY
410.00	100.00	CSC		0.00 - 0.00	13.20	3	CL FLA DECORT CRR
410.00	100.00	CSC		0.00 - 0.00	1.70	1	CL SHAT CRR
410.00	100.00	CSC		0.00 - 0.00	3.50	1	CL FLA SFTLP CRR
410.00	100.00	CSC		0.00 - 0.00	2.70	2	CL FLA CRY
410.00	100.00	CSC		0.00 - 0.00	8.00	2	CL FLA CRR
410.00	100.00	CSC		0.00 - 0.00	3.20	2	CL FLA SFTLP CRY
410.00	100.00	CSC		0.00 - 0.00	0.50	1	CL FLA QZT
410.00	100.00	CSC		0.00 - 0.00	1.80	1	CL ARROW CORNT CRY
410.00	100.00	CSC		0.00 - 0.00	39.60	1	CL COBL TESTED CRY
410.00	100.00	CSC		0.00 - 0.00	6.20	2	POT BODY SAND
410.00	100.00	CSC		0.00 - 0.00	23.20	4	POT BODY CRMK SAND
410.00	100.00	CSC		0.00 - 0.00	2.40	1	POT RIM SHELL
410.00	100.00	CSC		0.00 - 0.00	85.80	27	POT BODY SHELL
410.00	100.00	CSC		0.00 - 0.00	9.60		POT BODYFG SHELL
410.00	100.00	CSC		0.00 - 0.00	2.10	1	ANIM TURTLE
410.00	100.00	CSC		0.00 - 0.00	34.20	1	ANIM ANTILER
410.00	100.00	CSC		0.00 - 0.00	4.60	1	POT FCLAY
404.00	100.00	CSC		0.00 - 0.00	128.20	31	POT BODY SHELL
404.00	100.00	CSC		0.00 - 0.00	7.50	1	POT RIM SHELL
404.00	100.00	CSC		0.00 - 0.00	1.70	1	POT RIM FING SHELL
404.00	100.00	CSC		0.00 - 0.00	1.40	1	POT RIM SORE SHELL
404.00	100.00	CSC		0.00 - 0.00	7.60		POT BODYFG SHELL
404.00	100.00	CSC		0.00 - 0.00	2.10	1	POT BODY FING SAND
404.00	100.00	CSC		0.00 - 0.00	6.80	2	POT BODY CRMK SAND
404.00	100.00	CSC		0.00 - 0.00	11.80	1	POT RIM CRMK SAND
404.00	100.00	CSC		0.00 - 0.00	8.60	1	POT RIM CRMK SHELL
404.00	100.00	CSC		0.00 - 0.00	30.40	6	POT BODY SAND

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
<b>SITNO = 230290</b>							
404.00	100.00	CSC		0.00 - 0.00	0.20	1	ANIM TURTLE
404.00	100.00	CSC		0.00 - 0.00	1.00	2	ANIM BONE VEPT
404.00	100.00	CSC		0.00 - 0.00	3.30	3	ANIM BONE
404.00	100.00	CSC		0.00 - 0.00	15.90	5	CL FLA DECORT CRY
404.00	100.00	CSC		0.00 - 0.00	3.00	2	CL FLA SFTLP CRY
404.00	100.00	CSC		0.00 - 0.00	8.30	3	CL FLA CRY
404.00	100.00	CSC		0.00 - 0.00	1.80	1	CL FLA CPT
404.00	100.00	CSC		0.00 - 0.00	1.60	2	CL FLA CRP
404.00	100.00	CSC		0.00 - 0.00	5.70	1	CL FLA SFTLP CPP
404.00	100.00	CSC		0.00 - 0.00	12.80	7	CL FLA DECORT CRR
404.00	100.00	CSC		0.00 - 0.00	73.00	1	CL COBL TESTED CRY
404.00	100.00	CSC		0.00 - 0.00	109.10	1	CL COBTO CRY
398.00	100.00	CSC		0.00 - 0.00	1.20	1	ANIM BONE CAL
398.00	100.00	CSC		0.00 - 0.00	6.80	3	CL FLA CRY
398.00	100.00	CSC		0.00 - 0.00	7.50	7	CL FLA DECORT CRY
398.00	100.00	CSC		0.00 - 0.00	1.10	1	CL FLA SFTLP CRY
398.00	100.00	CSC		0.00 - 0.00	1.00	1	CL FLA SFTLP CRR
398.00	100.00	CSC		0.00 - 0.00	6.90	3	CL FLA DECORT CRR
398.00	100.00	CSC		0.00 - 0.00	13.00	7	CL FLA CRR
398.00	100.00	CSC		0.00 - 0.00	103.10	23	POT BODY SHELL
398.00	100.00	CSC		0.00 - 0.00	41.30	12	POT BODY SAND
398.00	100.00	CSC		0.00 - 0.00	20.70	2	POT BODY RED SHELL
398.00	100.00	CSC		0.00 - 0.00	7.90	1	POT RIM SHELL
398.00	100.00	CSC		0.00 - 0.00	7.50	1	POT RIM CRNK SAND
398.00	100.00	CSC		0.00 - 0.00	13.70	4	POT BODY CRNK SAND
398.00	100.00	CSC		0.00 - 0.00	2.90	1	POT RIM SHELL
392.00	100.00	CSC		0.00 - 0.00	2.90	3	CL FLA CRY
392.00	100.00	CSC		0.00 - 0.00	4.20	3	CL FLA DECORT CRY
392.00	100.00	CSC		0.00 - 0.00	1.80	3	CL FLA CRR
392.00	100.00	CSC		0.00 - 0.00	2.90	1	CL FLA SFTLP CRR
392.00	100.00	CSC		0.00 - 0.00	8.70	1	CL SHAT CRR
392.00	100.00	CSC		0.00 - 0.00	10.90	1	POT DAUB
392.00	100.00	CSC		0.00 - 0.00	17.70	3	POT BODY SAND
392.00	100.00	CSC		0.00 - 0.00	1.50	1	POT BODYFG SAND
392.00	100.00	CSC		0.00 - 0.00	4.20	1	POT BODY CRNK SAND
392.00	100.00	CSC		0.00 - 0.00	0.90		POT BODYFG SHELL
392.00	100.00	CSC		0.00 - 0.00	90.10	18	POT BODY SHELL
392.00	100.00	CSC		0.00 - 0.00	4.60	1	POT RIM SHELL
392.00	100.00	CSC		0.00 - 0.00	1.90	1	CL FLA QOZ
392.00	100.00	CSC		0.00 - 0.00	11.80	2	ANIM BONE
386.00	100.00	CSC		0.00 - 0.00	3.30	1	URM CHNK HEM
386.00	100.00	CSC		0.00 - 0.00	1.30	2	CL FLA CRY
386.00	100.00	CSC		0.00 - 0.00	5.40	4	CL FLA CRR
386.00	100.00	CSC		0.00 - 0.00	1.70	2	CL FLA SFTLP CRY
386.00	100.00	CSC		0.00 - 0.00	0.10	1	CL FLA SFTLP CRR
386.00	100.00	CSC		0.00 - 0.00	0.40	1	CL FLA SFTLP CRY
386.00	100.00	CSC		0.00 - 0.00	29.30	6	CL FLA DECORT CRY
386.00	100.00	CSC		0.00 - 0.00	3.20	1	CL FLA DECORT CRR
386.00	100.00	CSC		0.00 - 0.00	8.70	1	CL SHAT CRY
386.00	100.00	CSC		0.00 - 0.00	26.80	1	CL SHAT CRR
386.00	100.00	CSC		0.00 - 0.00	1.30	1	CL FLA QOZ
386.00	100.00	CSC		0.00 - 0.00	1.60	1	CL FLA DECORT QOZ
386.00	100.00	CSC		0.00 - 0.00	4.60	3	POT BODYFG SAND
386.00	100.00	CSC		0.00 - 0.00	2.70	1	POT BODY SAND
386.00	100.00	CSC		0.00 - 0.00	15.50	3	POT BODY CRNK SAND
386.00	100.00	CSC		0.00 - 0.00	1.90	1	POT BODYFG CRNK SAND

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
<b>SITENO = 23DU290</b>							
386.00	100.00	CSC		0.00 - 0.00	1.80	1	POT PINFG CRNK SAND
386.00	100.00	CSC		0.00 - 0.00	23.20	2	POT RIM SHELL
386.00	100.00	CSC		0.00 - 0.00	25.80	2	POT BASE SHELL
386.00	100.00	CSC		0.00 - 0.00	100.50	30	POT BODY SHELL
386.00	100.00	CSC		0.00 - 0.00	5.70		POT BODYFG SHELL
386.00	100.00	CSC		0.00 - 0.00	1.70	2	HUM BONE SKULL
386.00	100.00	CSC		0.00 - 0.00	0.60	1	ANIM BONE BUR
380.00	100.00	CSC		0.00 - 0.00	8.50	4	CL FLA DECORT CRP
380.00	100.00	CSC		0.00 - 0.00	4.00	2	CL FLA SFTLP CRP
380.00	100.00	CSC		0.00 - 0.00	0.50	1	CL FLA SFTLP CRP
380.00	100.00	CSC		0.00 - 0.00	5.60	1	CL FLA CRP
380.00	100.00	CSC		0.00 - 0.00	8.60	6	CL FLA DECORT CRY
380.00	100.00	CSC		0.00 - 0.00	7.60	3	CL FLA SFTLP CRY
380.00	100.00	CSC		0.00 - 0.00	15.30	7	CL FLA CRY
380.00	100.00	CSC		0.00 - 0.00	3.00	1	CL FLA DECORT OQZ
380.00	100.00	CSC		0.00 - 0.00	23.90	1	CL SHAT CRY
380.00	100.00	CSC		0.00 - 0.00	1.90	1	CL SHAT CRP
380.00	100.00	CSC		0.00 - 0.00	6.40	2	POT BODY SAND
380.00	100.00	CSC		0.00 - 0.00	76.30	10	POT BODY CRMK SAND
380.00	100.00	CSC		0.00 - 0.00	13.30	1	POT BODY INCI SAND
380.00	100.00	CSC		0.00 - 0.00	15.40	2	POT RIM SHELL
380.00	100.00	CSC		0.00 - 0.00	7.20	1	POT RIM POLISH SHELL
380.00	100.00	CSC		0.00 - 0.00	21.70	2	POT BODY RED SHELL
380.00	100.00	CSC		0.00 - 0.00	124.00	29	POT BODY SHELL
380.00	100.00	CSC		0.00 - 0.00	38.10	1	POT DAUB
380.00	100.00	CSC		0.00 - 0.00	1.50	1	HUM TOOTH MOLAR
380.00	100.00	CSC		0.00 - 0.00	16.30	6	ANIM BONE
374.00	100.00	CSC		0.00 - 0.00	0.10	1	CL FLA SFTLP CRP
374.00	100.00	CSC		0.00 - 0.00	3.10	4	CL FLA DECORT CRP
374.00	100.00	CSC		0.00 - 0.00	7.00	6	CL FLA CRP
374.00	100.00	CSC		0.00 - 0.00	4.90	6	CL FLA CRY
374.00	100.00	CSC		0.00 - 0.00	31.00	8	CL FLA DECORT CRY
374.00	100.00	CSC		0.00 - 0.00	477.60	1	GRL PITS OQZ
374.00	100.00	CSC		0.00 - 0.00	109.50	1	CL COBL TESTED CRY
374.00	100.00	CSC		0.00 - 0.00	3.20	1	POT BODY RED SHELL
374.00	100.00	CSC		0.00 - 0.00	3.70	1	POT RIM SHELL
374.00	100.00	CSC		0.00 - 0.00	13.50	5	POT BODY SAND
374.00	100.00	CSC		0.00 - 0.00	34.50	9	POT BODY CRMK SAND
374.00	100.00	CSC		0.00 - 0.00	98.30	20	POT BODY SHELL
374.00	100.00	CSC		0.00 - 0.00	0.90	1	ANIM BONE CAL
368.00	100.00	CSC		0.00 - 0.00	22.70	2	CL SHAT CRP
368.00	100.00	CSC		0.00 - 0.00	56.70	1	CL SHAT CRY
368.00	100.00	CSC		0.00 - 0.00	27.10	1	CL COBL CRY
368.00	100.00	CSC		0.00 - 0.00	43.00	1	CL CORE CRY
368.00	100.00	CSC		0.00 - 0.00	31.00	5	CL FLA DECORT CRY
368.00	100.00	CSC		0.00 - 0.00	5.40	3	CL FLA DECORT CRY
368.00	100.00	CSC		0.00 - 0.00	7.50	3	CL FLA CRP
368.00	100.00	CSC		0.00 - 0.00	99.30	17	POT BODY SHELL
368.00	100.00	CSC		0.00 - 0.00	5.50		POT BODYFG SHELL
368.00	100.00	CSC		0.00 - 0.00	53.70	8	POT BODY CRMK SAND
368.00	100.00	CSC		0.00 - 0.00	9.00	1	POT BASE SAND
368.00	100.00	CSC		0.00 - 0.00	7.60	2	POT BODY DEC SAND WEA
368.00	100.00	CSC		0.00 - 0.00	5.10	1	POT BODY SAND
368.00	100.00	CSC		0.00 - 0.00	13.30	1	POT BODY INCI OROO
368.00	100.00	CSC		0.00 - 0.00	3.90	3	SHELL MUSSEL
368.00	100.00	CSC		0.00 - 0.00	3.90	3	ANIM BONE

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
<b>SITENO = 2301298</b>							
362.00	100.00	CSC		0.00 - 0.00	135.70	31	POT BODY SHELL
362.00	100.00	CSC		0.00 - 0.00	3.90		POT BODYFG SHELL
362.00	100.00	CSC		0.00 - 0.00	2.60	1	POT BODY RED SHELL
362.00	100.00	CSC		0.00 - 0.00	20.00	4	POT BODY CRMK SAND
362.00	100.00	CSC		0.00 - 0.00	60.40	11	POT BODY SAND
362.00	100.00	CSC		0.00 - 0.00	10.50		POT PEL
362.00	100.00	CSC		0.00 - 0.00	3.00		POT BODYFG SAND
362.00	100.00	CSC		0.00 - 0.00	13.00	12	ANIM BONE
362.00	100.00	CSC		0.00 - 0.00	8.30	3	CL FLA DECOPT CRR
362.00	100.00	CSC		0.00 - 0.00	8.40	7	CL FLA SFTLP CRR
362.00	100.00	CSC		0.00 - 0.00	8.70	6	CL FLA CRR
362.00	100.00	CSC		0.00 - 0.00	1.70	1	CL BIFK CRR FR
362.00	100.00	CSC		0.00 - 0.00	4.90	1	CL BIFK WMCPT
362.00	100.00	CSC		0.00 - 0.00	3.20	1	CL BIFK CRY
362.00	100.00	CSC		0.00 - 0.00	8.70	2	CL FLA DECOPT CRY
362.00	100.00	CSC		0.00 - 0.00	40.50	12	CL FLA DECOPT CRY
362.00	100.00	CSC		0.00 - 0.00	12.20	10	CL FLA CRY
362.00	100.00	CSC		0.00 - 0.00	84.60	2	CL COBL TESTED CRY
		CC	1	0.00 - 46.00	46.90	1	CL CORE CRR
		CC	1	0.00 - 46.00	1.10	1	CL FLA DECOPT CRY
		CC	1	0.00 - 46.00	1.50	2	CL FLA CRY
		CC	1	0.00 - 46.00	6.30	2	POT BODY CRMK SAND
		CC	1	0.00 - 46.00	1.40	1	ANIM BONE
		CC	2	0.00 - 45.00	25.10	1	CL CHNK TESTED CRR
		CC	2	0.00 - 45.00	6.00	1	CL SHAT CRY
		CC	2	0.00 - 45.00	2.00	1	CL FLA CRY
		CC	2	0.00 - 45.00	1.80	1	CL FLA CRR
		CC	2	0.00 - 45.00	8.70	1	CL FLA DECOPT CRY
		CC	2	0.00 - 45.00	0.30	1	CL FLA SFTLP CRR
		CC	2	0.00 - 45.00	4.20	1	POT BODY RED SHELL
		CC	2	0.00 - 45.00	68.90	2	URM CHNK CRR FC
		CC	3	0.00 - 84.00	2.30	2	CL FLA CRR
		CC	4	0.00 - 62.00	2.50	1	POT BODY SHELL
		GENER		0.00 - 0.00	3.40	1	ANIM TOOTH
		GENER		0.00 - 0.00	1.00	1	ANIM TURTLE
		GENER		0.00 - 0.00	11.70	4	ANIM BONE
		GENER		0.00 - 0.00	2.10	1	ANIM BONE BUR
		GENER		0.00 - 0.00	20.50	2	ANIM BONE
		GENER		0.00 - 0.00	146.80	19	POT BODY RED SHELL
		GENER		0.00 - 0.00	13.70	1	POT RIM RED SHELL
		GENER		0.00 - 0.00	12.20	1	POT SHDISK RED SHELL
		GENER		0.00 - 0.00	12.80	1	POT RIM ENGRAV SHELL
		GENER		0.00 - 0.00	173.50	9	POT RIM SHELL
		GENER		0.00 - 0.00	26.90	1	POT RIM SHED
		GENER		0.00 - 0.00	61.00	1	POT PEL
		GENER		0.00 - 0.00	25.40	1	POT RIM INCI SAND
		GENER		0.00 - 0.00	17.10	2	POT BODY SHED
		GENER		0.00 - 0.00	671.00	60	POT BODY SHELL
		GENER		0.00 - 0.00	6.40	1	POT RIM CRMK SAND
		GENER		0.00 - 0.00	19.60	14	POT BODY SAND
		GENER		0.00 - 0.00	206.70	19	POT BODY CRMK SAND
		GENER		0.00 - 0.00	9.10	1	CL FLA CRR
		GENER		0.00 - 0.00	5.80	3	CL FLA SFTLP CRR
		GENER		0.00 - 0.00	2.80	1	CL FLA DECOPT CRR
		GENER		0.00 - 0.00	3.70	2	CL FLA CRR
		GENER		0.00 - 0.00	3.60	1	CL FLA CRT

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
-------	------	------	-------	---------------	----	----	--------------

--\ SITENO = 23DU290

440.00	100.00	CSC		0.00 - 0.00	4.90	1	ANIM BONE
386.00	100.00	CSC		0.00 - 0.00	0.40	1	HUN BONE P1B

North East Unit Unit# Top-Depth-Btm Wt Ct Acronyms ...

SITENO = 23DU290

GENER	0.00	-	0.00	77.50	5	CL	FLA	DECORT	CPV
GENER	0.00	-	0.00	5.20	4	CL	FLA	CRY	
GENER	0.00	-	0.00	6.10	3	CL	FLA	RUM	CPV
GENER	0.00	-	0.00	2.30	1	CL	DART	RSHAP	CRY
GENER	0.00	-	0.00	15.00	3	CL	FLA	WHCRT	
GENER	0.00	-	0.00	1.00	1	CL	BIFK	CRR	DS
GENER	0.00	-	0.00	10.30	1	CL	BIFK	CRT	DS
GENER	0.00	-	0.00	16.20	1	CL	BIFK	ST3	CRY
GENER	0.00	-	0.00	16.40	1	CL	FLA	00Z	
GENER	0.00	-	0.00	85.10	2	CL	BIFK	ST1	CRY
GENER	0.00	-	0.00	41.20	2	CL	BIFK	ST2	CRY
GENER	0.00	-	0.00	36.20	1	CL	SCR	CRY	
GENER	0.00	-	0.00	16.80	1	CL	SHAT	CPR	
GENER	0.00	-	0.00	7.30	1	CL	SHAT	CRY	
GENER	0.00	-	0.00	76.10	1	CL	CORE	RUM	CRY
GENER	0.00	-	0.00	12.50	1	CL	COBL	TESTED	CRY

North	East	Unit	Unit#	Top-Depth-Btm	Wt	Ct	Acronyms ...
-------	------	------	-------	---------------	----	----	--------------

--> SITENO = 19.14

GENER	0.00	-	0.00	19.00	1	POT	BODY	CRMK	SAND
-------	------	---	------	-------	---	-----	------	------	------



APPENDIX B

SCOPE OF WORK

SECTION C - DESCRIPTION/SPECIFICATIONS (SCOPE OF WORK)

Archeological Intensive Survey of the Ditch 19 Extension, St. Francis Basin Project, Dunklin and Stoddard Counties, Missouri.

C-1. GENERAL.

C-1.01. The Contractor shall conduct a background and literature search and intensive survey level investigation of the Ditch 19 Extension, St. Francis Basin Project, Dunklin and Stoddard Counties, Missouri. These tasks are in partial fulfillment of the Memphis District's obligations under the National Historic Preservation Act of 1966 (P.L. 89665); the National Environment Policy Act of 1969 (P.L. 91-190); Executive Order 11593, "Protection and Enhancement of Cultural Environment," 13 May 1971 (360FR3921); Preservation of Historic and Archeological Data, 1974 (P.L. 93-291); and the Advisory Council on Historic Preservation, "Procedures for the Protection of Historic and Cultural Properties" (36 CFR 8, Part 800).

C-1.02. Personnel Standards.

a. The Contractor shall utilize a systematic, interdisciplinary approach to conducting the study. Specialized knowledge and skills will be used during the course of the study to include expertise in archeology, history, architecture, geology and other disciplines as required. Techniques and methodologies used for the study shall be representative of the state of current professional knowledge and development.

b. The following minimal experiential and academic standards shall apply to personnel involved in cultural resources investigations described in this Scope of Work:

(1) Archeological Project Directors or Principal Investigators (PI). Individuals in charge of an archaeological project or research investigation contract, in addition to meeting the appropriate standards for archaeologist, must have a publication record that demonstrates extensive experience in successful field project formulation, execution and technical monograph reporting. The Contracting Officer may also require suitable professional references to obtain estimates regarding the adequacy of prior work.

(2) Archaeologist. The minimum formal qualifications for individuals practicing archaeology as a profession are a B.A. or B.S. degree from an accredited college or university, followed by a minimum of two years of successful graduate study with concentration in anthropology and specialization in archeology and at least two summer field schools or their equivalent under the supervision of archeologists or recognized competence. A Master's thesis or its equivalent in research and publication is highly recommended, as is the M.A. degree.

(3) Other Professional Personnel. All non-archeological personnel utilized for their special knowledge and expertise must have a B.A. or B.S. degree from an accredited college or university, followed by a minimum of one year of successful graduate study with concentration in appropriate study.

(4) Other Supervisory Personnel. Persons in any archeological supervisory position must hold a B.A., B.S. or M.A. degree with a concentration in archeology and a minimum of 2 years of field and laboratory experience

(5) Crew Members and Lab Workers. All crew members and lab workers must have prior experience compatible with the tasks to be performed under this contract. An academic background in archeology/anthropology is highly recommended.

c. All operations shall be conducted under the supervision of qualified professionals in the discipline appropriate to the data that is to be discovered, described or analyzed. Vitae of personnel involved in project activities may be required by the Contracting Officer at anytime during the period of service of this contract.

C-1.03. The Contractor shall designate in writing the name of the Principal Investigator. Participation time of the Principal Investigator shall average a minimum of 50 hours per month during the period of service of this contract. In the event of controversy or court challenge, the Principal Investigator shall be available to testify with respect to report findings. The additional services and expenses would be at Government expense, per paragraph 1.08 below.

C-1.04. The Contractor shall keep standard field records which will include, but are not limited to, field notebooks, state approved site forms, (prehistoric, historic, architectural), field data forms and graphics and photographs. Publishable quality site maps with precise boundaries and proposed impact boundaries will be submitted for each site.

C-1.05. To conduct the field investigation, the Contractor will obtain all necessary permits, licenses, and approvals from all local, state and Federal authorities. Should it become necessary in the performance of the work and services of the Contractor to secure the right of ingress and egress to perform any of the work required herein on properties not owned or controlled by the Government, the Contractor shall secure the consent of the owner, his representative, or agent, prior to effecting entry on such property.

C-1.06. Innovative approaches to data location, collection, description and analysis, consistent with other provisions of this purchase order and the Cultural Resources requirements of the Memphis District, are encouraged. Such approaches will require prior consultation with the Contracting Officer and/or his authorized representative.

C-1.07. No mechanical power equipment shall be utilized in any cultural resource activity without specific written permission of the Contracting Officer.

C-1.08. Techniques and methodologies used during the mitigation shall be representative of the current state of knowledge for their respective disciplines.

C-1.09. The Contractor shall furnish expert personnel to attend conferences and furnish testimony in any judicial proceedings involving the archaeological and historical study, evaluation, analysis and report. When required, arrangements for these services and payment therefor will be made by representatives of either the Corps of Engineers or the Department of Justice.

C-1.10. The Contractor shall supply such graphic aids (ex: profile and plan drawings) or tables as are necessary to provide a ready and clear understanding of spatial relationships or other data discussed in the text of the report. Such tables or figures shall appear as appropriate in the body of the report.

C-1.11. The Contractor, prior to the acceptance of the final report, shall not release any sketch, photograph, report or other material of any nature obtained or prepared under this contract without specific written approval of the Contracting Officer.

C-1.12. The extent and character of the work to be accomplished by the Contractor shall be subject to the general supervision, direction, control and approval of the Contracting Officer. The Contracting Officer may have a representative of the Government present during any or all phases of the described cultural resource project.

## C-2. STUDY AREA.

C-2.01. The Ditch No. 19 Extension Project is in Dunklin and Stoddard Counties near Malden, Missouri. The work will begin at the limits of Ditch No. 19, Item 2, Parcel 3 (Sta. 1544+00) just upstream of the junction of Ditch No. 19 and Lateral No. 1 extending upstream about 6 miles to 200 feet upstream of the Dunklin Co.-Stoddard Co. line; on Lateral No. 1 from the junction with Ditch No. 19 extending upstream about 2.6 miles to 200 feet upstream of the county road and 200 feet upstream and downstream of county road bridge crossing on Ditch No 29 Extension located about 1.1 miles upstream of Dunklin Co.-Stoddard Co. line. See attached map. The survey is 200 feet on both sides of the ditches.

C-2.02. A second area of survey is as follows:

Beginning at the Southwest corner of the SE 1/4 of NE 1/4 of Section 13, Thence, North 1,320.0 feet along the west line of said SE 1/4 of NE 1/4 to a point on north line of said SE 1/4 of NE 1/4;

Thence, east 400.0 feet along said north line to a point on the centerline of main ditch,

Thence downstream along said centerline approximately 1,500.0 feet to a point on the 1/2 section line of Section 13,

Thence, west 1,150.0 feet along said 1/2 section line to point of beginning and containing 25.50 acres, more or less.

### C-3. DEFINITIONS.

C-3.01. "Cultural Resources" are defined to include any buildings, site, district, structure, object, data, or other material relating to the history, architecture, archeology, or culture of an area.

C-3.02. "Background and Literature Search" is defined as a comprehensive examination of existing literature and records for the purpose of inferring the potential presence and character of cultural resources in the study area. The examination may also serve as collateral information to field data in evaluating the eligibility of cultural resources for inclusion in the National Register of Historic Places or in ameliorating losses of significant data in such resources.

C-3.03. "Intensive Survey" is defined as a comprehensive, systematic, and detailed on-the-ground survey of an area, of sufficient intensity to determine the number, types, extent and distribution of cultural resources present and their relationship to project features.

C-3.04. "Mitigation" is defined as the amelioration of losses of significant prehistoric, historic, or architectural resources which will be accomplished through preplanned actions to avoid, preserve, protect, or minimize adverse effect upon such resources or to recover a representative sample of the data they contain by implementation of scientific research and other professional techniques and procedures. Mitigation of losses of cultural resources includes, but is not limited to, such measures as: (1) recovery and preservation of an adequate sample of archaeological data to allow for analysis and published interpretation of the cultural and environmental conditions prevailing at the time(s) the area was utilized by man; (2) recording, through architectural quality photographs and/or measured drawings of buildings, structures, districts, sites and objects and deposition of such documentation in the Library of Congress as a part of the National Architectural and Engineering Record; (3) relocation of buildings, structures and objects; (4) modification of plans or authorized projects to provide for preservation of resources in place; (5) reduction or elimination of impacts by engineering solutions to avoid mechanical effects of wave wash, scour, sedimentation and related processes and the effects of saturation.

C-3.05. "Reconnaissance" is defined as an on-the-ground examination of selected portions of the study area, and related analysis adequate to assess the general nature of resources in the overall study area and the probable impact on resources of alternate plans under consideration. Normally

reconnaissance will involve the intensive examination of not more than 15 percent of the total proposed impact area.

C-3.06. "Significance" is attributable to those cultural resources of historical, architectural, or archaeological value when such properties are included in or have been determined by the Secretary of the Interior to be eligible for inclusion in the National Register of Historic Places after evaluation against the criteria contained in How to Complete National Register Forms.

C-3.07. "Testing" is defined as the systematic removal of the scientific, prehistoric, historic, and/or archaeological data that provide an archaeological or architectural property with its research data value. Testing may include controlled surface survey, shovel testing, profiling, and limited subsurface test excavations of the properties to be affected for purposes of research planning, the development of specific plans for research activities, excavation, the development of specific plans for research activities, preparation of notes and records, and other forms of physical removal of data and the material analysis of such data and material, preparation of reports on such data and material and dissemination of reports and other products of the research. Subsurface testing shall not proceed to the level of mitigation.

C-3.08. "Analysis" is the systematic examination of material data, environmental data, ethnographic data, written records, or other data which may be prerequisite to adequately evaluating those qualities of cultural loci which contribute to their significance.

#### C-4. GENERAL PERFORMANCE SPECIFICATIONS.

##### C-4.01. Research Design.

Survey and testing will be conducted within the framework of a regional research design including, where appropriate, questions discussed in the State Plan (if one exists). All typological units not generated in these investigations, shall be adequately referenced. It should be noted that artifactual typologies constructed for other areas may or may not be suitable for use in the study area. It is, therefore, of great importance that considerable effort be spent in recording and describing artifactual characteristics treated as diagnostic in this study as well as explicit reasons for assigning (or not assigning) specific artifacts to various classificatory units.

##### C-4.02. Background and Literature Search.

a. This task shall include an examination of the historic and prehistoric environmental setting and cultural background of the study area and shall be of sufficient magnitude to achieve a detailed understanding of the overall cultural and environmental context of the study area. It is

axiomatic that the background and literature search shall normally precede the initiation of all fieldwork.

b. Information and data for the literature search shall be obtained, as appropriate, from the following sources: (1) Scholarly reports - books, journals, theses, dissertations and unpublished papers; (2) Official Records Federal, state, county and local levels, property deeds, public works and other regulatory department records and maps; (3) Libraries and Museums - both regional and local libraries, historical societies, universities, and museums; (4) other repositories - such as private collections, papers, photographs, etc.; (5) archeological site files at local universities, the State Historic Preservation Office, the State Archeologist; (6) Consultation with qualified professionals familiar with the cultural resources in the area, as well as consultation with professionals in associated areas such as history, sedimentology, geomorphology, agronomy, and ethnology.

c. The Contractor shall include as an appendix to the draft and final reports written evidence of all consultation and any subsequent response(s), including the dates of such consultation and communications.

d. The background and literature search shall be performed in such a manner as to facilitate predictive statements (to be included in the study report) concerning the probable quantity, character, and distribution of cultural resources within the project area. In addition, information obtained in the background and literature search should be of such scope and detail as to serve as an adequate data base for subsequent field work and analysis in the study area undertaken for the purpose of discerning the character, distribution and significance of identified cultural resources.

e. In order to accomplish the objectives described in paragraph 4.02.d., it will be necessary to attempt to establish a relationship between landforms and the patterns of their utilization by successive groups of human inhabitants. This task should involve defining and describing various zones of the study area with specific reference to such variables as past topography, potential food resources, soils, geology, and river channel history.

#### C-4.03. Intensive Survey.

a. Intensive Survey shall include the on-the-ground examination of the project areas described in paragraph C-2.01 sufficiently to insure the location and preliminary evaluation of all cultural resources in the study area and to fulfill report requirements described for intensive survey in paragraph C-5.03j. Survey transects shall be a maximum of 30 meters wide.

b. Unless excellent ground visibility and other conditions conducive to the observation of cultural evidence occurs, shovel test pits, or comparable subsurface excavation units, shall be installed at intervals no greater than 30 meters throughout the study area. Shovel test pits shall be minimally 30 X 30 centimeters in size and extend to a minimum depth of 50 centimeters. All such units shall be screened using 1/4" mesh hardware cloth. Additional

shovel test pits shall be excavated in areas judged by the Principal Investigator to display a high potential for the presence of cultural resources. If, during the course of intensive survey activities, areas are encountered in which disturbance or other factors clearly and decisively preclude the possible presence of significant cultural resources, the Contractor shall carefully examine and document the nature and extent of the factors and then proceed with survey activities in the remainder of the study area. Documentation and justification of such action shall appear in the survey report. The location of all shovel test units and surface observations shall be recorded and appear in the draft and final reports.

c. When cultural remains are encountered, horizontal site boundaries shall be derived by appropriate archaeological methods in such a manner as to allow precise location of site boundaries on Government project drawings and 7.5 minute U.S.G.S. quad maps when available. Methods used to establish site boundaries shall be discussed in the survey report together with the probable accuracy of the boundaries. The Contractor shall establish a datum at the discovered cultural loci which shall be precisely related to the site boundaries as well as to a permanent reference point (in terms of azimuth and distance). If possible, the permanent reference point used shall appear on Government blue-line (project) drawings and/or 7.5 minute U.S.G.S. quad maps. If no permanent landmark is available, a permanent datum shall be established in a secure location for use as a reference point. The permanent datum shall be precisely plotted and shown on U.S.G.S. quad maps and project drawings. All descriptions of site location shall refer to the location of the primary site datum.

d. The Contractor shall examine all cultural resources encountered in the intensive survey sufficiently well to determine the approximate size, general nature and quantity of architectural or site surface data. Data collection shall be of sufficient scope to provide information requested on state site forms.

e. During the course of the intensive survey, the Contractor should observe and record local environmental, physiographic, geological or other variables (including estimates of ground visibility and descriptions of soil characteristics) which may be useful in evaluating the effectiveness of survey procedures and providing comparative data for use in predictive statements which may be utilized in future Government cultural resource investigations.

f. When sites are not wholly contained within the right-of-way limits, the Contractor shall survey an area outside the right-of-way limits large enough to include the entire site within the survey area. This shall be done in an effort to delineate site boundaries and to determine the degree to which the site will be impacted.

g. All standing buildings and structures (other than those patently modern, I.E., less than 50 years old) shall be recorded and described. For a building to be considered "standing" it must retain four walls and at least a



skeletal roof structure. A building or structure found in the field to be partially or totally collapsed will be considered an archeological site. In these cases, data concerning construction materials and techniques and floor plan, if discernible, must be collected. The Contractor shall supply preliminary information concerning the suitability of a structure or building for relocation and restoration (structural soundness for example).

h. Site Specific Investigations. All cultural resources discovered within survey area shall be examined by methods consistent with the following requirements:

(1) Site Boundaries.

Horizontal site boundaries shall be derived by the use of surface observation procedures (where surface conditions are highly conducive to the observation of cultural evidence) or by screened shovel cut units or by a combination of these methods. The delineations of horizontal sites boundaries may be accomplished concurrently with the collection of other data consistent with paragraph 4.03g.(2). Site boundaries shall be related to a site datum and permanent reference point as described in paragraph 4.03c.

(2) Surface Data Retrieval.

Surface collection of the site area shall be accomplished in order to obtain data representative of total site surface content. Both historic and prehistoric items shall be collected. The Contractor shall carefully note and record descriptions of surface conditions of the site including ground cover and the suitability of soil surfaces for detecting cultural items (ex: recent rainfall, standing water or mud). If ground surfaces are not highly conducive to surface collection, screened shovel test units shall be used to augment surface collection procedures. It should be noted, however, that such units should be substituted for total surface collection only where the presence of groundcover requires such techniques.

Care should be taken to avoid bias in collecting certain classes of data or artifact types to the exclusion of others (ex: debitage or faunal remains) so as to insure that collections accurately reflect both the full range and the relative proportions of data classes present (ex: the proportion of debitage to implements or types of implements to each other). Such a collecting strategy shall require the total collection of quadrat or other sample units in sufficient quantities to reasonably assure that sample data are representative of such discrete site subareas as may exist. Since the number and placement of such sample units will depend, in part, on the subjective evaluation of intrasite variability, and the amount of ground cover, the Contractor shall describe, in the reconnaissance report, the rationale for the number and distribution of collection units. In the event that the Contractor utilizes systematic sampling procedures in obtaining representative surface samples, care should be taken to avoid periodicity in recovered data. No individual sample unit type used in surface data collection shall exceed 36 square meters in area. Unless a smaller fraction

is approved by the Contracting Officer, surface collected areas shall constitute no less than 25 percent of total site areas. Detailed results of controlled surface collections shall be graphically depicted in plan view in the report of investigations.

The Contractor shall undertake (in addition and subsequent to sample surface collecting) a general site collection in order to increase the sample size of certain classes of data which the Principal Investigator may deem prerequisite to an adequate site-specific and intersite evaluation of data.

As an alternative to surface collecting procedures discussed above, where surface visibility is excellent, the Contractor may collect all visible artifacts. If such a procedure is undertaken, the precise proveniences of all individual artifacts shall be related to the primary site datum by means of a transit level.

### (3) Subsurface Data Retrieval.

Unless it can be conclusively and definitely demonstrated that no significant subsurface cultural resources occur at a site, the Contractor shall install a minimum of one 1 X 1 meter subsurface test unit to determine the presence and general nature of subsurface deposits.

h. Subsurface test units (other than shovel cut units) shall be excavated in levels no greater than 10 centimeters. Where cultural zonation or plow disturbance is present, however, excavated materials shall be removed by zones (and 10 cm. levels within zones where possible). Subsurface test units shall extend to a depth of at least 20 centimeters below artifact bearing soils. A portion of each test unit, measured from one corner (of a minimum 30 X 30 centimeters), shall be excavated to a depth of 40 centimeters below artifact bearing soils. All excavated material (including plow zone material) shall be screened using a minimum of 1/4" hardware cloth. Representative profile drawings shall be made of excavated unit. Subsequent to preparation of profile drawings for each test unit, the unit shall be backfilled and compacted to provide reasonable pedestrian safety.

i. Stringent horizontal spatial control of site specific investigations will be maintained by relating the location of all collection and test units to the primary site datum either by means of a grid system (including those used in controlled surface collection) or by azimuth and distance.

j. Other types of subsurface units may, at the Contractor's option, be utilized in addition to those units required by this Scope of Work.

k. Subsurface investigations will be limited to testing and shall not proceed to the level of mitigation.

1. All test units excavated shall be backfilled by the Contractor.

m. Cultural Resource Recording and Numbering. For each archeological site or architectural property recorded during the survey, the Contractor shall complete and submit the standard Missouri Archeological site or architectural property survey form, respectively. The Contractor shall be responsible for reproducing or obtaining a sufficient quantity of these forms to meet the needs of the project. The Contractor shall be responsible for coordinating with the appropriate state agency to obtain state site-file numbers for each archeological site and architectural property recorded.

C-4.04. Additional Investigations.

(1) Additional subsurface test units may be required at many loci. The proposed number and distribution of such test units shall be recommended by the Principal Investigator on a site specific basis. This recommendation shall be made based on such variables as site size and potential intrasite variability, including, physiographic and geomorphic characteristics of the loci which may suggest variability in the presence or distribution of subsurface cultural deposits. The Contractor shall detail the rationale(s) for the placement and numbers of proposed test units in the management summary and report of field activities. Additional reporting requirements, examination of background literature and examination of standing buildings and structures may also be required at some sites. The exact nature of additional examination, the schedule, and the price of the work shall be negotiated with the Contracting Officer, and if an agreement is reached, a Change Order shall be issued prior to conduct of the work. Additional investigations will provide a data base of sufficient nature to allow determination of site eligibility to the National Register of Historic Places consistent with C-5.3.j.12) and (3) of this Scope of Work.

(2) In order to accurately relate a site to research domains, (i.e. assess significance or insignificance), a variety of data gathering techniques may be required to ensure recovery of the various types of data which may be present at the site. These techniques may include radiocarbon dating, flotation and excavation of cultural features. When appropriate, these types of data gathering activities should be integral elements of the testing strategy.

C-4.05. Laboratory Processing, Analysis, and Preservation.

All cultural materials recovered will be cleaned and stored in deterioration resistant containers suitable for long term curation. Diagnostic artifacts will be labeled and catalogued individually. A diagnostic artifact is defined herein as any object which contributes individually to the needs of analysis required by this Scope of Work or the research design. All other artifacts recovered must minimally be placed in labeled, deterioration resistant containers, and the items catalogued. The Contractor shall describe and analyze all cultural materials recovered in accordance with current professional standards. Artifactual and non-artifactual

analysis shall be of an adequate level and nature to fulfill the requirements of this Scope of Work. All recovered cultural items shall be catalogued in a manner consistent with Arkansas state requirements. The Contractor shall consult with appropriate state officials as soon as possible following the conclusion of field work in order to obtain information (ex: accession numbers) prerequisite to such cataloging procedures.

C-4.06. Curation.

Efforts to ensure the permanent curation of properly cataloged cultural resources materials and project documentation in an appropriate institution shall be considered an integral part of the requirements of this Scope of Work. The Contractor shall pay all costs of the preparation and permanent curation of records and artifacts. An arrangement for curation shall be confirmed by the Contractor, subject to the approval of the Contracting Officer, prior to the acceptance of the final report.

C-5. GENERAL REPORT REQUIREMENTS.

C-5.01. The primary purpose of the cultural resources report is to serve as a planning tool which aids the Government in meeting its obligations to preserve and protect our cultural heritage. The report will be in the form of a comprehensive, scholarly document that not only fulfills mandated legal requirements but also serves as a scientific reference for future cultural resources studies. As such, the report's content must be not only descriptive but also analytic in nature.

C-5.02 Upon completion of all field investigation and research, the Contractor shall prepare reports detailing the work accomplished, the results, the recommendations, and appropriate alternative mitigation measures, when required, for each project area. The format suggested by Guidelines for Contract Cultural Resource Survey Reports and Professional Qualifications as prepared by the Missouri Department of Natural Resources should be reviewed and, to the extent allowed by this Scope of Work utilized as an aid in preparing the required report.

C-5.03. The report shall include, but not necessarily be limited to, the following sections and items:

a. Title Page. The title page should provide the following information; the type of task undertaken, the cultural resources which were assessed (archeological, historical, architectural); the project name and location (county and state), the date of the report; the Contractor's name; the contract number; the name of the author(s) and/or the Principal Investigator; and the agency for which the report is being prepared.

b. Abstract. The abstract should include a summary of the number and types of resources which were surveyed, results of activities and the recommendations of the Principal Investigator.

c. Table of Contents.

d. Introduction. This section shall include the purpose of the report; a description of the proposed project; a map of the general area; a project map; and the dates during which the task was conducted. The introduction shall also contain the name of the institution where recovered materials will be curated.

e. Environmental Context. This section shall contain, but not be limited to, a discussion of probable past floral and faunal characteristics of the project area. Since data in this section may be used in the future evaluation of specific cultural resource significance, it is imperative that the quantity and quality of environmental data be sufficient to allow subsequent detailed analysis of the relationship between past cultural activities and environmental variables.

f. Previous Research. This section shall describe previous research which may be useful in deriving or interpreting relevant background research data, problem domains, or research questions and in providing a context in which to examine the probability of occurrence and significance of cultural resources in the study area.

g. Literature Search and Personal Interviews. This section shall discuss the results of the literature search, including specific data sources, and personal interviews which were conducted during the course of investigations.

h. Survey, Testing and Analytical Methods. This section shall contain an explicit discussion of research and/or survey strategy, and should demonstrate how environmental data, previous research data, the literature search and personal interviews have been utilized in constructing such a strategy.

i. Survey, Testing and Analytical Results. This section shall discuss archeological, architectural, and historical resources surveyed, tested and analyzed; the nature and results of analysis, and the scientific importance or significance of the work. Quantified listings and descriptions of artifacts and their proveniences may be included in this section or added to the report as an appendix. Inventoried sites shall include a site number.

j. Recommendations.

(1) This section should contain, where possible, assessments of the eligibility of specific cultural properties in the study area for inclusion in the National Register of Historic Places.

(2) Significance should be discussed explicitly in terms of previous regional and local research and relevant problem domains. Statements concerning significance shall contain a detailed, well-reasoned argument for the property's research potential in contributing to the understanding of

cultural patterns, processes or activities important to the history or prehistory of the locality, region or nation, or other criteria of significance. Conclusions concerning insignificance likewise, shall be fully documented and contain detailed and well-reasoned arguments as to why the property fails to display adequate research potential or other characteristics adequate to meet National Register criteria of significance. For example, conclusions concerning significance or insignificance relating solely to the lack of contextual integrity due to plow disturbance or the lack of subsurface deposits will be considered inadequate. Where appropriate, due consideration should be given to the data potential of such variables as site functional characteristics, horizontal intersite or intrasite spatial patterning of data and the importance of the site as a representative systemic element in the patterning of human behavior. All report conclusions and recommendations shall be logically and explicitly derived from data discussed in the report.

(3) The significance or insignificance of cultural resources can be determined adequately only within the context of the most recent available local and regional data base. Consequently the evaluation of specific individual cultural loci examined during the course of contract activities shall relate these resources not only to previously known cultural data but also to a synthesized interrelated corpus of data including those data generated in the present study.

(4) Where appropriate, the Contractor shall provide alternative mitigation measures for significant resources which will be adversely impacted. Data will be provided to support the need for mitigation and the relative merits of each mitigation design will be discussed. Preservation of significant cultural resources is nearly always considered preferable to recovery of data through excavation. When a significant site can be preserved for an amount reasonably comparable to, or less than the amount required to recover the data, full consideration shall be given to this course of action.

k. References (American Antiquity Style).

1. Appendices (Maps, correspondence, etc.). A copy of this Scope of Work shall be included as an appendix in all reports.

C-5.04. The above items do not necessarily have to be discrete sections; however, they should be readily discernible to the reader. The detail of the above items may vary somewhat with the purpose and nature of the study.

C-5.05. In order to prevent potential damage to cultural resources, no information shall appear in the body of the report which would reveal precise resource location. All maps which indicate or imply precise site locations shall be included in reports as a readily removable appendix (ex: envelope).

C-5.06. No logo or other such organizational designation shall appear in any part of the report (including tables or figures) other than the title page.

C-5.07. Unless specifically authorized by the Contracting Officer, all reports shall utilize permanent site numbers assigned by the state in which the study

C-5.08. All appropriate information (including typologies and other classificatory units) not generated in these contract activities shall be suitably referenced.

C-5.09. Reports detailing testing activities shall contain site specific maps. Site maps shall indicate site datum(s), location of data collection units (including shovel cuts, subsurface test units and surface collection units); site boundaries in relation to proposed project activities, site grid systems (where appropriate) and such other items as the Contractor may deem appropriate to the purposes of this contract.

C-5.10. Information shall be presented in textual, tabular, and graphic forms, whichever are most appropriate, effective and advantageous to communicate necessary information. All tables, figures and maps appearing in the report shall be of publishable quality.

C-5.11. Any abbreviated phrases used in the text shall be spelled out when the phrase first occurs in the text. For example use "State Historic Preservation Officer (SHPO)" in the initial reference and thereafter "SHPO" may be used.

C-5.12. The first time the common name of a biological species is used it should be followed by the scientific name.

C-5.13. In addition to street addresses or property names, sites shall be located on the Universal Transverse Mercator (UTM) grid.

C-5.14. All measurements should be metric. If the Contractor's equipment is in the English system, then the metric equivalents should follow in parentheses.

C-5.15. As appropriate, diagnostic and/or unique artifacts, cultural resources or their contexts shall be shown by drawings or photographs.

C-5.16. Black and white photographs are preferred except when color changes are important for understanding the data being presented. No instant type photographs may be used.

C-5.17. Negatives of all black and white photographs and/or color slides of all plates included in the final report shall be submitted so that copies for distribution can be made.

#### C-6. SUBMITTALS.

C-6.01. The Contractor shall, unless delayed due to causes beyond his fault or negligence, complete all work and services under the purchase order within the following time limitations after receipt of notice to proceed.

a. An extensive management summary shall be submitted, in accordance with the schedule in paragraph C-7.01, to the Contracting Officer within 14 days of the completion of survey and initial testing. The management summary shall describe survey and initial testing methods and the data yielded by those methods. Where survey data, initial testing data and other sources of data are adequate, the Contractor shall evaluate cultural resources identified during survey activities in terms of eligibility for inclusion in the National Register of Historic Places. The evaluation shall be consistent with requirements in paragraph C-5.3.j. of this Scope of Work. Where inadequate data exist for such an evaluation, the Contractor shall recommend specific additional studies, as described in paragraph C-4.08 of this Scope of Work, necessary to obtain adequate data for such National Register evaluation. The management summary shall include project maps showing boundaries of discovered cultural resources relative to project rights-of-way. The management summary shall also contain recommendations, based on geomorphic and other data, concerning the need for deep cultural resources testing and the type, numbers and locations of needed deep test units.

b. Four (4) copies of the draft report will be submitted within 95 calendar days following receipt of notice to proceed.

c. The Government shall review the draft report and provide comments to the Contractor within 40 calendar days after receipt of the Government's comments on the draft report.

d. An unbound original and 25 bound copies of the final report shall be submitted within 47 calendar days following the Contractor's receipt of the Government's comments on the draft report.

C-6.02. If the Government review exceeds 40 calendar days, the period of service of the purchase order shall be extended on a day-by-day basis equal to any additional time required by the Government for review.

C-6.03. The Contractor shall submit under separate cover 5 copies of appropriate 15' quadrangle maps (7.5' when available) and other site drawings which show exact boundaries of all cultural resources within the project area and their relationship to project features, and single copies of all forms, records and photographs described in paragraph 1.04.

C-6.04. The Contractor shall submit to the Contracting Officer completed National Register forms including photographs, maps, and drawings in accordance with the National Register Program if any sites inventoried during the survey are found to meet the criteria of eligibility for nomination and



for determination of significance. The completed National Register forms are to be submitted with the final report.

C-6.05. At any time during the period of service of this contract, upon the written request of the Contracting Officer, the Contractor shall submit, within 30 calendar days, any portion or all field records described in paragraph 1.04 without additional cost to the Government.

C-6.06. When cultural resources are located during intensive survey activities, the Contractor shall supply the appropriate State Historic Preservation Office with completed site forms, survey report summary sheets, maps or other forms as appropriate. Blank forms may be obtained from the State Historic Preservation Office. Copies of such completed forms and maps shall be submitted to the Contracting Officer within 30 calendar days of the end of fieldwork.

C-6.07. The Contractor shall prepare and submit with the final report, a site card for each identified resource or aggregate resource. These site cards do not replace state approved prehistoric, historic, or architectural forms or Contractor designed forms. This site card shall contain the following information, to the degrees permitted by the type of study authorized:

- a. site number
- b. site name
- c. location: section, township, and UTM coordinates (for procedures in determining UTM coordinates refer to How to Complete National Register Forms, National Register Program, Volume 2.
- d. county and state
- e. quad maps
- f. date of record
- g. description of site
- h. condition of site
- i. test excavation results
- j. typical artifacts
- k. chronological position (if known)
- l. relation to project
- m. previous studies and present contract number
- n. additional remarks

C-7. SCHEDULE.

C-7.01. The Contractor shall, unless delayed due to causes beyond his control and without his fault or negligence, complete all work and services under this contract within the following time limitations.

<u>Activity</u>	<u>Due Date</u> (Beginning with acknowledged date of receipt of notice to proceed)
Begin Intensive Survey of the Ditch 19 Extension Project, Dunklin County, Missouri	8 calendar days
Submittal of Management Summary Letter	46 calendar days
Submittal of Draft Report	95 calendar days
Government Review of Draft Reports	135 calendar days
Contractor's Submittal of Final Reports	182 calendar days

C-7.02. The Contractor shall make any required corrections after review by the Contracting Officer of the reports. In the event that any of the Government review periods are exceeded and upon request of the Contractor, the contract period will be extended on a calendar day for day basis. The Contracting Officer may defer Government review comments pending receipt of review comments from the State Historic Preservation Officer or other reviewing agencies. More than one series of draft report corrections may be required. Such extension shall be granted at no additional cost to the Government.